

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Arkansas

All races, both sexes.....	105	-	1	-	-	-	1	4	3	3	4	4
Male.....	42	-	1	-	-	-	-	1	1	-	3	2
Female.....	63	-	-	-	-	-	1	3	2	3	1	2
White, both sexes.....	74	-	1	-	-	-	-	1	-	1	2	1
Male.....	32	-	1	-	-	-	-	-	-	-	1	1
Female.....	42	-	-	-	-	-	-	1	-	1	1	-
Black, both sexes.....	31	-	-	-	-	-	1	3	3	2	2	3
Male.....	10	-	-	-	-	-	-	1	1	-	2	1
Female.....	21	-	-	-	-	-	1	2	2	2	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	573	9	7	10	4	4	6	14	16	13	22	31
Male.....	257	6	2	5	4	4	4	7	9	7	13	17
Female.....	316	3	5	5	-	-	2	7	7	6	9	14
White, both sexes.....	429	8	6	2	4	1	4	8	5	8	16	16
Male.....	191	5	1	2	4	1	3	4	5	5	9	7
Female.....	238	3	5	-	-	-	1	4	-	3	7	9
Black, both sexes.....	90	-	1	4	-	3	2	6	8	5	5	13
Male.....	46	-	1	2	-	3	1	3	3	2	4	9
Female.....	44	-	-	2	-	-	1	3	5	3	1	4
American Indian 1/, both sexes.....	4	-	-	1	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	50	1	-	3	-	-	-	-	3	-	1	2
Male.....	18	1	-	1	-	-	-	-	1	-	-	1
Female.....	32	-	-	2	-	-	-	-	2	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Colorado

All races, both sexes.....	80	2	1	-	-	2	2	4	-	2	-	5
Male.....	28	-	1	-	-	1	1	1	-	2	-	4
Female.....	52	2	-	-	-	1	1	3	-	-	-	1
White, both sexes.....	70	2	1	-	-	2	2	4	-	1	-	2
Male.....	22	-	1	-	-	1	1	1	-	1	-	2
Female.....	48	2	-	-	-	1	1	3	-	-	-	-
Black, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	3
Male.....	4	-	-	-	-	-	-	-	-	-	-	2
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	128	1	1	1	-	-	-	1	-	2	4	3
Male.....	52	-	1	-	-	-	-	-	-	1	2	-
Female.....	76	1	-	1	-	-	-	1	-	1	2	3
White, both sexes.....	115	1	1	-	-	-	-	-	-	2	1	2
Male.....	47	-	1	-	-	-	-	-	-	1	1	-
Female.....	68	1	-	-	-	-	-	-	-	1	-	2
Black, both sexes.....	12	-	-	1	-	-	-	-	-	-	3	1
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	1	-	-	-	-	-	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Maine

All races, both sexes.....	48	-	1	-	-	-	-	-	-	-	3	4
Male.....	21	-	-	-	-	-	-	-	-	-	1	3
Female.....	27	-	1	-	-	-	-	-	-	-	2	1
White, both sexes.....	46	-	1	-	-	-	-	-	-	-	2	4
Male.....	19	-	-	-	-	-	-	-	-	-	-	3
Female.....	27	-	1	-	-	-	-	-	-	-	2	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	226	2	4	-	2	2	2	2	4	13	14	14
Male.....	104	2	4	-	2	1	1	2	4	8	5	6
Female.....	122	-	-	-	-	1	1	-	-	5	9	8
White, both sexes.....	108	-	2	-	1	-	1	1	-	-	3	2
Male.....	45	-	2	-	1	-	-	1	-	-	1	-
Female.....	63	-	-	-	-	-	1	-	-	-	2	2
Black, both sexes.....	112	-	2	-	1	2	1	1	4	12	11	12
Male.....	56	-	2	-	1	1	1	1	4	8	4	6
Female.....	56	-	-	-	-	1	-	-	-	4	7	6
American Indian 1/, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

New Hampshire

All races, both sexes.....	41	-	-	-	-	-	-	-	-	1	1	3
Male.....	19	-	-	-	-	-	-	-	-	-	-	-
Female.....	22	-	-	-	-	-	-	-	-	1	1	3
White, both sexes.....	41	-	-	-	-	-	-	-	-	1	1	3
Male.....	19	-	-	-	-	-	-	-	-	-	-	-
Female.....	22	-	-	-	-	-	-	-	-	1	1	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	371	1	3	3	2	2	2	5	8	12	15	25
Male.....	164	-	1	2	1	1	1	4	5	7	6	15
Female.....	207	1	2	1	1	1	1	1	3	5	9	10
White, both sexes.....	261	-	2	2	1	2	1	2	1	2	5	10
Male.....	108	-	-	2	1	1	-	2	-	2	2	7
Female.....	153	-	2	-	-	1	1	-	1	-	3	3
Black, both sexes.....	105	-	1	1	1	-	1	3	7	9	10	15
Male.....	54	-	1	-	-	-	1	2	5	5	4	8
Female.....	51	-	-	1	1	-	-	1	2	4	6	7
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Arkansas

All races, both sexes.....	3	6	4	3	11	14	8	16	13	6	1	-
Male.....	1	5	2	1	4	5	4	7	3	2	-	-
Female.....	2	1	2	2	7	9	4	9	10	4	1	-
White, both sexes.....	-	3	3	3	10	13	8	13	11	3	1	-
Male.....	-	3	2	1	4	5	4	6	3	1	-	-
Female.....	-	-	1	2	6	8	4	7	8	2	1	-
Black, both sexes.....	3	3	1	-	1	1	-	3	2	3	-	-
Male.....	1	2	-	-	-	-	-	1	-	1	-	-
Female.....	2	1	1	-	1	1	-	2	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	23	26	36	33	40	64	74	75	47	17	2	-
Male.....	9	15	13	16	14	29	31	32	14	6	-	-
Female.....	14	11	23	17	26	35	43	43	33	11	2	-
White, both sexes.....	15	17	27	25	25	56	62	65	41	16	2	-
Male.....	7	9	12	13	11	27	22	27	12	5	-	-
Female.....	8	8	15	12	14	29	40	38	29	11	2	-
Black, both sexes.....	6	7	6	6	4	3	3	4	4	-	-	-
Male.....	2	5	1	3	-	-	3	2	2	-	-	-
Female.....	4	2	5	3	4	3	-	2	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	2	-	-	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	3	2	9	5	9	6	2	1	-	-
Male.....	-	-	-	-	2	2	6	3	-	1	-	-
Female.....	2	1	3	2	7	3	3	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)												
Illinois												
All races, both sexes.....	24	27	25	29	30	49	61	63	54	30	9	-
Male.....	10	15	12	14	15	17	25	20	17	2	2	-
Female.....	14	12	13	15	15	32	36	43	37	28	7	-
White, both sexes.....	9	14	16	21	25	38	50	60	46	30	7	-
Male.....	5	7	7	10	14	13	18	20	15	2	2	-
Female.....	4	7	9	11	11	25	32	40	31	28	5	-
Black, both sexes.....	15	13	9	8	5	11	9	3	8	-	1	-
Male.....	5	8	5	4	1	4	5	-	2	-	-	-
Female.....	10	5	4	4	4	7	4	3	6	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	-	-	1	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Indiana												
All races, both sexes.....	7	3	15	21	17	27	32	33	18	13	3	-
Male.....	3	2	10	9	8	15	11	10	6	2	-	-
Female.....	4	1	5	12	9	12	21	23	12	11	3	-
White, both sexes.....	3	2	12	17	12	24	29	31	17	11	2	-
Male.....	1	2	8	7	6	14	10	9	5	2	-	-
Female.....	2	-	4	10	6	10	19	22	12	9	2	-
Black, both sexes.....	4	1	3	4	5	3	3	1	1	2	1	-
Male.....	2	-	2	2	2	1	1	1	1	-	-	-
Female.....	2	1	1	2	3	2	2	-	-	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Maine

All races, both sexes.....	3	1	2	3	1	5	5	8	6	5	1	-
Male.....	2	1	2	-	-	3	-	4	2	2	1	-
Female.....	1	-	-	3	1	2	5	4	4	3	-	-
White, both sexes.....	3	1	1	3	1	5	5	8	6	5	1	-
Male.....	2	1	1	-	-	3	-	4	2	2	1	-
Female.....	1	-	-	3	1	2	5	4	4	3	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	14	15	16	17	16	20	23	21	18	5	2	-
Male.....	12	6	6	8	8	5	10	10	3	1	-	-
Female.....	2	9	10	9	8	15	13	11	15	4	2	-
White, both sexes.....	3	3	8	12	11	12	17	16	12	4	-	-
Male.....	3	1	3	5	7	3	7	8	2	1	-	-
Female.....	-	2	5	7	4	9	10	8	10	3	-	-
Black, both sexes.....	11	12	8	5	5	8	6	4	5	1	1	-
Male.....	9	5	3	3	1	2	3	1	1	-	-	-
Female.....	2	7	5	2	4	6	3	3	4	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Massachusetts

All races, both sexes.....	4	10	9	9	15	24	34	37	37	14	4	-
Male.....	3	6	5	8	7	7	9	17	7	4	-	-
Female.....	1	4	4	1	8	17	25	20	30	10	4	-
White, both sexes.....	4	8	7	9	13	23	32	33	36	13	4	-
Male.....	3	5	4	8	6	7	8	16	7	4	-	-
Female.....	1	3	3	1	7	16	24	17	29	9	4	-
Black, both sexes.....	-	2	2	-	2	1	1	4	1	1	-	-
Male.....	-	1	1	-	1	-	-	1	-	-	-	-
Female.....	-	1	1	-	1	1	1	3	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	15	25	17	19	21	39	50	52	37	11	2	-
Male.....	6	11	7	8	10	11	16	15	12	1	-	-
Female.....	9	14	10	11	11	28	34	37	25	10	2	-
White, both sexes.....	6	9	14	17	16	34	42	45	35	9	2	-
Male.....	4	3	6	6	8	9	15	13	11	1	-	-
Female.....	2	6	8	11	8	25	27	32	24	8	2	-
Black, both sexes.....	8	16	3	2	4	5	7	6	2	2	-	-
Male.....	2	8	1	2	1	2	1	2	1	-	-	-
Female.....	6	8	2	-	3	3	6	4	1	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Nebraska

All races, both sexes.....	3	4	3	5	1	3	11	7	3	2	-	-
Male.....	2	3	1	5	-	1	6	2	1	-	-	-
Female.....	1	1	2	-	1	2	5	5	2	2	-	-
White, both sexes.....	3	4	3	4	1	3	11	7	3	2	-	-
Male.....	2	3	1	4	-	1	6	2	1	-	-	-
Female.....	1	1	2	-	1	2	5	5	2	2	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	4	5	5	3	9	4	5	9	6	1	-	-
Male.....	2	2	3	1	5	4	2	4	1	-	-	-
Female.....	2	3	2	2	4	-	3	5	5	1	-	-
White, both sexes.....	3	3	5	3	8	4	5	9	6	1	-	-
Male.....	2	1	3	1	5	4	2	4	1	-	-	-
Female.....	1	2	2	2	3	-	3	5	5	1	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

New Hampshire

All races, both sexes.....	3	-	3	2	2	4	8	6	6	2	-	-
Male.....	-	-	1	1	2	2	6	2	4	1	-	-
Female.....	3	-	2	1	-	2	2	4	2	1	-	-
White, both sexes.....	3	-	3	2	2	4	8	6	6	2	-	-
Male.....	-	-	1	1	2	2	6	2	4	1	-	-
Female.....	3	-	2	1	-	2	2	4	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	18	20	20	22	21	42	50	54	33	10	3	-
Male.....	12	12	10	11	10	18	19	21	5	2	1	-
Female.....	6	8	10	11	11	24	31	33	28	8	2	-
White, both sexes.....	9	8	12	17	17	37	46	48	30	7	2	-
Male.....	5	4	7	9	7	14	18	19	5	2	1	-
Female.....	4	4	5	8	10	23	28	29	25	5	1	-
Black, both sexes.....	9	12	7	5	4	4	4	5	3	3	1	-
Male.....	7	8	2	2	3	3	1	2	-	-	-	-
Female.....	2	4	5	3	1	1	3	3	3	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

New Mexico

All races, both sexes.....	1	7	6	2	8	2	8	6	5	4	-	-
Male.....	1	3	4	2	5	1	3	4	2	1	-	-
Female.....	-	4	2	-	3	1	5	2	3	3	-	-
White, both sexes.....	-	7	6	2	8	1	8	5	4	4	-	-
Male.....	-	3	4	2	5	1	3	3	1	1	-	-
Female.....	-	4	2	-	3	-	5	2	3	3	-	-
Black, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	37	27	26	44	52	62	63	49	39	20	2	-
Male.....	14	14	11	19	22	25	22	13	8	4	1	-
Female.....	23	13	15	25	30	37	41	36	31	16	1	-
White, both sexes.....	15	18	13	28	38	57	56	40	36	19	2	-
Male.....	6	10	8	13	17	24	21	10	8	4	1	-
Female.....	9	8	5	15	21	33	35	30	28	15	1	-
Black, both sexes.....	22	9	13	15	13	5	7	9	3	1	-	-
Male.....	8	4	3	6	5	1	1	3	-	-	-	-
Female.....	14	5	10	9	8	4	6	6	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Oregon

All races, both sexes.....	5	5	7	2	10	14	19	20	16	3	-	-
Male.....	5	3	2	-	4	3	9	9	5	3	-	-
Female.....	-	2	5	2	6	11	10	11	11	-	-	-
White, both sexes.....	4	4	6	2	10	14	18	20	16	3	-	-
Male.....	4	3	2	-	4	3	8	9	5	3	-	-
Female.....	-	1	4	2	6	11	10	11	11	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	21	21	17	40	46	62	82	88	59	32	6	-
Male.....	12	13	11	18	23	26	37	34	15	3	1	-
Female.....	9	8	6	22	23	36	45	54	44	29	5	-
White, both sexes.....	9	15	11	32	39	57	77	84	58	32	6	-
Male.....	6	8	8	14	19	23	35	33	15	3	1	-
Female.....	3	7	3	18	20	34	42	51	43	29	5	-
Black, both sexes.....	12	6	6	8	6	4	5	4	1	-	-	-
Male.....	6	5	3	4	3	3	2	1	-	-	-	-
Female.....	6	1	3	4	3	1	3	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

South Dakota

All races, both sexes.....	1	-	3	2	4	-	3	4	7	2	-	-
Male.....	-	-	3	-	2	-	1	2	3	-	-	-
Female.....	1	-	-	2	2	-	2	2	4	2	-	-
White, both sexes.....	1	-	3	2	4	-	3	4	7	2	-	-
Male.....	-	-	3	-	2	-	1	2	3	-	-	-
Female.....	1	-	-	2	2	-	2	2	4	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	10	11	17	16	15	24	26	15	14	5	2	-
Male.....	5	5	8	13	5	11	12	4	5	3	-	-
Female.....	5	6	9	3	10	13	14	11	9	2	2	-
White, both sexes.....	4	8	12	14	13	23	25	11	13	5	-	-
Male.....	3	4	7	12	5	11	12	3	4	3	-	-
Female.....	1	4	5	2	8	12	13	8	9	2	-	-
Black, both sexes.....	6	3	5	2	1	1	1	4	1	-	2	-
Male.....	2	1	1	1	-	-	-	1	1	-	-	-
Female.....	4	2	4	1	1	1	1	3	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Vermont

All races, both sexes.....	1	1	1	2	4	-	-	-	4	-	-	-
Male.....	1	1	1	1	2	-	-	-	1	-	-	-
Female.....	-	-	-	1	2	-	-	-	3	-	-	-
White, both sexes.....	1	1	1	2	4	-	-	-	4	-	-	-
Male.....	1	1	1	1	2	-	-	-	1	-	-	-
Female.....	-	-	-	1	2	-	-	-	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	18	17	16	9	25	27	27	32	15	7	1	-
Male.....	7	6	10	7	7	16	12	10	6	1	-	-
Female.....	11	11	6	2	18	11	15	22	9	6	1	-
White, both sexes.....	2	7	8	5	17	18	22	26	11	6	1	-
Male.....	1	3	4	4	3	12	10	6	4	1	-	-
Female.....	1	4	4	1	14	6	12	20	7	5	1	-
Black, both sexes.....	16	9	8	4	8	8	5	6	3	1	-	-
Male.....	6	3	6	3	4	3	2	4	2	-	-	-
Female.....	10	6	2	1	4	5	3	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Anemias (D50-D64)												
Colorado												
All races, both sexes.....	24	-	-	-	-	-	1	2	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	16	-	-	-	-	-	1	2	-	-	-	-
White, both sexes.....	22	-	-	-	-	-	1	2	-	-	-	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	15	-	-	-	-	-	1	2	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	55	-	1	1	-	-	-	1	-	-	-	2
Male.....	19	-	1	-	-	-	-	-	-	-	-	-
Female.....	36	-	-	1	-	-	-	1	-	-	-	2
White, both sexes.....	51	-	1	-	-	-	-	-	-	-	-	1
Male.....	18	-	1	-	-	-	-	-	-	-	-	-
Female.....	33	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	3	-	-	1	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Anemias (D50-D64)												
Maine												
All races, both sexes.....	22	-	1	-	-	-	-	-	-	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	21	-	1	-	-	-	-	-	-	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	98	-	1	-	1	2	2	1	2	6	7	2
Male.....	42	-	1	-	1	1	1	1	2	3	2	1
Female.....	56	-	-	-	-	1	1	-	-	3	5	1
White, both sexes.....	51	-	-	-	-	-	1	-	-	-	2	1
Male.....	18	-	-	-	-	-	-	-	-	-	-	-
Female.....	33	-	-	-	-	-	1	-	-	-	2	1
Black, both sexes.....	45	-	1	-	1	2	1	1	2	5	5	1
Male.....	24	-	1	-	1	1	1	1	2	3	2	1
Female.....	21	-	-	-	-	1	-	-	-	2	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Anemias (D50-D64)												
Arkansas												
All races, both sexes.....	3	2	1	-	3	5	6	10	13	5	-	-
Male.....	1	2	1	-	1	2	3	3	3	2	-	-
Female.....	2	-	-	-	2	3	3	7	10	3	-	-
White, both sexes.....	-	-	1	-	3	5	6	7	11	3	-	-
Male.....	-	-	1	-	1	2	3	2	3	1	-	-
Female.....	-	-	-	-	2	3	3	5	8	2	-	-
Black, both sexes.....	3	2	-	-	-	-	-	3	2	2	-	-
Male.....	1	2	-	-	-	-	-	1	-	1	-	-
Female.....	2	-	-	-	-	-	-	2	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	4	5	10	5	12	26	31	42	32	16	2	-
Male.....	3	2	3	2	5	15	14	18	9	5	-	-
Female.....	1	3	7	3	7	11	17	24	23	11	2	-
White, both sexes.....	2	5	8	5	8	22	27	37	29	15	2	-
Male.....	2	2	3	2	4	13	11	15	8	4	-	-
Female.....	-	3	5	3	4	9	16	22	21	11	2	-
Black, both sexes.....	1	-	-	-	-	2	1	1	2	-	-	-
Male.....	1	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	2	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	-	3	2	3	4	1	1	-	-
Male.....	-	-	-	-	-	2	2	3	-	1	-	-
Female.....	1	-	2	-	3	-	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Anemias (D50-D64)

Illinois

All races, both sexes.....	10	6	5	9	16	24	44	36	43	27	9	-
Male.....	3	6	4	5	7	9	18	10	16	1	2	-
Female.....	7	-	1	4	9	15	26	26	27	26	7	-
White, both sexes.....	5	1	4	6	12	20	37	33	38	27	7	-
Male.....	2	1	3	3	6	8	13	10	14	1	2	-
Female.....	3	-	1	3	6	12	24	23	24	26	5	-
Black, both sexes.....	5	5	1	3	4	4	6	3	5	-	1	-
Male.....	1	5	1	2	1	1	4	-	2	-	-	-
Female.....	4	-	-	1	3	3	2	3	3	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	1	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-

Indiana

All races, both sexes.....	4	-	5	10	7	13	21	22	16	10	3	-
Male.....	1	-	4	3	3	6	7	8	5	1	-	-
Female.....	3	-	1	7	4	7	14	14	11	9	3	-
White, both sexes.....	2	-	3	8	5	12	19	21	16	8	2	-
Male.....	-	-	2	2	2	5	6	8	5	1	-	-
Female.....	2	-	1	6	3	7	13	13	11	7	2	-
Black, both sexes.....	2	-	2	2	2	1	2	-	-	2	1	-
Male.....	1	-	2	1	1	1	1	-	-	-	-	-
Female.....	1	-	-	1	1	-	1	-	-	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Anemias (D50-D64)

Massachusetts

All races, both sexes.....	-	4	2	1	6	11	20	24	33	13	4	-
Male.....	-	3	2	1	2	3	4	12	7	4	-	-
Female.....	-	1	-	-	4	8	16	12	26	9	4	-
White, both sexes.....	-	3	2	1	5	11	20	20	32	12	4	-
Male.....	-	2	2	1	2	3	4	11	7	4	-	-
Female.....	-	1	-	-	3	8	16	9	25	8	4	-
Black, both sexes.....	-	1	-	-	1	-	-	4	1	1	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	3	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	4	13	8	8	6	18	27	23	29	10	1	-
Male.....	2	6	2	4	4	3	8	8	11	1	-	-
Female.....	2	7	6	4	2	15	19	15	18	9	1	-
White, both sexes.....	2	5	7	7	4	15	21	19	27	9	1	-
Male.....	2	2	2	3	3	2	7	6	10	1	-	-
Female.....	-	3	5	4	1	13	14	13	17	8	1	-
Black, both sexes.....	2	8	1	1	1	3	5	3	2	1	-	-
Male.....	-	4	-	1	-	1	1	2	1	-	-	-
Female.....	2	4	1	-	1	2	4	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Anemias (D50-D64)

Nebraska

All races, both sexes.....	2	-	2	2	-	2	7	4	1	2	-	-
Male.....	1	-	1	2	-	-	4	2	-	-	-	-
Female.....	1	-	1	-	-	2	3	2	1	2	-	-
White, both sexes.....	2	-	2	1	-	2	7	4	1	2	-	-
Male.....	1	-	1	1	-	-	4	2	-	-	-	-
Female.....	1	-	1	-	-	2	3	2	1	2	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	1	1	1	-	4	1	2	6	3	1	-	-
Male.....	-	1	1	-	3	1	-	2	1	-	-	-
Female.....	1	-	-	-	1	-	2	4	2	1	-	-
White, both sexes.....	1	-	1	-	3	1	2	6	3	1	-	-
Male.....	-	-	1	-	3	1	-	2	1	-	-	-
Female.....	1	-	-	-	-	-	2	4	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Anemias (D50-D64)												
New Hampshire												
All races, both sexes.....	1	-	1	-	-	3	4	3	4	2	-	-
Male.....	-	-	1	-	-	2	4	1	3	1	-	-
Female.....	1	-	-	-	-	1	-	2	1	1	-	-
White, both sexes.....	1	-	1	-	-	3	4	3	4	2	-	-
Male.....	-	-	1	-	-	2	4	1	3	1	-	-
Female.....	1	-	-	-	-	1	-	2	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	5	5	7	6	10	16	24	38	23	9	3	-
Male.....	3	1	3	1	5	10	10	15	1	2	1	-
Female.....	2	4	4	5	5	6	14	23	22	7	2	-
White, both sexes.....	2	2	4	4	8	11	21	34	21	6	2	-
Male.....	1	1	2	1	3	6	9	13	1	2	1	-
Female.....	1	1	2	3	5	5	12	21	20	4	1	-
Black, both sexes.....	3	3	2	2	2	4	3	3	2	3	1	-
Male.....	2	-	-	-	2	3	1	2	-	-	-	-
Female.....	1	3	2	2	-	1	2	1	2	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Anemias (D50-D64)

Vermont

All races, both sexes.....	-	-	-	2	2	-	-	-	3	-	-	-
Male.....	-	-	-	1	1	-	-	-	1	-	-	-
Female.....	-	-	-	1	1	-	-	-	2	-	-	-
White, both sexes.....	-	-	-	2	2	-	-	-	3	-	-	-
Male.....	-	-	-	1	1	-	-	-	1	-	-	-
Female.....	-	-	-	1	1	-	-	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	2	5	4	4	12	13	14	22	11	7	1	-
Male.....	2	2	3	2	2	9	5	6	4	1	-	-
Female.....	-	3	1	2	10	4	9	16	7	6	1	-
White, both sexes.....	-	1	-	2	8	9	12	19	8	6	1	-
Male.....	-	1	-	1	1	7	5	4	2	1	-	-
Female.....	-	-	-	1	7	2	7	15	6	5	1	-
Black, both sexes.....	2	4	4	2	4	4	2	3	2	1	-	-
Male.....	2	1	3	1	1	2	-	2	2	-	-	-
Female.....	-	3	1	1	3	2	2	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hemolytic anemias (D55-D59)												
Arkansas												
All races, both sexes.....	2	1	-	-	-	-	1	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1	1	2	-	-	3	3	6	4	1	-	-
Male.....	1	-	1	-	-	-	-	2	-	-	-	-
Female.....	-	1	1	-	-	3	3	4	4	1	-	-
White, both sexes.....	1	1	2	-	-	2	2	5	4	1	-	-
Male.....	1	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	1	1	-	-	2	2	4	4	1	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Aplastic anemias (D60-D61)

Colorado

All races, both sexes.....	5	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	5	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	10	-	-	-	-	-	-	1	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Aplastic anemias (D60-D61)												
Maine												
All races, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	13	-	-	-	-	-	1	-	-	1	1	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	1	-	-	1	1	1
White, both sexes.....	9	-	-	-	-	-	1	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	1	-	-	-	1	1
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Aplastic anemias (D60-D61)												
Arkansas												
All races, both sexes.....	1	-	-	-	1	1	2	2	1	-	-	-
Male.....	-	-	-	-	1	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	2	1	-	-	-
White, both sexes.....	-	-	-	-	1	1	2	1	-	-	-	-
Male.....	-	-	-	-	1	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	3	3	4	3	8	9	9	8	4	4	-	-
Male.....	2	1	-	1	3	6	6	2	2	3	-	-
Female.....	1	2	4	2	5	3	3	6	2	1	-	-
White, both sexes.....	1	3	2	3	5	6	7	6	4	3	-	-
Male.....	1	1	-	1	3	4	4	1	2	2	-	-
Female.....	-	2	2	2	2	2	3	5	2	1	-	-
Black, both sexes.....	1	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	-	3	2	1	2	-	1	-	-
Male.....	-	-	-	-	-	2	1	1	-	1	-	-
Female.....	1	-	2	-	3	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Aplastic anemias (D60-D61)												
Illinois												
All races, both sexes.....	3	1	2	4	5	7	7	8	7	3	1	-
Male.....	1	1	1	1	1	1	4	3	6	-	-	-
Female.....	2	-	1	3	4	6	3	5	1	3	1	-
White, both sexes.....	3	-	2	4	3	7	6	8	7	3	1	-
Male.....	1	-	1	1	1	1	3	3	6	-	-	-
Female.....	2	-	1	3	2	6	3	5	1	3	1	-
Black, both sexes.....	-	1	-	-	2	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Indiana												
All races, both sexes.....	-	-	1	3	2	2	2	5	1	2	2	-
Male.....	-	-	-	2	1	1	-	1	-	-	-	-
Female.....	-	-	1	1	1	1	2	4	1	2	2	-
White, both sexes.....	-	-	1	3	1	2	2	4	1	2	1	-
Male.....	-	-	-	2	1	1	-	1	-	-	-	-
Female.....	-	-	1	1	-	1	2	3	1	2	1	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Acute posthemorrhagic and other anemias (D62,D64)

Arkansas

All races, both sexes.....	-	1	1	-	2	4	3	7	9	5	-	-
Male.....	-	1	1	-	-	2	1	3	2	2	-	-
Female.....	-	-	-	-	2	2	2	4	7	3	-	-
White, both sexes.....	-	-	1	-	2	4	3	5	8	3	-	-
Male.....	-	-	1	-	-	2	1	2	2	1	-	-
Female.....	-	-	-	-	2	2	2	3	6	2	-	-
Black, both sexes.....	-	1	-	-	-	-	-	2	1	2	-	-
Male.....	-	1	-	-	-	-	-	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	1	3	2	4	13	17	27	15	10	2	-
Male.....	-	1	1	1	2	8	7	14	5	2	-	-
Female.....	-	-	2	1	2	5	10	13	10	8	2	-
White, both sexes.....	-	1	3	2	3	13	16	25	13	10	2	-
Male.....	-	1	1	1	1	8	6	13	4	2	-	-
Female.....	-	-	2	1	2	5	10	12	9	8	2	-
Black, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Acute posthemorrhagic and other anemias (D62,D64)

Massachusetts

All races, both sexes.....	-	1	1	-	3	7	12	17	26	12	4	-
Male.....	-	-	1	-	1	2	3	9	5	4	-	-
Female.....	-	1	-	-	2	5	9	8	21	8	4	-
White, both sexes.....	-	1	1	-	3	7	12	15	25	11	4	-
Male.....	-	-	1	-	1	2	3	8	5	4	-	-
Female.....	-	1	-	-	2	5	9	7	20	7	4	-
Black, both sexes.....	-	-	-	-	-	-	-	2	1	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	3	5	2	6	4	12	17	12	21	8	1	-
Male.....	2	3	1	3	3	2	3	4	8	1	-	-
Female.....	1	2	1	3	1	10	14	8	13	7	1	-
White, both sexes.....	2	3	2	6	2	10	13	9	19	7	1	-
Male.....	2	2	1	3	2	2	3	3	7	1	-	-
Female.....	-	1	1	3	-	8	10	6	12	6	1	-
Black, both sexes.....	1	2	-	-	1	2	3	2	2	1	-	-
Male.....	-	1	-	-	-	-	-	1	1	-	-	-
Female.....	1	1	-	-	1	2	3	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Acute posthemorrhagic and other anemias (D62,D64)

Nebraska

All races, both sexes.....	2	-	-	1	-	1	2	4	-	1	-	-
Male.....	1	-	-	1	-	-	-	2	-	-	-	-
Female.....	1	-	-	-	-	1	2	2	-	1	-	-
White, both sexes.....	2	-	-	1	-	1	2	4	-	1	-	-
Male.....	1	-	-	1	-	-	-	2	-	-	-	-
Female.....	1	-	-	-	-	1	2	2	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	-	1	-	-	4	-	2	6	3	1	-	-
Male.....	-	1	-	-	3	-	-	2	1	-	-	-
Female.....	-	-	-	-	1	-	2	4	2	1	-	-
White, both sexes.....	-	-	-	-	3	-	2	6	3	1	-	-
Male.....	-	-	-	-	3	-	-	2	1	-	-	-
Female.....	-	-	-	-	-	-	2	4	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Acute posthemorrhagic and other anemias (D62,D64)

New Hampshire

All races, both sexes.....	-	-	-	-	-	1	1	3	3	-	-	-
Male.....	-	-	-	-	-	-	1	1	2	-	-	-
Female.....	-	-	-	-	-	1	-	2	1	-	-	-
White, both sexes.....	-	-	-	-	-	1	1	3	3	-	-	-
Male.....	-	-	-	-	-	-	1	1	2	-	-	-
Female.....	-	-	-	-	-	1	-	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	3	6	5	5	13	19	33	20	8	3	-
Male.....	1	-	2	1	3	7	8	14	1	2	1	-
Female.....	-	3	4	4	2	6	11	19	19	6	2	-
White, both sexes.....	1	1	4	4	4	8	16	29	18	5	2	-
Male.....	1	-	2	1	2	3	7	12	1	2	1	-
Female.....	-	1	2	3	2	5	9	17	17	3	1	-
Black, both sexes.....	-	2	2	1	1	4	3	3	2	3	1	-
Male.....	-	-	-	-	1	3	1	2	-	-	-	-
Female.....	-	2	2	1	-	1	2	1	2	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Acute posthemorrhagic and other anemias (D62,D64)

Vermont

All races, both sexes.....	-	-	-	1	1	-	-	-	3	-	-	-
Male.....	-	-	-	1	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-
White, both sexes.....	-	-	-	1	1	-	-	-	3	-	-	-
Male.....	-	-	-	1	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1	1	2	2	7	5	10	14	9	5	1	-
Male.....	1	-	2	2	2	4	2	5	4	1	-	-
Female.....	-	1	-	-	5	1	8	9	5	4	1	-
White, both sexes.....	-	-	-	1	4	3	8	11	6	4	1	-
Male.....	-	-	-	1	1	3	2	3	2	1	-	-
Female.....	-	-	-	-	3	-	6	8	4	3	1	-
Black, both sexes.....	1	1	2	1	3	2	2	3	2	1	-	-
Male.....	1	-	2	1	1	1	-	2	2	-	-	-
Female.....	-	1	-	-	2	1	2	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

Arkansas

All races, both sexes.....	30	-	-	-	-	-	-	-	1	1	2	1
Male.....	10	-	-	-	-	-	-	-	-	-	1	-
Female.....	20	-	-	-	-	-	-	-	1	1	1	1
White, both sexes.....	23	-	-	-	-	-	-	-	-	-	2	-
Male.....	10	-	-	-	-	-	-	-	-	-	1	-
Female.....	13	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	7	-	-	-	-	-	-	-	1	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	176	6	-	2	-	-	2	3	6	4	5	7
Male.....	80	4	-	2	-	-	-	2	3	3	1	2
Female.....	96	2	-	-	-	-	2	1	3	1	4	5
White, both sexes.....	142	5	-	1	-	-	1	3	3	3	5	5
Male.....	67	3	-	1	-	-	-	2	3	3	1	1
Female.....	75	2	-	-	-	-	1	1	-	-	4	4
Black, both sexes.....	18	-	-	1	-	-	1	-	1	1	-	2
Male.....	8	-	-	1	-	-	-	-	-	-	-	1
Female.....	10	-	-	-	-	-	1	-	1	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	1	-	-	-	-	-	-	2	-	-	-
Male.....	4	1	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

Arkansas

All races, both sexes.....	-	3	2	2	5	7	1	4	-	1	-	-
Male.....	-	2	1	1	1	1	1	2	-	-	-	-
Female.....	-	1	1	1	4	6	-	2	-	1	-	-
White, both sexes.....	-	2	2	2	4	6	1	4	-	-	-	-
Male.....	-	2	1	1	1	1	1	2	-	-	-	-
Female.....	-	-	1	1	3	5	-	2	-	-	-	-
Black, both sexes.....	-	1	-	-	1	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	9	9	12	13	14	24	27	23	9	1	-	-
Male.....	2	7	7	6	6	11	11	9	3	1	-	-
Female.....	7	2	5	7	8	13	16	14	6	-	-	-
White, both sexes.....	7	4	10	11	10	23	24	19	7	1	-	-
Male.....	2	3	6	6	5	11	8	8	3	1	-	-
Female.....	5	1	4	5	5	12	16	11	4	-	-	-
Black, both sexes.....	1	4	1	-	2	-	1	2	1	-	-	-
Male.....	-	3	1	-	-	-	1	1	-	-	-	-
Female.....	1	1	-	-	2	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	2	1	2	2	1	-	-	-
Male.....	-	-	-	-	1	-	2	-	-	-	-	-
Female.....	1	-	1	2	1	1	-	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)												
Maine												
All races, both sexes.....	2	1	1	3	-	2	4	-	-	1	1	-
Male.....	1	1	1	-	-	1	-	-	-	1	1	-
Female.....	1	-	-	3	-	1	4	-	-	-	-	-
White, both sexes.....	2	1	1	3	-	2	4	-	-	1	1	-
Male.....	1	1	1	-	-	1	-	-	-	1	1	-
Female.....	1	-	-	3	-	1	4	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	5	5	6	3	5	9	6	6	5	3	-	-
Male.....	5	2	3	-	3	2	2	3	1	1	-	-
Female.....	-	3	3	3	2	7	4	3	4	2	-	-
White, both sexes.....	1	1	5	2	4	5	6	4	3	2	-	-
Male.....	1	-	3	-	3	1	2	2	-	1	-	-
Female.....	-	1	2	2	1	4	4	2	3	1	-	-
Black, both sexes.....	4	4	1	1	1	4	-	1	1	1	-	-
Male.....	4	2	-	-	-	1	-	-	1	-	-	-
Female.....	-	2	1	1	1	3	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

New Mexico

All races, both sexes.....	-	2	3	1	4	1	4	1	1	-	-	-
Male.....	-	1	2	1	3	1	1	1	-	-	-	-
Female.....	-	1	1	-	1	-	3	-	1	-	-	-
White, both sexes.....	-	2	3	1	4	1	4	1	1	-	-	-
Male.....	-	1	2	1	3	1	1	1	-	-	-	-
Female.....	-	1	1	-	1	-	3	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	9	6	6	13	24	20	25	12	5	3	-	-
Male.....	4	5	4	3	16	11	11	4	1	1	-	-
Female.....	5	1	2	10	8	9	14	8	4	2	-	-
White, both sexes.....	6	5	6	11	17	20	24	11	4	3	-	-
Male.....	3	4	4	2	12	11	11	4	1	1	-	-
Female.....	3	1	2	9	5	9	13	7	3	2	-	-
Black, both sexes.....	3	1	-	1	6	-	1	1	1	-	-	-
Male.....	1	1	-	1	4	-	-	-	-	-	-	-
Female.....	2	-	-	-	2	-	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

Oregon

All races, both sexes.....	2	2	-	-	8	5	4	5	4	1	-	-
Male.....	2	1	-	-	3	-	2	3	2	1	-	-
Female.....	-	1	-	-	5	5	2	2	2	-	-	-
White, both sexes.....	1	2	-	-	8	5	4	5	4	1	-	-
Male.....	1	1	-	-	3	-	2	3	2	1	-	-
Female.....	-	1	-	-	5	5	2	2	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	7	5	5	13	16	24	31	17	13	4	-	-
Male.....	4	3	2	6	9	12	15	7	2	1	-	-
Female.....	3	2	3	7	7	12	16	10	11	3	-	-
White, both sexes.....	5	4	3	9	14	20	29	17	13	4	-	-
Male.....	4	2	1	4	7	10	14	7	2	1	-	-
Female.....	1	2	2	5	7	10	15	10	11	3	-	-
Black, both sexes.....	2	1	2	4	2	3	2	-	-	-	-	-
Male.....	-	1	1	2	2	2	1	-	-	-	-	-
Female.....	2	-	1	2	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

South Dakota

All races, both sexes.....	-	-	2	1	1	-	1	-	2	1	-	-
Male.....	-	-	2	-	-	-	-	-	2	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	1	-	-
White, both sexes.....	-	-	2	1	1	-	1	-	2	1	-	-
Male.....	-	-	2	-	-	-	-	-	2	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	2	4	6	6	4	9	8	5	1	-	-	-
Male.....	1	3	3	5	1	6	4	1	1	-	-	-
Female.....	1	1	3	1	3	3	4	4	-	-	-	-
White, both sexes.....	-	4	5	6	3	9	8	4	-	-	-	-
Male.....	-	3	3	5	1	6	4	1	-	-	-	-
Female.....	-	1	2	1	2	3	4	3	-	-	-	-
Black, both sexes.....	2	-	1	-	-	-	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	1	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of blood and blood-forming organs (D70-D76)												
New Hampshire												
All races, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	27	-	-	1	-	1	-	-	-	1	1	1
Male.....	12	-	-	1	-	1	-	-	-	-	-	-
Female.....	15	-	-	-	-	-	-	-	-	1	1	1
White, both sexes.....	24	-	-	1	-	1	-	-	-	-	-	-
Male.....	12	-	-	1	-	1	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of blood and blood-forming organs (D70-D76)

Arkansas

All races, both sexes.....	-	1	-	1	2	2	-	1	-	-	-	-
Male.....	-	1	-	-	1	2	-	1	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
White, both sexes.....	-	1	-	1	2	2	-	1	-	-	-	-
Male.....	-	1	-	-	1	2	-	1	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	3	3	4	8	9	12	5	1	-	-	-
Male.....	1	2	-	2	2	2	4	3	1	-	-	-
Female.....	2	1	3	2	6	7	8	2	-	-	-	-
White, both sexes.....	3	3	3	4	4	8	8	4	1	-	-	-
Male.....	1	2	-	2	1	2	2	2	1	-	-	-
Female.....	2	1	3	2	3	6	6	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	3	1	4	-	-	-	-	-
Male.....	-	-	-	-	1	-	2	-	-	-	-	-
Female.....	-	-	-	-	2	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Certain disorders involving the immune mechanism (D80-D89)

Arkansas

All races, both sexes.....	-	-	1	-	1	-	1	1	-	-	1	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	1	-
White, both sexes.....	-	-	-	-	1	-	1	1	-	-	1	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	1	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	9	11	11	6	5	4	5	5	-	-	-
Male.....	3	4	3	6	1	1	2	2	1	-	-	-
Female.....	4	5	8	5	5	4	2	3	4	-	-	-
White, both sexes.....	3	5	6	5	3	3	3	5	4	-	-	-
Male.....	2	2	3	3	1	1	1	2	-	-	-	-
Female.....	1	3	3	2	2	2	2	3	4	-	-	-
Black, both sexes.....	4	3	5	6	2	1	1	-	1	-	-	-
Male.....	1	2	-	3	-	-	1	-	1	-	-	-
Female.....	3	1	5	3	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
United States												
All races, both sexes.....	99,042	233	144	95	125	177	343	438	745	1,155	1,975	3,228
Male.....	46,499	149	78	47	69	95	181	244	408	679	1,175	1,921
Female.....	52,543	84	66	48	56	82	162	194	337	476	800	1,307
White, both sexes.....	80,256	184	118	77	95	136	264	311	510	788	1,432	2,397
Male.....	38,277	117	63	36	52	69	144	173	282	474	878	1,460
Female.....	41,979	67	55	41	43	67	120	138	228	314	554	937
Black, both sexes.....	16,118	39	17	9	23	36	74	116	214	339	487	735
Male.....	6,936	26	10	7	13	23	35	64	116	187	264	396
Female.....	9,182	13	7	2	10	13	39	52	98	152	223	339
American Indian 1/, both sexes.....	874	1	3	2	2	-	2	3	13	13	35	50
Male.....	421	-	1	-	1	-	-	2	6	10	21	34
Female.....	453	1	2	2	1	-	2	1	7	3	14	16
Asian or Pacific Islander 2/, both sexes.....	1,794	9	6	7	5	5	3	8	8	15	21	46
Male.....	865	6	4	4	3	3	2	5	4	8	12	31
Female.....	929	3	2	3	2	2	1	3	4	7	9	15
Alabama												
All races, both sexes.....	1,885	4	3	5	1	3	12	10	17	33	42	69
Male.....	832	1	2	2	1	1	7	5	4	15	21	38
Female.....	1,053	3	1	3	-	2	5	5	13	18	21	31
White, both sexes.....	1,165	4	1	3	1	2	6	4	11	19	27	37
Male.....	538	1	-	-	1	1	4	2	3	9	14	20
Female.....	627	3	1	3	-	1	2	2	8	10	13	17
Black, both sexes.....	713	-	2	2	-	1	6	6	5	14	15	31
Male.....	290	-	2	2	-	-	3	3	1	6	7	17
Female.....	423	-	-	-	-	1	3	3	4	8	8	14
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Arkansas

All races, both sexes.....	1,110	3	2	2	3	3	1	8	14	18	28	43
Male.....	503	2	1	1	3	2	-	5	2	12	16	27
Female.....	607	1	1	1	-	1	1	3	12	6	12	16
White, both sexes.....	884	3	2	2	2	2	-	5	10	12	24	35
Male.....	408	2	1	1	2	1	-	3	2	8	14	23
Female.....	476	1	1	1	-	1	-	2	8	4	10	12
Black, both sexes.....	219	-	-	-	1	1	1	3	4	6	4	8
Male.....	90	-	-	-	1	1	-	2	-	4	2	4
Female.....	129	-	-	-	-	-	1	1	4	2	2	4
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	9,079	28	15	16	11	16	36	48	79	112	203	345
Male.....	4,435	20	6	8	5	8	20	21	50	73	116	202
Female.....	4,644	8	9	8	6	8	16	27	29	39	87	143
White, both sexes.....	7,246	21	10	13	8	11	30	35	52	81	161	262
Male.....	3,560	16	4	7	4	4	19	15	35	52	91	154
Female.....	3,686	5	6	6	4	7	11	20	17	29	70	108
Black, both sexes.....	978	4	1	-	3	2	5	11	23	25	30	57
Male.....	470	2	1	-	1	1	1	5	12	17	19	31
Female.....	508	2	-	-	2	1	4	6	11	8	11	26
American Indian 1/, both sexes.....	72	-	1	-	-	-	-	-	1	2	3	4
Male.....	36	-	-	-	-	-	-	-	1	2	1	3
Female.....	36	-	1	-	-	-	-	-	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	783	3	3	3	-	3	1	2	3	4	9	22
Male.....	369	2	1	1	-	3	-	1	2	2	5	14
Female.....	414	1	2	2	-	-	1	1	1	2	4	8

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

New Mexico

All races, both sexes.....	744	1	-	-	1	-	2	4	8	11	21	22
Male.....	367	-	-	-	1	-	2	3	5	8	19	11
Female.....	377	1	-	-	-	-	-	1	3	3	2	11
White, both sexes.....	649	1	-	-	-	-	2	4	6	9	19	21
Male.....	319	-	-	-	-	-	2	3	4	6	17	10
Female.....	330	1	-	-	-	-	-	1	2	3	2	11
Black, both sexes.....	13	-	-	-	-	-	-	-	-	1	1	-
Male.....	8	-	-	-	-	-	-	-	-	1	1	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	77	-	-	-	1	-	-	-	2	1	1	1
Male.....	38	-	-	-	1	-	-	-	1	1	1	1
Female.....	39	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	5,213	17	9	2	7	9	17	18	44	66	109	154
Male.....	2,446	12	6	1	3	3	11	9	29	45	64	98
Female.....	2,767	5	3	1	4	6	6	9	15	21	45	56
White, both sexes.....	4,015	11	8	1	5	6	12	11	31	41	67	91
Male.....	1,894	8	5	-	2	1	8	5	22	27	42	61
Female.....	2,121	3	3	1	3	5	4	6	9	14	25	30
Black, both sexes.....	1,091	4	1	-	2	3	5	6	12	24	40	57
Male.....	490	2	1	-	1	2	3	3	7	17	20	32
Female.....	601	2	-	-	1	1	2	3	5	7	20	25
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	1	-	-	-	1
Male.....	7	-	-	-	-	-	-	1	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	97	2	-	1	-	-	-	-	1	1	2	5
Male.....	55	2	-	1	-	-	-	-	-	1	2	4
Female.....	42	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Alaska

All races, both sexes.....	9	13	12	9	13	14	13	9	4	1	-	-
Male.....	6	8	4	3	9	6	6	6	1	-	-	-
Female.....	3	5	8	6	4	8	7	3	3	1	-	-
White, both sexes.....	6	11	5	8	12	10	7	9	4	1	-	-
Male.....	5	7	2	3	8	3	3	6	1	-	-	-
Female.....	1	4	3	5	4	7	4	3	3	1	-	-
Black, both sexes.....	1	2	3	-	-	-	2	-	-	-	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	1	1	2	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	3	1	-	3	2	-	-	-	-	-
Male.....	1	-	1	-	-	2	1	-	-	-	-	-
Female.....	1	-	2	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-

Arizona

All races, both sexes.....	56	96	151	152	165	213	211	166	105	29	3	1
Male.....	33	59	89	80	92	98	95	66	29	14	1	-
Female.....	23	37	62	72	73	115	116	100	76	15	2	1
White, both sexes.....	41	77	126	130	140	198	188	159	97	27	3	1
Male.....	25	47	77	71	81	92	86	64	26	12	1	-
Female.....	16	30	49	59	59	106	102	95	71	15	2	1
Black, both sexes.....	6	5	5	8	9	5	8	3	3	1	-	-
Male.....	2	5	2	3	4	1	5	-	1	1	-	-
Female.....	4	-	3	5	5	4	3	3	2	-	-	-
American Indian 1/, both sexes.....	8	13	20	12	14	9	10	2	3	-	-	-
Male.....	6	6	10	5	6	4	3	1	1	-	-	-
Female.....	2	7	10	7	8	5	7	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	2	2	1	5	2	2	1	-	-
Male.....	-	1	-	1	1	1	1	1	1	1	-	-
Female.....	1	-	-	1	1	-	4	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Arkansas

All races, both sexes.....	52	66	91	111	113	147	152	133	80	33	7	-
Male.....	25	41	44	56	65	57	66	50	21	7	-	-
Female.....	27	25	47	55	48	90	86	83	59	26	7	-
White, both sexes.....	37	49	68	89	92	114	128	111	65	28	6	-
Male.....	18	34	29	45	52	46	56	45	19	7	-	-
Female.....	19	15	39	44	40	68	72	66	46	21	6	-
Black, both sexes.....	14	16	22	22	20	31	24	22	14	5	1	-
Male.....	6	6	14	11	12	10	10	5	2	-	-	-
Female.....	8	10	8	11	8	21	14	17	12	5	1	-
American Indian 1/, both sexes.....	1	1	-	-	-	1	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	461	613	691	853	1,082	1,292	1,417	1,007	540	176	38	-
Male.....	271	338	401	476	558	612	624	397	182	37	10	-
Female.....	190	275	290	377	524	680	793	610	358	139	28	-
White, both sexes.....	332	485	530	668	867	1,042	1,176	839	443	150	30	-
Male.....	206	265	316	377	445	492	534	339	144	33	8	-
Female.....	126	220	214	291	422	550	642	500	299	117	22	-
Black, both sexes.....	81	78	96	110	109	118	100	75	38	8	4	-
Male.....	38	42	51	61	58	54	40	21	13	1	1	-
Female.....	43	36	45	49	51	64	60	54	25	7	3	-
American Indian 1/, both sexes.....	5	5	4	10	10	13	8	4	1	1	-	-
Male.....	2	2	2	7	5	7	3	1	-	-	-	-
Female.....	3	3	2	3	5	6	5	3	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	43	45	61	65	96	119	133	89	58	17	4	-
Male.....	25	29	32	31	50	59	47	36	25	3	1	-
Female.....	18	16	29	34	46	60	86	53	33	14	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
Colorado												
All races, both sexes.....	44	51	70	88	116	143	138	108	96	33	3	-
Male.....	26	28	42	52	67	74	66	51	25	6	-	-
Female.....	18	23	28	36	49	69	72	57	71	27	3	-
White, both sexes.....	42	43	64	79	107	129	131	102	95	33	3	-
Male.....	26	25	37	48	61	66	63	46	25	6	-	-
Female.....	16	18	27	31	46	63	68	56	70	27	3	-
Black, both sexes.....	2	7	4	5	7	6	4	4	-	-	-	-
Male.....	-	3	4	2	6	3	2	4	-	-	-	-
Female.....	2	4	-	3	1	3	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	3	-	5	-	-	-	-	-	-
Male.....	-	-	1	1	-	2	-	-	-	-	-	-
Female.....	-	-	-	2	-	3	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	2	3	3	2	1	-	-	-
Male.....	-	-	-	1	-	3	1	1	-	-	-	-
Female.....	-	1	1	-	2	-	2	1	1	-	-	-
Connecticut												
All races, both sexes.....	38	44	68	74	96	155	184	175	134	41	12	-
Male.....	25	27	40	30	48	81	86	59	37	6	1	-
Female.....	13	17	28	44	48	74	98	116	97	35	11	-
White, both sexes.....	33	38	58	61	86	136	170	164	125	38	12	-
Male.....	23	25	36	25	44	74	82	58	34	5	1	-
Female.....	10	13	22	36	42	62	88	106	91	33	11	-
Black, both sexes.....	5	6	9	13	9	17	13	10	9	3	-	-
Male.....	2	2	4	5	3	7	4	1	3	1	-	-
Female.....	3	4	5	8	6	10	9	9	6	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Delaware

All races, both sexes.....	13	16	13	23	40	52	44	64	24	14	-	-
Male.....	4	8	7	13	23	23	19	28	9	2	-	-
Female.....	9	8	6	10	17	29	25	36	15	12	-	-
White, both sexes.....	6	11	12	20	29	40	34	55	20	12	-	-
Male.....	2	6	6	12	18	19	16	23	9	2	-	-
Female.....	4	5	6	8	11	21	18	32	11	10	-	-
Black, both sexes.....	6	4	1	3	11	11	9	9	4	2	-	-
Male.....	2	1	1	1	5	3	3	5	-	-	-	-
Female.....	4	3	-	2	6	8	6	4	4	2	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	17	16	22	23	28	46	44	40	19	8	2	-
Male.....	9	7	7	12	18	23	20	12	6	1	-	-
Female.....	8	9	15	11	10	23	24	28	13	7	2	-
White, both sexes.....	-	1	1	4	8	8	5	8	4	1	-	-
Male.....	-	-	-	2	6	6	5	2	2	-	-	-
Female.....	-	1	1	2	2	2	-	6	2	1	-	-
Black, both sexes.....	17	15	21	19	20	38	37	32	15	7	2	-
Male.....	9	7	7	10	12	17	15	10	4	1	-	-
Female.....	8	8	14	9	8	21	22	22	11	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Florida

All races, both sexes.....	294	429	481	631	766	971	1,041	790	444	126	26	-
Male.....	180	243	299	385	436	495	493	350	160	26	5	-
Female.....	114	186	182	246	330	476	548	440	284	100	21	-
White, both sexes.....	210	322	369	483	613	824	918	709	386	120	22	-
Male.....	141	193	238	317	374	441	449	323	142	25	4	-
Female.....	69	129	131	166	239	383	469	386	244	95	18	-
Black, both sexes.....	81	101	106	141	150	137	120	79	57	6	4	-
Male.....	36	48	57	64	59	52	42	25	17	1	1	-
Female.....	45	53	49	77	91	85	78	54	40	5	3	-
American Indian 1/, both sexes.....	1	2	3	-	1	2	-	-	1	-	-	-
Male.....	1	-	1	-	1	1	-	-	1	-	-	-
Female.....	-	2	2	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	3	7	2	8	3	2	-	-	-	-
Male.....	2	2	3	4	2	1	2	2	-	-	-	-
Female.....	-	2	-	3	-	7	1	-	-	-	-	-

Georgia

All races, both sexes.....	140	184	202	230	281	273	302	233	172	47	14	-
Male.....	85	100	102	125	148	121	116	70	48	9	3	-
Female.....	55	84	100	105	133	152	186	163	124	38	11	-
White, both sexes.....	78	110	123	149	177	188	207	162	120	34	8	-
Male.....	52	63	74	87	99	88	88	50	36	5	2	-
Female.....	26	47	49	62	78	100	119	112	84	29	6	-
Black, both sexes.....	59	73	78	78	101	82	92	70	52	12	5	-
Male.....	30	37	28	35	48	30	26	20	12	4	1	-
Female.....	29	36	50	43	53	52	66	50	40	8	4	-
American Indian 1/, both sexes.....	-	-	1	3	-	2	-	-	-	-	-	-
Male.....	-	-	-	3	-	2	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	3	1	3	1	-	1	1	-
Male.....	3	-	-	-	1	1	2	-	-	-	-	-
Female.....	-	1	-	-	2	-	1	1	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
Hawaii												
All races, both sexes.....	7	23	23	22	32	36	39	35	26	9	2	-
Male.....	3	18	16	7	16	18	19	18	11	1	1	-
Female.....	4	5	7	15	16	18	20	17	15	8	1	-
White, both sexes.....	1	6	3	3	7	10	8	8	7	1	-	-
Male.....	-	5	3	2	3	5	2	3	2	-	-	-
Female.....	1	1	-	1	4	5	6	5	5	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	17	20	19	25	26	30	27	19	8	2	-
Male.....	3	13	13	5	13	13	17	15	9	1	1	-
Female.....	3	4	7	14	12	13	13	12	10	7	1	-
Idaho												
All races, both sexes.....	26	14	31	46	45	58	76	65	36	17	1	-
Male.....	17	7	13	25	22	27	38	30	11	4	-	-
Female.....	9	7	18	21	23	31	38	35	25	13	1	-
White, both sexes.....	26	14	31	44	42	56	75	62	36	16	1	-
Male.....	17	7	13	25	21	26	38	28	11	4	-	-
Female.....	9	7	18	19	21	30	37	34	25	12	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	3	1	1	1	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	2	2	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	2	-	1	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Illinois

All races, both sexes.....	170	240	316	317	439	535	690	612	342	114	28	-
Male.....	109	133	165	188	204	236	304	202	90	26	6	-
Female.....	61	107	151	129	235	299	386	410	252	88	22	-
White, both sexes.....	109	174	227	238	345	437	600	538	304	96	23	-
Male.....	74	94	124	137	159	200	275	182	85	23	6	-
Female.....	35	80	103	101	186	237	325	356	219	73	17	-
Black, both sexes.....	56	63	84	71	89	91	78	65	34	15	5	-
Male.....	31	36	37	44	42	32	26	18	4	3	-	-
Female.....	25	27	47	27	47	59	52	47	30	12	5	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	5	8	5	7	12	9	4	3	-	-
Male.....	4	2	4	7	3	4	3	2	1	-	-	-
Female.....	1	-	1	1	2	3	9	7	3	3	-	-

Indiana

All races, both sexes.....	93	130	166	207	244	329	378	291	175	55	10	-
Male.....	65	66	84	115	122	158	147	110	48	7	1	-
Female.....	28	64	82	92	122	171	231	181	127	48	9	-
White, both sexes.....	81	109	145	183	213	297	336	267	163	51	9	-
Male.....	57	54	75	106	109	147	131	105	47	6	1	-
Female.....	24	55	70	77	104	150	205	162	116	45	8	-
Black, both sexes.....	12	21	20	24	28	30	38	24	11	4	1	-
Male.....	8	12	8	9	11	11	14	5	1	1	-	-
Female.....	4	9	12	15	17	19	24	19	10	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	2	4	-	1	-	-	-
Male.....	-	-	1	-	1	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	2	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Kentucky

All races, both sexes.....	79	100	124	138	187	207	229	184	109	29	6	-
Male.....	51	57	61	72	93	88	82	53	23	3	-	-
Female.....	28	43	63	66	94	119	147	131	86	26	6	-
White, both sexes.....	68	89	105	122	163	188	217	168	101	27	4	-
Male.....	44	51	53	63	83	80	80	49	22	3	-	-
Female.....	24	38	52	59	80	108	137	119	79	24	4	-
Black, both sexes.....	11	11	18	15	23	18	12	16	8	2	2	-
Male.....	7	6	7	8	9	8	2	4	1	-	-	-
Female.....	4	5	11	7	14	10	10	12	7	2	2	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	130	147	209	213	246	300	301	220	122	46	4	-
Male.....	71	82	106	117	105	132	114	81	29	14	-	-
Female.....	59	65	103	96	141	168	187	139	93	32	4	-
White, both sexes.....	68	79	103	112	140	184	194	149	89	27	1	-
Male.....	43	45	57	63	68	89	73	55	20	8	-	-
Female.....	25	34	46	49	72	95	121	94	69	19	1	-
Black, both sexes.....	62	66	105	100	103	116	106	70	31	17	3	-
Male.....	28	37	48	53	36	43	40	25	9	5	-	-
Female.....	34	29	57	47	67	73	66	45	22	12	3	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	2	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	3	-	1	1	-	1	-	-
Male.....	-	-	-	1	1	-	1	1	-	1	-	-
Female.....	-	1	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Maine

All races, both sexes.....	19	29	42	44	62	84	94	80	51	18	3	-
Male.....	9	17	25	25	21	35	43	26	14	3	-	-
Female.....	10	12	17	19	41	49	51	54	37	15	3	-
White, both sexes.....	19	29	41	44	60	84	90	79	51	18	3	-
Male.....	9	17	25	25	20	35	42	26	14	3	-	-
Female.....	10	12	16	19	40	49	48	53	37	15	3	-
Black, both sexes.....	-	-	-	-	2	-	2	1	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	2	-	-	-	-	-

Maryland

All races, both sexes.....	91	135	135	178	208	260	326	249	147	47	9	-
Male.....	58	78	75	95	105	127	151	70	51	12	2	-
Female.....	33	57	60	83	103	133	175	179	96	35	7	-
White, both sexes.....	51	76	76	103	128	170	245	183	113	34	7	-
Male.....	31	47	41	61	69	89	118	57	40	8	1	-
Female.....	20	29	35	42	59	81	127	126	73	26	6	-
Black, both sexes.....	39	56	53	73	78	86	77	59	33	11	2	-
Male.....	26	30	31	32	35	35	30	12	10	4	1	-
Female.....	13	26	22	41	43	51	47	47	23	7	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	6	2	1	4	3	6	1	2	-	-
Male.....	1	1	3	2	-	3	2	1	1	-	-	-
Female.....	-	2	3	-	1	1	1	5	-	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Massachusetts

All races, both sexes.....	62	99	133	153	188	255	332	279	181	56	8	-
Male.....	37	62	89	91	99	124	136	106	46	10	1	-
Female.....	25	37	44	62	89	131	196	173	135	46	7	-
White, both sexes.....	55	94	114	134	173	238	312	270	169	54	8	-
Male.....	32	62	79	80	90	117	128	103	42	10	1	-
Female.....	23	32	35	54	83	121	184	167	127	44	7	-
Black, both sexes.....	5	5	15	14	12	14	14	8	7	1	-	-
Male.....	4	-	8	7	7	6	4	3	3	-	-	-
Female.....	1	5	7	7	5	8	10	5	4	1	-	-
American Indian 1/, both sexes.....	-	-	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	5	2	3	6	1	5	1	-	-
Male.....	1	-	1	4	1	1	4	-	1	-	-	-
Female.....	1	-	1	1	1	2	2	1	4	1	-	-

Michigan

All races, both sexes.....	178	237	234	348	414	590	697	538	302	98	25	-
Male.....	103	135	133	174	217	268	305	217	77	20	2	-
Female.....	75	102	101	174	197	322	392	321	225	78	23	-
White, both sexes.....	141	183	186	283	346	497	601	487	263	90	23	-
Male.....	80	108	108	149	182	236	263	196	69	19	2	-
Female.....	61	75	78	134	164	261	338	291	194	71	21	-
Black, both sexes.....	35	48	43	57	63	85	90	48	36	7	2	-
Male.....	21	23	22	22	32	29	40	20	8	1	-	-
Female.....	14	25	21	35	31	56	50	28	28	6	2	-
American Indian 1/, both sexes.....	1	4	4	5	3	3	3	3	-	-	-	-
Male.....	1	2	3	2	3	2	-	1	-	-	-	-
Female.....	-	2	1	3	-	1	3	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	3	2	5	3	-	3	1	-	-
Male.....	1	2	-	1	-	1	2	-	-	-	-	-
Female.....	-	-	1	2	2	4	1	-	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Missouri

All races, both sexes.....	87	131	142	158	234	277	315	245	174	71	5	-
Male.....	40	70	91	74	114	129	132	84	57	17	-	-
Female.....	47	61	51	84	120	148	183	161	117	54	5	-
White, both sexes.....	65	102	115	123	199	241	274	219	158	68	4	-
Male.....	32	60	75	59	105	119	117	75	52	17	-	-
Female.....	33	42	40	64	94	122	157	144	106	51	4	-
Black, both sexes.....	21	28	25	32	35	34	39	25	16	3	1	-
Male.....	7	9	15	13	9	10	15	9	5	-	-	-
Female.....	14	19	10	19	26	24	24	16	11	3	1	-
American Indian 1/, both sexes.....	1	1	1	1	-	1	1	1	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	-	1	1	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-

Montana

All races, both sexes.....	15	15	20	26	33	35	52	47	34	10	1	-
Male.....	10	10	12	15	17	16	23	16	11	1	1	-
Female.....	5	5	8	11	16	19	29	31	23	9	-	-
White, both sexes.....	12	11	14	22	28	29	51	46	33	10	1	-
Male.....	8	7	7	12	15	14	23	16	11	1	1	-
Female.....	4	4	7	10	13	15	28	30	22	9	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	4	6	4	4	6	1	1	1	-	-	-
Male.....	2	3	5	3	2	2	-	-	-	-	-	-
Female.....	1	1	1	1	2	4	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Nebraska

All races, both sexes.....	18	36	40	40	58	60	99	74	52	18	4	-
Male.....	12	20	22	21	38	32	45	28	14	2	1	-
Female.....	6	16	18	19	20	28	54	46	38	16	3	-
White, both sexes.....	17	32	38	37	50	53	91	68	50	18	3	-
Male.....	11	19	21	21	33	30	40	25	14	2	1	-
Female.....	6	13	17	16	17	23	51	43	36	16	2	-
Black, both sexes.....	1	3	2	3	5	6	7	4	2	-	1	-
Male.....	1	1	1	-	3	1	5	2	-	-	-	-
Female.....	-	2	1	3	2	5	2	2	2	-	1	-
American Indian 1/, both sexes.....	-	1	-	-	3	1	-	2	-	-	-	-
Male.....	-	-	-	-	2	1	-	1	-	-	-	-
Female.....	-	1	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Nevada

All races, both sexes.....	21	28	35	40	57	72	55	32	22	11	1	-
Male.....	14	17	18	24	38	31	29	8	5	2	-	-
Female.....	7	11	17	16	19	41	26	24	17	9	1	-
White, both sexes.....	17	22	27	33	48	61	50	30	19	10	1	-
Male.....	12	15	14	19	33	26	27	7	5	2	-	-
Female.....	5	7	13	14	15	35	23	23	14	8	1	-
Black, both sexes.....	2	4	3	5	5	7	4	2	2	-	-	-
Male.....	2	1	2	3	2	3	1	1	-	-	-	-
Female.....	-	3	1	2	3	4	3	1	2	-	-	-
American Indian 1/, both sexes.....	-	1	4	2	-	2	-	-	-	-	-	-
Male.....	-	1	2	2	-	1	-	-	-	-	-	-
Female.....	-	-	2	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	-	4	2	1	-	1	1	-	-
Male.....	-	-	-	-	3	1	1	-	-	-	-	-
Female.....	2	1	1	-	1	1	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

New Hampshire

All races, both sexes.....	14	19	37	28	52	65	64	79	29	9	3	-
Male.....	10	12	21	19	31	24	25	40	8	1	1	-
Female.....	4	7	16	9	21	41	39	39	21	8	2	-
White, both sexes.....	14	19	36	27	52	64	63	79	28	9	3	-
Male.....	10	12	20	19	31	23	24	40	8	1	1	-
Female.....	4	7	16	8	21	41	39	39	20	8	2	-
Black, both sexes.....	-	-	1	1	-	-	1	-	1	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	148	180	254	302	394	530	596	530	294	94	18	-
Male.....	91	107	134	181	197	253	233	184	80	20	-	-
Female.....	57	73	120	121	197	277	363	346	214	74	18	-
White, both sexes.....	106	134	184	233	309	443	499	467	270	85	16	-
Male.....	68	84	98	142	164	212	202	162	76	18	-	-
Female.....	38	50	86	91	145	231	297	305	194	67	16	-
Black, both sexes.....	42	44	64	61	72	81	81	59	22	8	2	-
Male.....	23	22	32	34	27	38	24	20	4	1	-	-
Female.....	19	22	32	27	45	43	57	39	18	7	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	6	8	13	6	16	4	2	1	-	-
Male.....	-	1	4	5	6	3	7	2	-	1	-	-
Female.....	-	1	2	3	7	3	9	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
New Mexico												
All races, both sexes.....	42	50	69	60	94	97	106	80	51	25	-	-
Male.....	27	25	44	34	45	47	44	34	14	4	-	-
Female.....	15	25	25	26	49	50	62	46	37	21	-	-
White, both sexes.....	36	42	56	50	82	84	93	72	47	25	-	-
Male.....	25	23	35	29	42	38	37	31	13	4	-	-
Female.....	11	19	21	21	40	46	56	41	34	21	-	-
Black, both sexes.....	2	-	1	1	1	5	-	-	1	-	-	-
Male.....	1	-	1	1	-	3	-	-	-	-	-	-
Female.....	1	-	-	-	1	2	-	-	1	-	-	-
American Indian 1/, both sexes.....	4	8	10	9	11	6	12	8	3	-	-	-
Male.....	1	2	7	4	3	5	7	3	1	-	-	-
Female.....	3	6	3	5	8	1	5	5	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	2	1	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-
New York												
All races, both sexes.....	222	331	374	438	575	731	768	633	470	179	40	-
Male.....	154	209	215	243	293	347	325	199	134	36	10	-
Female.....	68	122	159	195	282	384	443	434	336	143	30	-
White, both sexes.....	169	236	282	322	413	579	611	542	394	150	33	-
Male.....	117	159	166	178	218	290	266	171	114	27	7	-
Female.....	52	77	116	144	195	289	345	371	280	123	26	-
Black, both sexes.....	48	89	86	104	148	139	137	81	71	28	6	-
Male.....	33	48	45	56	66	49	52	24	19	8	2	-
Female.....	15	41	41	48	82	90	85	57	52	20	4	-
American Indian 1/, both sexes.....	2	-	-	-	1	1	3	1	-	-	-	-
Male.....	2	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	6	6	12	13	12	17	9	5	1	1	-
Male.....	2	2	4	9	8	7	6	4	1	1	1	-
Female.....	1	4	2	3	5	5	11	5	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
Ohio												
All races, both sexes.....	208	312	342	443	609	768	861	632	392	136	17	-
Male.....	125	175	192	246	309	373	385	237	106	26	2	-
Female.....	83	137	150	197	300	395	476	395	286	110	15	-
White, both sexes.....	155	256	298	351	495	656	765	568	360	124	15	-
Male.....	101	145	171	196	257	321	344	218	98	24	2	-
Female.....	54	111	127	155	238	335	421	350	262	100	13	-
Black, both sexes.....	53	55	43	91	112	110	94	60	32	11	2	-
Male.....	24	29	20	50	52	52	40	19	8	2	-	-
Female.....	29	26	23	41	60	58	54	41	24	9	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	2	2	2	4	-	1	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	2	2	1	4	-	1	-	-
Oklahoma												
All races, both sexes.....	74	91	130	123	175	206	225	164	113	45	4	-
Male.....	36	53	70	56	82	98	93	64	35	9	-	-
Female.....	38	38	60	67	93	108	132	100	78	36	4	-
White, both sexes.....	59	63	93	87	137	152	188	142	103	41	4	-
Male.....	31	37	51	40	70	70	76	59	32	8	-	-
Female.....	28	26	42	47	67	82	112	83	71	33	4	-
Black, both sexes.....	4	12	11	15	17	24	21	11	8	4	-	-
Male.....	2	7	5	10	8	11	9	2	2	1	-	-
Female.....	2	5	6	5	9	13	12	9	6	3	-	-
American Indian 1/, both sexes.....	10	16	25	21	21	28	15	11	1	-	-	-
Male.....	3	9	13	6	4	17	8	3	-	-	-	-
Female.....	7	7	12	15	17	11	7	8	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	2	1	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Oregon

All races, both sexes.....	73	90	104	100	151	202	226	175	98	39	4	-
Male.....	48	57	61	49	73	103	107	77	31	13	2	-
Female.....	25	33	43	51	78	99	119	98	67	26	2	-
White, both sexes.....	68	83	98	95	146	191	215	173	92	37	3	-
Male.....	44	51	58	47	71	99	102	76	30	12	2	-
Female.....	24	32	40	48	75	92	113	97	62	25	1	-
Black, both sexes.....	2	4	3	2	2	5	4	1	2	1	-	-
Male.....	2	3	1	-	1	1	2	-	-	-	-	-
Female.....	-	1	2	2	1	4	2	1	2	1	-	-
American Indian 1/, both sexes.....	1	3	2	2	1	4	3	1	1	-	-	-
Male.....	1	3	1	1	-	3	1	1	1	-	-	-
Female.....	-	-	1	1	1	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	1	2	2	4	-	3	1	1	-
Male.....	1	-	1	1	1	-	2	-	-	1	-	-
Female.....	1	-	-	-	1	2	2	-	3	-	1	-

Pennsylvania

All races, both sexes.....	182	270	365	424	541	749	876	663	366	149	24	1
Male.....	120	164	208	229	275	366	383	239	98	27	2	1
Female.....	62	106	157	195	266	383	493	424	268	122	22	-
White, both sexes.....	152	226	305	367	475	670	797	613	346	142	21	-
Male.....	101	140	173	197	247	340	353	224	90	27	2	-
Female.....	51	86	132	170	228	330	444	389	256	115	19	-
Black, both sexes.....	28	42	55	54	63	76	75	45	20	7	3	1
Male.....	19	23	32	29	27	23	28	13	8	-	-	1
Female.....	9	19	23	25	36	53	47	32	12	7	3	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	4	3	3	2	3	5	-	-	-	-
Male.....	-	1	2	3	1	2	1	2	-	-	-	-
Female.....	2	1	2	-	2	-	2	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Rhode Island

All races, both sexes.....	13	19	28	34	35	55	64	49	49	10	7	-
Male.....	5	12	20	23	21	27	33	17	16	5	1	-
Female.....	8	7	8	11	14	28	31	32	33	5	6	-
White, both sexes.....	12	17	27	28	35	54	59	44	45	8	7	-
Male.....	4	10	19	19	21	27	31	14	14	4	1	-
Female.....	8	7	8	9	14	27	28	30	31	4	6	-
Black, both sexes.....	1	2	1	4	-	1	4	4	2	2	-	-
Male.....	1	2	1	2	-	-	2	2	2	1	-	-
Female.....	-	-	-	2	-	1	2	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	2	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

South Carolina

All races, both sexes.....	100	125	138	141	177	232	213	168	89	36	10	1
Male.....	52	72	79	72	76	106	83	48	25	8	-	-
Female.....	48	53	59	69	101	126	130	120	64	28	10	1
White, both sexes.....	49	76	83	83	98	137	140	110	69	24	2	1
Male.....	25	45	57	41	46	66	64	36	18	4	-	-
Female.....	24	31	26	42	52	71	76	74	51	20	2	1
Black, both sexes.....	51	49	55	58	78	95	73	54	19	12	8	-
Male.....	27	27	22	31	30	40	19	11	7	4	-	-
Female.....	24	22	33	27	48	55	54	43	12	8	8	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	4	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

South Dakota

All races, both sexes.....	12	14	7	23	27	40	52	53	26	13	4	-
Male.....	6	8	3	12	12	25	18	23	4	1	1	-
Female.....	6	6	4	11	15	15	34	30	22	12	3	-
White, both sexes.....	7	9	3	17	20	35	45	49	25	13	4	-
Male.....	5	6	1	10	8	23	17	21	4	1	1	-
Female.....	2	3	2	7	12	12	28	28	21	12	3	-
Black, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	5	4	6	6	4	7	3	1	-	-	-
Male.....	1	2	2	2	3	1	1	1	-	-	1	-
Female.....	4	3	2	4	3	3	6	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	136	207	197	266	330	309	365	328	165	50	13	-
Male.....	66	114	98	145	169	131	153	116	36	11	2	-
Female.....	70	93	99	121	161	178	212	212	129	39	11	-
White, both sexes.....	98	155	154	208	258	253	313	279	137	40	7	-
Male.....	51	87	80	123	139	112	142	94	34	8	-	-
Female.....	47	68	74	85	119	141	171	185	103	32	7	-
Black, both sexes.....	38	52	42	58	71	55	51	46	27	10	6	-
Male.....	15	27	17	22	30	18	11	20	2	3	2	-
Female.....	23	25	25	36	41	37	40	26	25	7	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	3	1	-	-	-
Male.....	-	-	1	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
Texas												
All races, both sexes.....	378	520	596	687	820	1,010	1,044	795	501	171	32	1
Male.....	210	280	325	352	398	462	447	268	128	34	8	-
Female.....	168	240	271	335	422	548	597	527	373	137	24	1
White, both sexes.....	293	420	478	565	690	872	935	683	424	146	23	1
Male.....	170	226	275	293	349	410	412	230	104	30	6	-
Female.....	123	194	203	272	341	462	523	453	320	116	17	1
Black, both sexes.....	80	88	110	113	117	127	102	98	73	24	9	-
Male.....	38	43	45	55	45	49	34	30	23	4	2	-
Female.....	42	45	65	58	72	78	68	68	50	20	7	-
American Indian 1/, both sexes.....	1	2	2	2	-	-	2	-	-	-	-	-
Male.....	-	1	2	1	-	-	-	-	-	-	-	-
Female.....	1	1	-	1	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	10	6	7	13	11	5	14	4	1	-	-
Male.....	2	10	3	3	4	3	1	8	1	-	-	-
Female.....	2	-	3	4	9	8	4	6	3	1	-	-
Utah												
All races, both sexes.....	32	36	49	62	56	102	122	84	47	10	4	-
Male.....	19	21	29	29	25	50	54	32	13	4	-	-
Female.....	13	15	20	33	31	52	68	52	34	6	4	-
White, both sexes.....	32	34	45	59	52	100	115	83	45	10	4	-
Male.....	19	19	26	28	21	49	50	32	13	4	-	-
Female.....	13	15	19	31	31	51	65	51	32	6	4	-
Black, both sexes.....	-	-	2	1	2	-	-	-	-	-	-	-
Male.....	-	-	2	1	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	1	-	3	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	3	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	1	1	2	4	1	1	-	-	-
Male.....	-	2	1	-	1	1	4	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Vermont

All races, both sexes.....	11	12	16	23	20	39	36	25	20	4	-	-
Male.....	10	9	7	16	12	20	13	8	6	1	-	-
Female.....	1	3	9	7	8	19	23	17	14	3	-	-
White, both sexes.....	11	12	16	23	20	38	36	25	19	4	-	-
Male.....	10	9	7	16	12	19	13	8	6	1	-	-
Female.....	1	3	9	7	8	19	23	17	13	3	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Virginia

All races, both sexes.....	111	161	163	209	255	321	350	275	159	55	11	-
Male.....	74	86	100	117	114	145	147	94	40	6	1	-
Female.....	37	75	63	92	141	176	203	181	119	49	10	-
White, both sexes.....	71	102	103	137	171	232	258	217	130	41	8	-
Male.....	52	55	69	81	79	108	112	70	35	6	1	-
Female.....	19	47	34	56	92	124	146	147	95	35	7	-
Black, both sexes.....	40	55	59	70	77	86	81	54	29	14	3	-
Male.....	22	30	30	35	32	35	31	22	5	-	-	-
Female.....	18	25	29	35	45	51	50	32	24	14	3	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	1	2	6	3	10	4	-	-	-	-
Male.....	-	1	1	1	3	2	4	2	-	-	-	-
Female.....	-	3	-	1	3	1	6	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Endocrine diseases (E00-E34)												
United States												
All races, both sexes.....	75,885	26	20	15	38	59	139	215	441	745	1,372	2,292
Male.....	36,136	19	11	9	20	34	69	127	245	461	837	1,391
Female.....	39,749	7	9	6	18	25	70	88	196	284	535	901
White, both sexes.....	60,399	21	15	10	19	36	88	143	289	504	978	1,669
Male.....	29,324	14	8	5	11	19	48	83	164	317	613	1,023
Female.....	31,075	7	7	5	8	17	40	60	125	187	365	646
Black, both sexes.....	13,215	4	3	5	15	22	48	64	137	222	350	542
Male.....	5,712	4	1	4	7	15	20	38	76	131	197	315
Female.....	7,503	-	2	1	8	7	28	26	61	91	153	227
American Indian 1/, both sexes.....	762	-	1	-	-	-	1	1	11	9	29	41
Male.....	371	-	1	-	-	-	-	1	4	8	18	27
Female.....	391	-	-	-	-	-	1	-	7	1	11	14
Asian or Pacific Islander 2/, both sexes.....	1,509	1	1	-	4	1	2	7	4	10	15	40
Male.....	729	1	1	-	2	-	1	5	1	5	9	26
Female.....	780	-	-	-	2	1	1	2	3	5	6	14
Alabama												
All races, both sexes.....	1,501	1	-	1	-	1	8	6	12	25	32	50
Male.....	670	-	-	1	-	-	5	4	3	11	14	28
Female.....	831	1	-	-	-	1	3	2	9	14	18	22
White, both sexes.....	894	1	-	-	-	1	3	3	8	15	21	27
Male.....	425	-	-	-	-	-	2	2	2	7	10	15
Female.....	469	1	-	-	-	1	1	1	6	8	11	12
Black, both sexes.....	600	-	-	1	-	-	5	3	3	10	11	22
Male.....	241	-	-	1	-	-	3	2	1	4	4	12
Female.....	359	-	-	-	-	-	2	1	2	6	7	10
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Endocrine diseases (E00-E34)												
Arkansas												
All races, both sexes.....	863	-	1	-	1	2	1	3	9	12	19	30
Male.....	393	-	-	-	1	2	-	3	2	9	12	19
Female.....	470	-	1	-	-	-	1	-	7	3	7	11
White, both sexes.....	674	-	1	-	-	1	-	2	6	8	16	24
Male.....	314	-	-	-	-	1	-	2	2	5	10	15
Female.....	360	-	1	-	-	-	-	-	4	3	6	9
Black, both sexes.....	184	-	-	-	1	1	1	1	3	4	3	6
Male.....	75	-	-	-	1	1	-	1	-	4	2	4
Female.....	109	-	-	-	-	-	1	-	3	-	1	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	7,310	3	2	-	3	7	19	23	43	82	133	264
Male.....	3,594	3	1	-	-	3	10	13	29	54	79	152
Female.....	3,716	-	1	-	3	4	9	10	14	28	54	112
White, both sexes.....	5,739	2	2	-	1	5	15	13	26	59	109	201
Male.....	2,851	2	1	-	-	2	10	8	18	38	65	115
Female.....	2,888	-	1	-	1	3	5	5	8	21	44	86
Black, both sexes.....	823	-	-	-	2	2	3	8	15	17	15	42
Male.....	393	-	-	-	-	1	-	4	10	12	10	24
Female.....	430	-	-	-	2	1	3	4	5	5	5	18
American Indian 1/, both sexes.....	61	-	-	-	-	-	-	-	1	2	2	3
Male.....	31	-	-	-	-	-	-	-	1	2	1	2
Female.....	30	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	687	1	-	-	-	-	1	2	1	4	7	18
Male.....	319	1	-	-	-	-	-	1	-	2	3	11
Female.....	368	-	-	-	-	-	1	1	1	2	4	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Endocrine diseases (E00-E34)												
New Mexico												
All races, both sexes.....	605	1	-	-	-	-	-	3	6	5	18	16
Male.....	294	-	-	-	-	-	-	2	4	3	17	8
Female.....	311	1	-	-	-	-	-	1	2	2	1	8
White, both sexes.....	522	1	-	-	-	-	-	3	4	4	16	15
Male.....	253	-	-	-	-	-	-	2	3	2	15	7
Female.....	269	1	-	-	-	-	-	1	1	2	1	8
Black, both sexes.....	12	-	-	-	-	-	-	-	-	1	1	-
Male.....	8	-	-	-	-	-	-	-	-	1	1	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	67	-	-	-	-	-	-	-	2	-	1	1
Male.....	31	-	-	-	-	-	-	-	1	-	1	1
Female.....	36	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	4,030	1	2	-	2	3	5	8	21	42	79	106
Male.....	1,929	1	2	-	2	1	4	4	14	28	50	70
Female.....	2,101	-	-	-	-	2	1	4	7	14	29	36
White, both sexes.....	2,980	1	2	-	1	2	2	4	15	27	48	55
Male.....	1,442	1	2	-	1	-	2	1	10	17	32	38
Female.....	1,538	-	-	-	-	2	-	3	5	10	16	17
Black, both sexes.....	949	-	-	-	1	1	3	3	5	14	29	46
Male.....	429	-	-	-	1	1	2	2	4	10	16	28
Female.....	520	-	-	-	-	-	1	1	1	4	13	18
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	1	-	-	-	1
Male.....	7	-	-	-	-	-	-	1	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	91	-	-	-	-	-	-	-	1	1	2	4
Male.....	51	-	-	-	-	-	-	-	-	1	2	3
Female.....	40	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Alaska												
All races, both sexes.....	6	10	8	9	13	11	7	7	3	-	-	-
Male.....	4	7	4	3	9	5	3	4	1	-	-	-
Female.....	2	3	4	6	4	6	4	3	2	-	-	-
White, both sexes.....	5	8	4	8	12	8	3	7	3	-	-	-
Male.....	4	6	2	3	8	3	1	4	1	-	-	-
Female.....	1	2	2	5	4	5	2	3	2	-	-	-
Black, both sexes.....	1	2	2	-	-	-	2	-	-	-	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	1	1	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	-	2	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Arizona												
All races, both sexes.....	47	86	126	137	143	176	171	133	81	14	1	1
Male.....	26	51	77	68	74	80	74	52	25	6	-	-
Female.....	21	35	49	69	69	96	97	81	56	8	1	1
White, both sexes.....	32	69	102	117	121	163	152	126	74	13	1	1
Male.....	18	41	66	60	66	75	66	50	22	5	-	-
Female.....	14	28	36	57	55	88	86	76	52	8	1	1
Black, both sexes.....	6	3	5	6	7	4	6	3	2	-	-	-
Male.....	2	3	2	2	2	1	5	-	1	-	-	-
Female.....	4	-	3	4	5	3	1	3	1	-	-	-
American Indian 1/, both sexes.....	8	13	19	12	13	9	9	2	3	-	-	-
Male.....	6	6	9	5	5	4	2	1	1	-	-	-
Female.....	2	7	10	7	8	5	7	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	2	2	-	4	2	2	1	-	-
Male.....	-	1	-	1	1	-	1	1	1	1	-	-
Female.....	1	-	-	1	1	-	3	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Arkansas												
All races, both sexes.....	40	52	79	102	92	125	120	99	56	17	3	-
Male.....	18	30	38	51	52	47	51	40	15	3	-	-
Female.....	22	22	41	51	40	78	69	59	41	14	3	-
White, both sexes.....	28	38	57	83	75	96	99	79	45	14	2	-
Male.....	13	25	24	41	42	39	43	35	14	3	-	-
Female.....	15	13	33	42	33	57	56	44	31	11	2	-
Black, both sexes.....	11	14	21	19	16	27	21	20	11	3	1	-
Male.....	4	5	13	10	9	7	8	5	1	-	-	-
Female.....	7	9	8	9	7	20	13	15	10	3	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	346	488	596	737	918	1,119	1,179	789	409	121	29	-
Male.....	206	270	349	412	477	529	525	315	134	25	8	-
Female.....	140	218	247	325	441	590	654	474	275	96	21	-
White, both sexes.....	238	375	449	571	731	890	966	637	327	99	23	-
Male.....	151	204	272	323	384	421	445	263	101	22	6	-
Female.....	87	171	177	248	347	469	521	374	226	77	17	-
Black, both sexes.....	67	69	87	101	94	105	90	66	32	5	3	-
Male.....	32	39	47	53	48	46	37	19	10	-	1	-
Female.....	35	30	40	48	46	59	53	47	22	5	2	-
American Indian 1/, both sexes.....	4	5	3	10	8	12	5	4	1	1	-	-
Male.....	2	2	1	7	3	7	2	1	-	-	-	-
Female.....	2	3	2	3	5	5	3	3	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	37	39	57	55	85	112	118	82	49	16	3	-
Male.....	21	25	29	29	42	55	41	32	23	3	1	-
Female.....	16	14	28	26	43	57	77	50	26	13	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Colorado												
All races, both sexes.....	31	42	53	69	98	119	100	70	61	10	1	-
Male.....	18	21	31	39	55	64	50	34	18	4	-	-
Female.....	13	21	22	30	43	55	50	36	43	6	1	-
White, both sexes.....	29	35	48	61	89	107	96	65	60	10	1	-
Male.....	18	19	27	36	49	57	48	30	18	4	-	-
Female.....	11	16	21	25	40	50	48	35	42	6	1	-
Black, both sexes.....	2	6	3	4	7	6	3	3	-	-	-	-
Male.....	-	2	3	1	6	3	1	3	-	-	-	-
Female.....	2	4	-	3	1	3	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	3	-	4	-	-	-	-	-	-
Male.....	-	-	1	1	-	2	-	-	-	-	-	-
Female.....	-	-	-	2	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	2	2	1	2	1	-	-	-
Male.....	-	-	-	1	-	2	1	1	-	-	-	-
Female.....	-	1	1	-	2	-	-	1	1	-	-	-
Connecticut												
All races, both sexes.....	26	34	53	64	77	122	146	127	79	22	9	-
Male.....	17	20	29	26	40	69	70	38	19	6	1	-
Female.....	9	14	24	38	37	53	76	89	60	16	8	-
White, both sexes.....	23	29	45	52	68	105	136	116	72	19	9	-
Male.....	15	18	26	21	36	62	68	37	18	5	1	-
Female.....	8	11	19	31	32	43	68	79	54	14	8	-
Black, both sexes.....	3	5	7	12	8	16	9	10	7	3	-	-
Male.....	2	2	3	5	3	7	2	1	1	1	-	-
Female.....	1	3	4	7	5	9	7	9	6	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Delaware												
All races, both sexes.....	9	14	9	18	35	38	28	39	15	9	-	-
Male.....	3	7	4	11	19	17	15	17	7	1	-	-
Female.....	6	7	5	7	16	21	13	22	8	8	-	-
White, both sexes.....	4	10	8	15	24	27	19	32	14	7	-	-
Male.....	1	5	3	10	14	13	12	14	7	1	-	-
Female.....	3	5	5	5	10	14	7	18	7	6	-	-
Black, both sexes.....	4	3	1	3	11	10	8	7	1	2	-	-
Male.....	2	1	1	1	5	3	3	3	-	-	-	-
Female.....	2	2	-	2	6	7	5	4	1	2	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	11	13	20	19	26	40	35	34	10	6	2	-
Male.....	6	6	6	9	16	21	14	9	3	1	-	-
Female.....	5	7	14	10	10	19	21	25	7	5	2	-
White, both sexes.....	-	1	1	2	7	6	4	5	1	-	-	-
Male.....	-	-	-	-	5	5	4	1	1	-	-	-
Female.....	-	1	1	2	2	1	-	4	-	-	-	-
Black, both sexes.....	11	12	19	17	19	34	29	29	9	6	2	-
Male.....	6	6	6	9	11	16	10	8	2	1	-	-
Female.....	5	6	13	8	8	18	19	21	7	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Florida												
All races, both sexes.....	226	345	388	509	636	773	836	578	313	84	18	-
Male.....	138	197	244	315	364	402	409	257	114	16	4	-
Female.....	88	148	144	194	272	371	427	321	199	68	14	-
White, both sexes.....	152	252	290	382	495	650	725	510	266	79	15	-
Male.....	103	154	188	257	305	358	370	235	98	16	4	-
Female.....	49	98	102	125	190	292	355	275	168	63	11	-
Black, both sexes.....	71	88	92	121	138	116	108	66	46	5	3	-
Male.....	32	41	52	55	56	42	37	20	15	-	-	-
Female.....	39	47	40	66	82	74	71	46	31	5	3	-
American Indian 1/, both sexes.....	1	2	3	-	1	1	-	-	1	-	-	-
Male.....	1	-	1	-	1	1	-	-	1	-	-	-
Female.....	-	2	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	3	6	2	6	3	2	-	-	-	-
Male.....	2	2	3	3	2	1	2	2	-	-	-	-
Female.....	-	1	-	3	-	5	1	-	-	-	-	-
Georgia												
All races, both sexes.....	110	146	164	175	224	223	220	147	105	26	4	-
Male.....	62	79	85	97	114	103	89	44	31	6	-	-
Female.....	48	67	79	78	110	120	131	103	74	20	4	-
White, both sexes.....	55	81	95	108	137	149	147	104	69	20	2	-
Male.....	35	46	60	66	73	76	68	34	22	4	-	-
Female.....	20	35	35	42	64	73	79	70	47	16	2	-
Black, both sexes.....	52	64	68	64	85	71	71	43	36	6	2	-
Male.....	24	33	25	28	40	24	19	10	9	2	-	-
Female.....	28	31	43	36	45	47	52	33	27	4	2	-
American Indian 1/, both sexes.....	-	-	1	3	-	2	-	-	-	-	-	-
Male.....	-	-	-	3	-	2	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	2	1	2	-	-	-	-	-
Male.....	3	-	-	-	1	1	2	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Illinois

All races, both sexes.....	123	190	263	275	363	448	557	465	231	67	18	-
Male.....	80	100	141	166	172	200	245	154	58	16	3	-
Female.....	43	90	122	109	191	248	312	311	173	51	15	-
White, both sexes.....	75	134	184	207	283	363	476	401	201	55	14	-
Male.....	49	65	104	120	132	172	220	137	54	13	3	-
Female.....	26	69	80	87	151	191	256	264	147	42	11	-
Black, both sexes.....	45	54	74	61	76	80	70	56	27	11	4	-
Male.....	28	33	33	40	38	26	22	15	3	3	-	-
Female.....	17	21	41	21	38	54	48	41	24	8	4	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	5	7	4	5	11	8	3	1	-	-
Male.....	3	1	4	6	2	2	3	2	1	-	-	-
Female.....	-	-	1	1	2	3	8	6	2	1	-	-

Indiana

All races, both sexes.....	73	99	134	176	198	278	293	230	128	33	6	-
Male.....	52	50	72	99	101	137	119	92	38	6	1	-
Female.....	21	49	62	77	97	141	174	138	90	27	5	-
White, both sexes.....	62	83	114	154	172	248	262	210	121	31	6	-
Male.....	44	40	63	91	91	127	107	88	37	5	1	-
Female.....	18	43	51	63	81	121	155	122	84	26	5	-
Black, both sexes.....	11	16	19	22	23	28	29	20	6	2	-	-
Male.....	8	10	8	8	8	10	11	4	1	1	-	-
Female.....	3	6	11	14	15	18	18	16	5	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	2	2	-	1	-	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Kentucky												
All races, both sexes.....	63	82	105	119	166	173	183	148	79	19	2	-
Male.....	40	49	54	63	83	74	67	39	13	2	-	-
Female.....	23	33	51	56	83	99	116	109	66	17	2	-
White, both sexes.....	55	76	92	104	145	157	173	132	73	17	-	-
Male.....	35	46	47	54	74	68	65	35	12	2	-	-
Female.....	20	30	45	50	71	89	108	97	61	15	-	-
Black, both sexes.....	8	6	13	14	21	15	10	16	6	2	2	-
Male.....	5	3	7	8	9	6	2	4	1	-	-	-
Female.....	3	3	6	6	12	9	8	12	5	2	2	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	101	118	175	189	216	260	258	179	95	25	3	-
Male.....	56	63	87	105	89	114	99	68	24	8	-	-
Female.....	45	55	88	84	127	146	159	111	71	17	3	-
White, both sexes.....	53	60	87	98	121	163	162	117	66	15	1	-
Male.....	37	33	46	54	57	79	62	46	15	4	-	-
Female.....	16	27	41	44	64	84	100	71	51	11	1	-
Black, both sexes.....	48	56	87	90	92	97	96	61	27	9	2	-
Male.....	19	30	40	50	31	35	37	21	9	3	-	-
Female.....	29	26	47	40	61	62	59	40	18	6	2	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	2	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	3	-	-	1	-	1	-	-
Male.....	-	-	-	1	1	-	-	1	-	1	-	-
Female.....	-	1	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Maine												
All races, both sexes.....	12	23	36	34	49	71	74	42	33	7	2	-
Male.....	5	12	21	19	17	30	32	14	10	2	-	-
Female.....	7	11	15	15	32	41	42	28	23	5	2	-
White, both sexes.....	12	23	35	34	48	71	70	41	33	7	2	-
Male.....	5	12	21	19	17	30	31	14	10	2	-	-
Female.....	7	11	14	15	31	41	39	27	23	5	2	-
Black, both sexes.....	-	-	-	-	1	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	2	-	-	-	-	-
Maryland												
All races, both sexes.....	70	105	117	140	162	211	262	180	104	33	5	-
Male.....	44	58	67	74	83	102	126	49	39	11	2	-
Female.....	26	47	50	66	79	109	136	131	65	22	3	-
White, both sexes.....	38	58	65	80	92	132	193	133	79	24	3	-
Male.....	22	37	37	49	52	71	98	38	30	7	1	-
Female.....	16	21	28	31	40	61	95	95	49	17	2	-
Black, both sexes.....	32	45	47	58	68	76	65	41	25	8	2	-
Male.....	22	21	27	23	30	29	25	10	9	4	1	-
Female.....	10	24	20	35	38	47	40	31	16	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	5	2	1	3	3	5	-	1	-	-
Male.....	-	-	3	2	-	2	2	1	-	-	-	-
Female.....	-	2	2	-	1	1	1	4	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Massachusetts												
All races, both sexes.....	36	69	103	122	147	197	267	209	123	31	3	-
Male.....	22	42	73	70	77	95	115	84	31	4	1	-
Female.....	14	27	30	52	70	102	152	125	92	27	2	-
White, both sexes.....	31	66	88	104	134	186	248	200	114	29	3	-
Male.....	19	42	64	60	70	90	108	81	28	4	1	-
Female.....	12	24	24	44	64	96	140	119	86	25	2	-
Black, both sexes.....	3	3	12	14	10	8	14	8	4	1	-	-
Male.....	2	-	8	7	5	4	4	3	2	-	-	-
Female.....	1	3	4	7	5	4	10	5	2	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	4	2	3	5	1	5	1	-	-
Male.....	1	-	1	3	1	1	3	-	1	-	-	-
Female.....	1	-	1	1	1	2	2	1	4	1	-	-
Michigan												
All races, both sexes.....	134	195	187	289	358	474	548	406	189	63	12	-
Male.....	83	111	108	146	191	221	234	166	48	12	1	-
Female.....	51	84	79	143	167	253	314	240	141	51	11	-
White, both sexes.....	103	146	145	231	298	392	465	368	166	59	10	-
Male.....	62	86	86	123	159	193	197	150	44	12	1	-
Female.....	41	60	59	108	139	199	268	218	122	47	9	-
Black, both sexes.....	29	43	37	51	55	76	78	37	20	3	2	-
Male.....	19	21	19	20	29	25	35	16	4	-	-	-
Female.....	10	22	18	31	26	51	43	21	16	3	2	-
American Indian 1/, both sexes.....	1	4	4	5	3	2	2	1	-	-	-	-
Male.....	1	2	3	2	3	2	-	-	-	-	-	-
Female.....	-	2	1	3	-	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	2	2	4	3	-	3	1	-	-
Male.....	1	2	-	1	-	1	2	-	-	-	-	-
Female.....	-	-	1	1	2	3	1	-	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Endocrine diseases (E00-E34)

Missouri

All races, both sexes.....	72	106	116	130	200	220	247	180	111	37	1	-
Male.....	35	54	73	62	98	100	109	57	39	8	-	-
Female.....	37	52	43	68	102	120	138	123	72	29	1	-
White, both sexes.....	52	84	99	101	167	190	209	160	100	34	1	-
Male.....	27	49	64	50	89	91	96	50	37	8	-	-
Female.....	25	35	35	51	78	99	113	110	63	26	1	-
Black, both sexes.....	19	21	17	26	33	29	36	19	11	3	-	-
Male.....	7	4	9	10	9	9	13	7	2	-	-	-
Female.....	12	17	8	16	24	20	23	12	9	3	-	-
American Indian 1/, both sexes.....	1	1	-	1	-	-	1	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	1	1	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Montana

All races, both sexes.....	14	14	16	23	26	28	44	34	26	4	1	-
Male.....	9	9	10	13	14	12	21	14	9	-	1	-
Female.....	5	5	6	10	12	16	23	20	17	4	-	-
White, both sexes.....	11	10	10	19	21	22	43	34	25	4	1	-
Male.....	7	6	5	10	12	10	21	14	9	-	1	-
Female.....	4	4	5	9	9	12	22	20	16	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	4	6	4	4	6	1	-	1	-	-	-
Male.....	2	3	5	3	2	2	-	-	-	-	-	-
Female.....	1	1	1	1	2	4	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Nebraska												
All races, both sexes.....	14	26	33	34	49	53	75	63	34	15	1	-
Male.....	8	11	20	18	30	28	37	24	12	2	-	-
Female.....	6	15	13	16	19	25	38	39	22	13	1	-
White, both sexes.....	14	22	31	31	42	46	67	57	33	15	1	-
Male.....	8	10	19	18	26	26	32	21	12	2	-	-
Female.....	6	12	12	13	16	20	35	36	21	13	1	-
Black, both sexes.....	-	3	2	3	4	6	7	4	1	-	-	-
Male.....	-	1	1	-	2	1	5	2	-	-	-	-
Female.....	-	2	1	3	2	5	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	3	1	-	2	-	-	-	-
Male.....	-	-	-	-	2	1	-	1	-	-	-	-
Female.....	-	1	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Nevada												
All races, both sexes.....	16	22	25	27	47	55	47	23	12	3	-	-
Male.....	10	15	10	15	32	21	26	5	2	1	-	-
Female.....	6	7	15	12	15	34	21	18	10	2	-	-
White, both sexes.....	13	18	18	21	39	46	42	21	10	3	-	-
Male.....	8	13	7	11	27	17	24	4	2	1	-	-
Female.....	5	5	11	10	12	29	18	17	8	2	-	-
Black, both sexes.....	2	2	2	4	4	5	4	2	1	-	-	-
Male.....	2	1	1	2	2	2	1	1	-	-	-	-
Female.....	-	1	1	2	2	3	3	1	1	-	-	-
American Indian 1/, both sexes.....	-	1	4	2	-	2	-	-	-	-	-	-
Male.....	-	1	2	2	-	1	-	-	-	-	-	-
Female.....	-	-	2	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	4	2	1	-	1	-	-	-
Male.....	-	-	-	-	3	1	1	-	-	-	-	-
Female.....	1	1	1	-	1	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
New Hampshire												
All races, both sexes.....	8	11	32	24	41	52	52	55	22	4	2	-
Male.....	6	7	18	18	24	20	18	29	6	-	1	-
Female.....	2	4	14	6	17	32	34	26	16	4	1	-
White, both sexes.....	8	11	31	23	41	51	51	55	21	4	2	-
Male.....	6	7	17	18	24	19	17	29	6	-	1	-
Female.....	2	4	14	5	17	32	34	26	15	4	1	-
Black, both sexes.....	-	-	1	1	-	-	1	-	1	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	113	137	195	233	328	446	470	394	199	63	5	-
Male.....	68	80	102	141	161	216	186	145	57	12	-	-
Female.....	45	57	93	92	167	230	284	249	142	51	5	-
White, both sexes.....	79	97	136	175	257	369	384	346	178	55	4	-
Male.....	50	60	69	109	136	178	158	129	54	10	-	-
Female.....	29	37	67	66	121	191	226	217	124	45	4	-
Black, both sexes.....	34	38	53	51	59	71	70	46	19	7	1	-
Male.....	18	19	29	28	20	35	21	16	3	1	-	-
Female.....	16	19	24	23	39	36	49	30	16	6	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	6	7	12	6	16	2	2	1	-	-
Male.....	-	1	4	4	5	3	7	-	-	1	-	-
Female.....	-	1	2	3	7	3	9	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
New Mexico												
All races, both sexes.....	30	41	61	55	86	79	89	61	38	16	-	-
Male.....	20	20	39	30	39	40	35	26	9	2	-	-
Female.....	10	21	22	25	47	39	54	35	29	14	-	-
White, both sexes.....	26	33	48	45	75	69	78	55	34	16	-	-
Male.....	19	18	30	25	37	33	29	23	8	2	-	-
Female.....	7	15	18	20	38	36	49	32	26	14	-	-
Black, both sexes.....	1	-	1	1	1	5	-	-	1	-	-	-
Male.....	1	-	1	1	-	3	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	1	-	-	-
American Indian 1/, both sexes.....	3	8	10	9	10	3	11	6	3	-	-	-
Male.....	-	2	7	4	2	3	6	3	1	-	-	-
Female.....	3	6	3	5	8	-	5	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	2	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
New York												
All races, both sexes.....	172	257	309	367	485	614	628	473	322	109	25	-
Male.....	122	164	179	194	247	287	281	147	96	28	8	-
Female.....	50	93	130	173	238	327	347	326	226	81	17	-
White, both sexes.....	123	179	225	266	332	473	484	385	254	84	18	-
Male.....	88	119	132	141	176	233	225	122	77	20	5	-
Female.....	35	60	93	125	156	240	259	263	177	64	13	-
Black, both sexes.....	44	73	78	89	139	129	124	78	63	24	6	-
Male.....	30	43	43	44	62	46	49	21	18	7	2	-
Female.....	14	30	35	45	77	83	75	57	45	17	4	-
American Indian 1/, both sexes.....	2	-	-	-	1	1	3	1	-	-	-	-
Male.....	2	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	6	12	13	11	17	9	5	1	1	-
Male.....	2	2	4	9	8	7	6	4	1	1	1	-
Female.....	1	3	2	3	5	4	11	5	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Ohio												
All races, both sexes.....	143	237	260	351	476	598	669	451	255	69	10	-
Male.....	86	142	142	193	250	293	300	163	73	11	2	-
Female.....	57	95	118	158	226	305	369	288	182	58	8	-
White, both sexes.....	103	192	224	270	381	503	588	398	232	61	8	-
Male.....	68	116	126	148	205	249	264	147	68	9	2	-
Female.....	35	76	98	122	176	254	324	251	164	52	6	-
Black, both sexes.....	40	44	35	80	94	93	79	49	23	8	2	-
Male.....	18	25	15	45	45	44	35	16	5	2	-	-
Female.....	22	19	20	35	49	49	44	33	18	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	2	2	4	-	-	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	1	2	1	4	-	-	-	-
Oklahoma												
All races, both sexes.....	53	69	119	106	145	174	184	129	76	25	3	-
Male.....	26	38	63	45	69	84	74	54	26	5	-	-
Female.....	27	31	56	61	76	90	110	75	50	20	3	-
White, both sexes.....	42	43	83	73	110	126	149	112	69	23	3	-
Male.....	22	24	45	31	57	59	58	50	24	5	-	-
Female.....	20	19	38	42	53	67	91	62	45	18	3	-
Black, both sexes.....	3	11	10	13	17	22	21	8	5	2	-	-
Male.....	2	6	4	9	8	11	9	1	1	-	-	-
Female.....	1	5	6	4	9	11	12	7	4	2	-	-
American Indian 1/, both sexes.....	7	15	25	20	18	24	14	9	1	-	-	-
Male.....	2	8	13	5	4	14	7	3	-	-	-	-
Female.....	5	7	12	15	14	10	7	6	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	2	-	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Endocrine diseases (E00-E34)

Oregon

All races, both sexes.....	56	71	83	86	122	169	186	140	77	27	2	-
Male.....	40	44	51	38	56	88	90	58	22	9	2	-
Female.....	16	27	32	48	66	81	96	82	55	18	-	-
White, both sexes.....	53	66	77	82	118	159	177	138	72	26	2	-
Male.....	38	40	48	37	55	84	85	57	21	9	2	-
Female.....	15	26	29	45	63	75	92	81	51	17	-	-
Black, both sexes.....	1	2	3	2	1	4	4	1	2	1	-	-
Male.....	1	1	1	-	-	1	2	-	-	-	-	-
Female.....	-	1	2	2	1	3	2	1	2	1	-	-
American Indian 1/, both sexes.....	-	3	2	2	1	4	2	1	1	-	-	-
Male.....	-	3	1	1	-	3	1	1	1	-	-	-
Female.....	-	-	1	1	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	2	2	3	-	2	-	-	-
Male.....	1	-	1	-	1	-	2	-	-	-	-	-
Female.....	1	-	-	-	1	2	1	-	2	-	-	-

Pennsylvania

All races, both sexes.....	134	198	284	338	431	590	666	510	257	108	12	1
Male.....	85	122	160	177	227	288	286	184	70	16	1	1
Female.....	49	76	124	161	204	302	380	326	187	92	11	-
White, both sexes.....	110	161	230	293	374	527	604	473	242	101	10	-
Male.....	72	101	129	151	200	268	267	172	63	16	1	-
Female.....	38	60	101	142	174	259	337	301	179	85	9	-
Black, both sexes.....	22	36	50	42	54	62	59	33	15	7	2	1
Male.....	13	21	29	23	26	19	18	11	7	-	-	1
Female.....	9	15	21	19	28	43	41	22	8	7	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	3	3	3	3	4	-	-	-	-	-
Male.....	-	-	1	3	1	-	1	1	-	-	-	-
Female.....	2	1	2	-	2	-	2	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Rhode Island												
All races, both sexes.....	10	14	23	28	27	44	50	39	33	5	3	-
Male.....	4	9	16	19	19	20	29	14	11	2	-	-
Female.....	6	5	7	9	8	24	21	25	22	3	3	-
White, both sexes.....	9	13	22	23	27	43	46	35	29	4	3	-
Male.....	3	8	15	15	19	20	27	12	9	1	-	-
Female.....	6	5	7	8	8	23	19	23	20	3	3	-
Black, both sexes.....	1	1	1	3	-	1	3	3	2	1	-	-
Male.....	1	1	1	2	-	-	2	1	2	1	-	-
Female.....	-	-	-	1	-	1	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	2	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
South Carolina												
All races, both sexes.....	79	104	115	113	145	182	169	119	55	17	7	1
Male.....	38	60	66	56	65	85	63	35	17	7	-	-
Female.....	41	44	49	57	80	97	106	84	38	10	7	1
White, both sexes.....	35	62	65	65	71	101	108	76	43	9	1	1
Male.....	15	37	47	33	36	53	49	26	12	4	-	-
Female.....	20	25	18	32	35	48	59	50	31	5	1	1
Black, both sexes.....	44	42	50	48	73	81	61	41	12	8	6	-
Male.....	23	23	19	23	29	32	14	8	5	3	-	-
Female.....	21	19	31	25	44	49	47	33	7	5	6	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

South Dakota

All races, both sexes.....	12	12	5	21	23	31	40	45	20	8	2	-
Male.....	6	7	3	11	12	18	14	21	2	-	1	-
Female.....	6	5	2	10	11	13	26	24	18	8	1	-
White, both sexes.....	7	8	1	15	16	26	33	42	19	8	2	-
Male.....	5	5	1	9	8	16	13	19	2	-	1	-
Female.....	2	3	-	6	8	10	20	23	17	8	1	-
Black, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	4	4	6	6	4	7	2	1	-	-	-
Male.....	1	2	2	2	3	1	1	1	-	-	1	-
Female.....	4	2	2	4	3	3	6	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	91	161	157	220	272	240	295	216	96	31	5	-
Male.....	45	90	74	122	142	97	126	84	25	7	-	-
Female.....	46	71	83	98	130	143	169	132	71	24	5	-
White, both sexes.....	61	115	121	169	210	188	251	180	78	24	3	-
Male.....	33	66	61	103	115	78	116	67	24	5	-	-
Female.....	28	49	60	66	95	110	135	113	54	19	3	-
Black, both sexes.....	30	46	35	51	61	51	44	34	18	7	2	-
Male.....	12	24	12	19	27	18	10	16	1	2	-	-
Female.....	18	22	23	32	34	33	34	18	17	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	2	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Texas												
All races, both sexes.....	290	422	493	579	691	843	830	560	323	107	22	-
Male.....	162	228	272	292	328	385	349	192	92	22	5	-
Female.....	128	194	221	287	363	458	481	368	231	85	17	-
White, both sexes.....	223	339	397	476	576	726	740	470	274	84	15	-
Male.....	129	182	227	242	282	340	322	163	75	18	3	-
Female.....	94	157	170	234	294	386	418	307	199	66	12	-
Black, both sexes.....	63	72	89	95	104	107	84	79	46	22	7	-
Male.....	31	35	40	47	42	42	26	24	16	4	2	-
Female.....	32	37	49	48	62	65	58	55	30	18	5	-
American Indian 1/, both sexes.....	-	1	2	2	-	-	2	-	-	-	-	-
Male.....	-	1	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	10	5	6	11	10	4	11	3	1	-	-
Male.....	2	10	3	2	4	3	1	5	1	-	-	-
Female.....	2	-	2	4	7	7	3	6	2	1	-	-
Utah												
All races, both sexes.....	26	26	41	53	46	86	100	60	32	6	2	-
Male.....	16	15	25	22	21	41	47	25	12	3	-	-
Female.....	10	11	16	31	25	45	53	35	20	3	2	-
White, both sexes.....	26	25	37	50	42	84	93	60	31	6	2	-
Male.....	16	14	22	21	17	40	43	25	12	3	-	-
Female.....	10	11	15	29	25	44	50	35	19	3	2	-
Black, both sexes.....	-	-	2	1	2	-	-	-	-	-	-	-
Male.....	-	-	2	1	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	1	-	3	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	2	4	-	1	-	-	-
Male.....	-	1	1	-	1	1	4	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Vermont												
All races, both sexes.....	6	7	11	18	19	33	27	15	9	1	-	-
Male.....	6	5	4	11	12	17	8	5	2	-	-	-
Female.....	-	2	7	7	7	16	19	10	7	1	-	-
White, both sexes.....	6	7	11	18	19	32	27	15	8	1	-	-
Male.....	6	5	4	11	12	16	8	5	2	-	-	-
Female.....	-	2	7	7	7	16	19	10	6	1	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Virginia												
All races, both sexes.....	87	123	129	177	201	248	250	191	97	21	3	-
Male.....	56	70	77	102	85	114	107	67	25	3	-	-
Female.....	31	53	52	75	116	134	143	124	72	18	3	-
White, both sexes.....	52	73	80	111	132	177	182	144	77	13	3	-
Male.....	36	40	52	69	56	84	81	48	21	3	-	-
Female.....	16	33	28	42	76	93	101	96	56	10	3	-
Black, both sexes.....	35	47	48	64	62	68	60	43	20	8	-	-
Male.....	20	30	24	32	26	28	23	17	4	-	-	-
Female.....	15	17	24	32	36	40	37	26	16	8	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	2	6	3	7	4	-	-	-	-
Male.....	-	-	1	1	3	2	3	2	-	-	-	-
Female.....	-	3	-	1	3	1	4	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of thyroid gland (E00-E07)

Arkansas

All races, both sexes.....	-	-	-	-	1	1	3	1	2	-	-	-
Male.....	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	1	1	2	-	1	-	-	-
White, both sexes.....	-	-	-	-	1	1	3	1	2	-	-	-
Male.....	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	1	1	2	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2	1	7	4	5	11	23	27	24	7	3	-
Male.....	-	-	3	2	3	3	2	6	1	-	1	-
Female.....	2	1	4	2	2	8	21	21	23	7	2	-
White, both sexes.....	1	1	5	3	4	8	20	24	23	7	3	-
Male.....	-	-	2	2	2	2	1	6	1	-	1	-
Female.....	1	1	3	1	2	6	19	18	22	7	2	-
Black, both sexes.....	1	-	1	1	1	1	1	1	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	2	1	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Disorders of thyroid gland (E00-E07)												
Maine												
All races, both sexes.....	-	-	-	-	-	1	1	-	4	3	1	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	1	-	4	2	1	-
White, both sexes.....	-	-	-	-	-	1	1	-	4	3	1	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	1	-	4	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	1	-	3	1	2	4	10	8	13	4	-	-
Male.....	-	-	2	-	1	1	3	-	3	1	-	-
Female.....	1	-	1	1	1	3	7	8	10	3	-	-
White, both sexes.....	1	-	3	-	-	1	9	7	12	4	-	-
Male.....	-	-	2	-	-	-	3	-	3	1	-	-
Female.....	1	-	1	-	-	1	6	7	9	3	-	-
Black, both sexes.....	-	-	-	1	2	3	1	-	1	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	2	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diabetes mellitus (E10-E14)												
United States												
All races, both sexes.....	73,138	1	8	6	31	48	113	180	419	709	1,317	2,217
Male.....	35,267	1	5	1	15	30	53	103	237	444	814	1,359
Female.....	37,871	-	3	5	16	18	60	77	182	265	503	858
White, both sexes.....	58,087	-	6	4	15	28	71	118	278	484	937	1,621
Male.....	28,629	-	4	-	7	15	37	66	161	308	597	1,005
Female.....	29,458	-	2	4	8	13	34	52	117	176	340	616
Black, both sexes.....	12,834	1	1	2	14	20	41	56	127	208	339	519
Male.....	5,565	1	-	1	7	15	16	33	71	125	192	304
Female.....	7,269	-	1	1	7	5	25	23	56	83	147	215
American Indian 1/, both sexes.....	746	-	-	-	-	-	1	1	10	8	28	40
Male.....	365	-	-	-	-	-	-	1	4	7	18	26
Female.....	381	-	-	-	-	-	1	-	6	1	10	14
Asian or Pacific Islander 2/, both sexes.....	1,471	-	1	-	2	-	-	5	4	9	13	37
Male.....	708	-	1	-	1	-	-	3	1	4	7	24
Female.....	763	-	-	-	1	-	-	2	3	5	6	13
Alabama												
All races, both sexes.....	1,449	-	-	1	-	1	6	6	12	25	29	49
Male.....	653	-	-	1	-	-	4	4	3	11	12	28
Female.....	796	-	-	-	-	1	2	2	9	14	17	21
White, both sexes.....	861	-	-	-	-	1	1	3	8	15	19	26
Male.....	412	-	-	-	-	-	1	2	2	7	9	15
Female.....	449	-	-	-	-	1	-	1	6	8	10	11
Black, both sexes.....	581	-	-	1	-	-	5	3	3	10	10	22
Male.....	237	-	-	1	-	-	3	2	1	4	3	12
Female.....	344	-	-	-	-	-	2	1	2	6	7	10
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diabetes mellitus (E10-E14)												
Arkansas												
All races, both sexes.....	838	-	-	-	1	1	-	3	9	12	17	30
Male.....	381	-	-	-	1	1	-	3	2	9	10	19
Female.....	457	-	-	-	-	-	-	-	7	3	7	11
White, both sexes.....	650	-	-	-	-	-	-	2	6	8	14	24
Male.....	302	-	-	-	-	-	-	2	2	5	8	15
Female.....	348	-	-	-	-	-	-	-	4	3	6	9
Black, both sexes.....	183	-	-	-	1	1	-	1	3	4	3	6
Male.....	75	-	-	-	1	1	-	1	-	4	2	4
Female.....	108	-	-	-	-	-	-	-	3	-	1	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	7,117	-	-	-	3	6	14	21	42	76	129	257
Male.....	3,542	-	-	-	-	2	7	12	28	51	77	151
Female.....	3,575	-	-	-	3	4	7	9	14	25	52	106
White, both sexes.....	5,576	-	-	-	1	4	11	12	26	54	106	195
Male.....	2,811	-	-	-	-	1	7	7	18	36	64	114
Female.....	2,765	-	-	-	1	3	4	5	8	18	42	81
Black, both sexes.....	808	-	-	-	2	2	3	7	14	17	15	42
Male.....	388	-	-	-	-	1	-	4	9	12	10	24
Female.....	420	-	-	-	2	1	3	3	5	5	5	18
American Indian 1/, both sexes.....	58	-	-	-	-	-	-	-	1	2	2	3
Male.....	30	-	-	-	-	-	-	-	1	2	1	2
Female.....	28	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	675	-	-	-	-	-	-	2	1	3	6	17
Male.....	313	-	-	-	-	-	-	1	-	1	2	11
Female.....	362	-	-	-	-	-	-	1	1	2	4	6

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diabetes mellitus (E10-E14)												
New Mexico												
All races, both sexes.....	590	-	-	-	-	-	-	3	5	5	17	16
Male.....	290	-	-	-	-	-	-	2	4	3	16	8
Female.....	300	-	-	-	-	-	-	1	1	2	1	8
White, both sexes.....	510	-	-	-	-	-	-	3	4	4	16	15
Male.....	250	-	-	-	-	-	-	2	3	2	15	7
Female.....	260	-	-	-	-	-	-	1	1	2	1	8
Black, both sexes.....	10	-	-	-	-	-	-	-	-	1	-	-
Male.....	7	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	66	-	-	-	-	-	-	-	1	-	1	1
Male.....	31	-	-	-	-	-	-	-	1	-	1	1
Female.....	35	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	3,913	-	2	-	1	2	2	7	19	40	77	104
Male.....	1,894	-	2	-	1	1	1	3	13	27	49	69
Female.....	2,019	-	-	-	-	1	1	4	6	13	28	35
White, both sexes.....	2,881	-	2	-	-	1	1	3	14	26	47	55
Male.....	1,414	-	2	-	-	-	1	-	10	16	32	38
Female.....	1,467	-	-	-	-	1	-	3	4	10	15	17
Black, both sexes.....	933	-	-	-	1	1	1	3	4	13	29	44
Male.....	424	-	-	-	1	1	-	2	3	10	16	27
Female.....	509	-	-	-	-	-	1	1	1	3	13	17
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	1	-	-	-	1
Male.....	7	-	-	-	-	-	-	1	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	89	-	-	-	-	-	-	-	1	1	1	4
Male.....	49	-	-	-	-	-	-	-	-	1	1	3
Female.....	40	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Alaska												
All races, both sexes.....	6	10	8	9	13	11	7	7	3	-	-	-
Male.....	4	7	4	3	9	5	3	4	1	-	-	-
Female.....	2	3	4	6	4	6	4	3	2	-	-	-
White, both sexes.....	5	8	4	8	12	8	3	7	3	-	-	-
Male.....	4	6	2	3	8	3	1	4	1	-	-	-
Female.....	1	2	2	5	4	5	2	3	2	-	-	-
Black, both sexes.....	1	2	2	-	-	-	2	-	-	-	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	1	1	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	-	2	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Arizona												
All races, both sexes.....	46	85	123	136	140	171	167	126	78	13	-	1
Male.....	26	50	75	67	74	80	73	52	24	6	-	-
Female.....	20	35	48	69	66	91	94	74	54	7	-	1
White, both sexes.....	31	68	99	116	118	159	149	119	72	12	-	1
Male.....	18	40	64	59	66	75	65	50	21	5	-	-
Female.....	13	28	35	57	52	84	84	69	51	7	-	1
Black, both sexes.....	6	3	5	6	7	3	6	3	2	-	-	-
Male.....	2	3	2	2	2	1	5	-	1	-	-	-
Female.....	4	-	3	4	5	2	1	3	1	-	-	-
American Indian 1/, both sexes.....	8	13	19	12	13	9	8	2	2	-	-	-
Male.....	6	6	9	5	5	4	2	1	1	-	-	-
Female.....	2	7	10	7	8	5	6	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	2	2	-	4	2	2	1	-	-
Male.....	-	1	-	1	1	-	1	1	1	1	-	-
Female.....	1	-	-	1	1	-	3	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Arkansas												
All races, both sexes.....	40	51	77	100	91	124	115	97	53	14	3	-
Male.....	18	30	37	49	52	47	48	38	14	3	-	-
Female.....	22	21	40	51	39	77	67	59	39	11	3	-
White, both sexes.....	28	37	55	81	74	95	94	77	42	11	2	-
Male.....	13	25	23	39	42	39	40	33	13	3	-	-
Female.....	15	12	32	42	32	56	54	44	29	8	2	-
Black, both sexes.....	11	14	21	19	16	27	21	20	11	3	1	-
Male.....	4	5	13	10	9	7	8	5	1	-	-	-
Female.....	7	9	8	9	7	20	13	15	10	3	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	338	485	583	730	909	1,103	1,147	754	381	114	25	-
Male.....	203	269	343	409	473	524	520	309	133	25	6	-
Female.....	135	216	240	321	436	579	627	445	248	89	19	-
White, both sexes.....	233	372	440	565	723	877	939	606	300	92	20	-
Male.....	149	203	268	320	381	417	442	257	100	22	5	-
Female.....	84	169	172	245	342	460	497	349	200	70	15	-
Black, both sexes.....	64	69	86	100	93	104	88	64	31	5	2	-
Male.....	31	39	47	53	47	46	36	19	10	-	-	-
Female.....	33	30	39	47	46	58	52	45	21	5	2	-
American Indian 1/, both sexes.....	4	5	3	10	8	12	3	3	1	1	-	-
Male.....	2	2	1	7	3	7	1	1	-	-	-	-
Female.....	2	3	2	3	5	5	2	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	37	39	54	55	85	110	117	81	49	16	3	-
Male.....	21	25	27	29	42	54	41	32	23	3	1	-
Female.....	16	14	27	26	43	56	76	49	26	13	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Colorado												
All races, both sexes.....	31	42	53	69	97	116	92	66	57	8	1	-
Male.....	18	21	31	39	55	63	46	32	16	4	-	-
Female.....	13	21	22	30	42	53	46	34	41	4	1	-
White, both sexes.....	29	35	48	61	88	104	89	61	56	8	1	-
Male.....	18	19	27	36	49	56	45	28	16	4	-	-
Female.....	11	16	21	25	39	48	44	33	40	4	1	-
Black, both sexes.....	2	6	3	4	7	6	3	3	-	-	-	-
Male.....	-	2	3	1	6	3	1	3	-	-	-	-
Female.....	2	4	-	3	1	3	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	3	-	4	-	-	-	-	-	-
Male.....	-	-	1	1	-	2	-	-	-	-	-	-
Female.....	-	-	-	2	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	2	2	-	2	1	-	-	-
Male.....	-	-	-	1	-	2	-	1	-	-	-	-
Female.....	-	1	1	-	2	-	-	1	1	-	-	-
Connecticut												
All races, both sexes.....	25	33	51	62	73	120	142	120	75	19	6	-
Male.....	16	20	28	24	39	68	69	37	19	5	1	-
Female.....	9	13	23	38	34	52	73	83	56	14	5	-
White, both sexes.....	22	28	43	50	64	104	132	111	68	16	6	-
Male.....	14	18	25	19	35	62	67	36	18	4	1	-
Female.....	8	10	18	31	29	42	65	75	50	12	5	-
Black, both sexes.....	3	5	7	12	8	15	9	8	7	3	-	-
Male.....	2	2	3	5	3	6	2	1	1	1	-	-
Female.....	1	3	4	7	5	9	7	7	6	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Delaware

All races, both sexes.....	9	14	9	18	35	37	24	34	13	5	-	-
Male.....	3	7	4	11	19	17	14	16	7	1	-	-
Female.....	6	7	5	7	16	20	10	18	6	4	-	-
White, both sexes.....	4	10	8	15	24	26	16	27	12	3	-	-
Male.....	1	5	3	10	14	13	11	13	7	1	-	-
Female.....	3	5	5	5	10	13	5	14	5	2	-	-
Black, both sexes.....	4	3	1	3	11	10	7	7	1	2	-	-
Male.....	2	1	1	1	5	3	3	3	-	-	-	-
Female.....	2	2	-	2	6	7	4	4	1	2	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	10	13	19	19	25	40	35	31	10	6	2	-
Male.....	5	6	6	9	16	21	14	8	3	1	-	-
Female.....	5	7	13	10	9	19	21	23	7	5	2	-
White, both sexes.....	-	1	1	2	7	6	4	2	1	-	-	-
Male.....	-	-	-	-	5	5	4	-	1	-	-	-
Female.....	-	1	1	2	2	1	-	2	-	-	-	-
Black, both sexes.....	10	12	18	17	18	34	29	29	9	6	2	-
Male.....	5	6	6	9	11	16	10	8	2	1	-	-
Female.....	5	6	12	8	7	18	19	21	7	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Florida												
All races, both sexes.....	218	336	376	499	624	746	800	539	286	78	14	-
Male.....	135	196	237	309	362	388	392	246	109	14	2	-
Female.....	83	140	139	190	262	358	408	293	177	64	12	-
White, both sexes.....	147	247	280	374	488	627	693	477	240	73	11	-
Male.....	102	154	183	253	305	346	355	227	93	14	2	-
Female.....	45	93	97	121	183	281	338	250	147	59	9	-
Black, both sexes.....	68	84	90	119	133	112	104	60	45	5	3	-
Male.....	30	40	50	53	54	40	35	17	15	-	-	-
Female.....	38	44	40	66	79	72	69	43	30	5	3	-
American Indian 1/, both sexes.....	1	2	3	-	1	1	-	-	1	-	-	-
Male.....	1	-	1	-	1	1	-	-	1	-	-	-
Female.....	-	2	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	3	6	2	6	3	2	-	-	-	-
Male.....	2	2	3	3	2	1	2	2	-	-	-	-
Female.....	-	1	-	3	-	5	1	-	-	-	-	-
Georgia												
All races, both sexes.....	107	143	160	164	220	215	211	133	90	20	3	-
Male.....	60	78	84	92	114	99	87	40	30	5	-	-
Female.....	47	65	76	72	106	116	124	93	60	15	3	-
White, both sexes.....	53	80	93	104	136	145	140	95	60	15	1	-
Male.....	33	45	60	64	73	75	67	31	22	4	-	-
Female.....	20	35	33	40	63	70	73	64	38	11	1	-
Black, both sexes.....	51	62	66	57	82	67	69	38	30	5	2	-
Male.....	24	33	24	25	40	21	18	9	8	1	-	-
Female.....	27	29	42	32	42	46	51	29	22	4	2	-
American Indian 1/, both sexes.....	-	-	1	3	-	2	-	-	-	-	-	-
Male.....	-	-	-	3	-	2	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	2	1	2	-	-	-	-	-
Male.....	3	-	-	-	1	1	2	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Illinois												
All races, both sexes.....	118	185	255	268	355	437	539	440	212	53	12	-
Male.....	78	97	136	162	169	199	239	150	52	14	2	-
Female.....	40	88	119	106	186	238	300	290	160	39	10	-
White, both sexes.....	71	130	180	202	277	354	461	380	184	42	8	-
Male.....	47	63	102	117	130	171	216	133	49	11	2	-
Female.....	24	67	78	85	147	183	245	247	135	31	6	-
Black, both sexes.....	44	53	70	60	74	78	67	52	26	10	4	-
Male.....	28	32	30	39	37	26	20	15	2	3	-	-
Female.....	16	21	40	21	37	52	47	37	24	7	4	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	5	6	4	5	11	8	2	1	-	-
Male.....	3	1	4	6	2	2	3	2	1	-	-	-
Female.....	-	-	1	-	2	3	8	6	1	1	-	-
Indiana												
All races, both sexes.....	72	97	131	171	197	272	277	215	114	31	1	-
Male.....	52	49	70	97	100	135	115	86	36	6	-	-
Female.....	20	48	61	74	97	137	162	129	78	25	1	-
White, both sexes.....	61	81	111	150	171	243	246	196	107	29	1	-
Male.....	44	39	61	89	90	125	103	82	35	5	-	-
Female.....	17	42	50	61	81	118	143	114	72	24	1	-
Black, both sexes.....	11	16	19	21	23	27	29	19	6	2	-	-
Male.....	8	10	8	8	8	10	11	4	1	1	-	-
Female.....	3	6	11	13	15	17	18	15	5	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	2	2	-	1	-	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Kentucky												
All races, both sexes.....	63	79	101	118	164	170	173	143	67	16	1	-
Male.....	40	46	54	62	82	74	66	36	11	2	-	-
Female.....	23	33	47	56	82	96	107	107	56	14	1	-
White, both sexes.....	55	73	88	103	143	154	163	127	61	14	-	-
Male.....	35	43	47	53	73	68	64	32	10	2	-	-
Female.....	20	30	41	50	70	86	99	95	51	12	-	-
Black, both sexes.....	8	6	13	14	21	15	10	16	6	2	1	-
Male.....	5	3	7	8	9	6	2	4	1	-	-	-
Female.....	3	3	6	6	12	9	8	12	5	2	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	101	117	170	186	213	253	250	175	90	21	3	-
Male.....	56	63	84	104	87	111	98	67	24	7	-	-
Female.....	45	54	86	82	126	142	152	108	66	14	3	-
White, both sexes.....	53	60	83	98	119	158	158	114	61	12	1	-
Male.....	37	33	44	54	55	77	61	46	15	3	-	-
Female.....	16	27	39	44	64	81	97	68	46	9	1	-
Black, both sexes.....	48	55	86	87	91	95	92	60	27	8	2	-
Male.....	19	30	39	49	31	34	37	20	9	3	-	-
Female.....	29	25	47	38	60	61	55	40	18	5	2	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	2	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	3	-	-	1	-	1	-	-
Male.....	-	-	-	1	1	-	-	1	-	1	-	-
Female.....	-	1	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Maine												
All races, both sexes.....	12	23	36	34	47	70	72	40	28	4	1	-
Male.....	5	12	21	19	17	30	32	14	10	1	-	-
Female.....	7	11	15	15	30	40	40	26	18	3	1	-
White, both sexes.....	12	23	35	34	46	70	68	40	28	4	1	-
Male.....	5	12	21	19	17	30	31	14	10	1	-	-
Female.....	7	11	14	15	29	40	37	26	18	3	1	-
Black, both sexes.....	-	-	-	-	1	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	2	-	-	-	-	-
Maryland												
All races, both sexes.....	68	105	111	137	159	202	250	170	90	29	5	-
Male.....	44	58	64	74	81	99	123	48	35	10	2	-
Female.....	24	47	47	63	78	103	127	122	55	19	3	-
White, both sexes.....	37	58	61	79	91	126	182	124	66	20	3	-
Male.....	22	37	34	49	51	69	95	37	26	6	1	-
Female.....	15	21	27	30	40	57	87	87	40	14	2	-
Black, both sexes.....	31	45	46	56	66	73	64	41	24	8	2	-
Male.....	22	21	27	23	29	28	25	10	9	4	1	-
Female.....	9	24	19	33	37	45	39	31	15	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	4	2	1	3	3	4	-	1	-	-
Male.....	-	-	3	2	-	2	2	1	-	-	-	-
Female.....	-	2	1	-	1	1	1	3	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Massachusetts												
All races, both sexes.....	34	69	100	121	142	188	256	197	113	26	2	-
Male.....	22	42	71	69	74	92	112	83	31	4	1	-
Female.....	12	27	29	52	68	96	144	114	82	22	1	-
White, both sexes.....	29	66	85	104	129	177	238	189	104	25	2	-
Male.....	19	42	62	60	67	87	105	80	28	4	1	-
Female.....	10	24	23	44	62	90	133	109	76	21	1	-
Black, both sexes.....	3	3	12	14	10	8	13	7	4	1	-	-
Male.....	2	-	8	7	5	4	4	3	2	-	-	-
Female.....	1	3	4	7	5	4	9	4	2	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	3	2	3	5	1	5	-	-	-
Male.....	1	-	1	2	1	1	3	-	1	-	-	-
Female.....	1	-	1	1	1	2	2	1	4	-	-	-
Michigan												
All races, both sexes.....	131	193	183	285	351	462	534	394	171	56	11	-
Male.....	81	109	107	144	189	217	230	161	45	11	1	-
Female.....	50	84	76	141	162	245	304	233	126	45	10	-
White, both sexes.....	101	144	142	227	293	381	453	358	149	52	9	-
Male.....	61	84	85	121	158	189	195	146	41	11	1	-
Female.....	40	60	57	106	135	192	258	212	108	41	8	-
Black, both sexes.....	28	43	36	51	54	75	76	35	19	3	2	-
Male.....	18	21	19	20	29	25	33	15	4	-	-	-
Female.....	10	22	17	31	25	50	43	20	15	3	2	-
American Indian 1/, both sexes.....	1	4	4	5	2	2	2	1	-	-	-	-
Male.....	1	2	3	2	2	2	-	-	-	-	-	-
Female.....	-	2	1	3	-	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	2	2	4	3	-	3	1	-	-
Male.....	1	2	-	1	-	1	2	-	-	-	-	-
Female.....	-	-	1	1	2	3	1	-	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Missouri												
All races, both sexes.....	71	105	113	128	193	213	238	171	101	31	-	-
Male.....	35	54	73	62	96	98	108	53	33	7	-	-
Female.....	36	51	40	66	97	115	130	118	68	24	-	-
White, both sexes.....	51	83	96	99	161	184	200	151	91	28	-	-
Male.....	27	49	64	50	87	89	95	46	31	7	-	-
Female.....	24	34	32	49	74	95	105	105	60	21	-	-
Black, both sexes.....	19	21	17	26	32	28	36	19	10	3	-	-
Male.....	7	4	9	10	9	9	13	7	2	-	-	-
Female.....	12	17	8	16	23	19	23	12	8	3	-	-
American Indian 1/, both sexes.....	1	1	-	1	-	-	1	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	1	1	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Montana												
All races, both sexes.....	12	13	16	22	26	27	44	32	25	2	1	-
Male.....	9	9	10	12	14	11	21	12	9	-	1	-
Female.....	3	4	6	10	12	16	23	20	16	2	-	-
White, both sexes.....	10	10	10	18	21	21	43	32	24	2	1	-
Male.....	7	6	5	9	12	9	21	12	9	-	1	-
Female.....	3	4	5	9	9	12	22	20	15	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	3	6	4	4	6	1	-	1	-	-	-
Male.....	2	3	5	3	2	2	-	-	-	-	-	-
Female.....	-	-	1	1	2	4	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Nebraska

All races, both sexes.....	14	26	33	34	47	51	70	61	31	14	-	-
Male.....	8	11	20	18	29	28	36	23	12	2	-	-
Female.....	6	15	13	16	18	23	34	38	19	12	-	-
White, both sexes.....	14	22	31	31	40	44	62	55	31	14	-	-
Male.....	8	10	19	18	25	26	31	20	12	2	-	-
Female.....	6	12	12	13	15	18	31	35	19	12	-	-
Black, both sexes.....	-	3	2	3	4	6	7	4	-	-	-	-
Male.....	-	1	1	-	2	1	5	2	-	-	-	-
Female.....	-	2	1	3	2	5	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	3	1	-	2	-	-	-	-
Male.....	-	-	-	-	2	1	-	1	-	-	-	-
Female.....	-	1	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Nevada

All races, both sexes.....	16	21	24	26	47	53	44	22	11	2	-	-
Male.....	10	14	10	14	32	21	24	5	1	-	-	-
Female.....	6	7	14	12	15	32	20	17	10	2	-	-
White, both sexes.....	13	17	17	20	39	44	39	20	9	2	-	-
Male.....	8	12	7	10	27	17	22	4	1	-	-	-
Female.....	5	5	10	10	12	27	17	16	8	2	-	-
Black, both sexes.....	2	2	2	4	4	5	4	2	1	-	-	-
Male.....	2	1	1	2	2	2	1	1	-	-	-	-
Female.....	-	1	1	2	2	3	3	1	1	-	-	-
American Indian 1/, both sexes.....	-	1	4	2	-	2	-	-	-	-	-	-
Male.....	-	1	2	2	-	1	-	-	-	-	-	-
Female.....	-	-	2	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	4	2	1	-	1	-	-	-
Male.....	-	-	-	-	3	1	1	-	-	-	-	-
Female.....	1	1	1	-	1	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

New Hampshire

All races, both sexes.....	8	11	32	23	41	52	50	52	21	3	2	-
Male.....	6	7	18	18	24	20	17	27	6	-	1	-
Female.....	2	4	14	5	17	32	33	25	15	3	1	-
White, both sexes.....	8	11	31	22	41	51	49	52	20	3	2	-
Male.....	6	7	17	18	24	19	16	27	6	-	1	-
Female.....	2	4	14	4	17	32	33	25	14	3	1	-
Black, both sexes.....	-	-	1	1	-	-	1	-	1	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	109	132	191	228	318	430	447	371	176	55	4	-
Male.....	66	78	100	137	156	208	178	144	52	9	-	-
Female.....	43	54	91	91	162	222	269	227	124	46	4	-
White, both sexes.....	75	94	133	170	248	354	366	325	155	48	3	-
Male.....	48	59	68	105	132	170	152	129	49	8	-	-
Female.....	27	35	65	65	116	184	214	196	106	40	3	-
Black, both sexes.....	34	36	52	51	58	70	65	44	19	6	1	-
Male.....	18	18	28	28	19	35	19	15	3	-	-	-
Female.....	16	18	24	23	39	35	46	29	16	6	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	6	7	12	6	16	2	2	1	-	-
Male.....	-	1	4	4	5	3	7	-	-	1	-	-
Female.....	-	1	2	3	7	3	9	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
New Mexico												
All races, both sexes.....	30	41	61	54	86	78	87	58	34	15	-	-
Male.....	20	20	39	29	39	39	35	26	8	2	-	-
Female.....	10	21	22	25	47	39	52	32	26	13	-	-
White, both sexes.....	26	33	48	44	75	68	76	52	31	15	-	-
Male.....	19	18	30	24	37	32	29	23	7	2	-	-
Female.....	7	15	18	20	38	36	47	29	24	13	-	-
Black, both sexes.....	1	-	1	1	1	5	-	-	-	-	-	-
Male.....	1	-	1	1	-	3	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	8	10	9	10	3	11	6	3	-	-	-
Male.....	-	2	7	4	2	3	6	3	1	-	-	-
Female.....	3	6	3	5	8	-	5	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	2	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
New York												
All races, both sexes.....	169	256	306	364	481	605	604	457	299	96	22	-
Male.....	121	164	179	193	245	285	271	146	90	26	8	-
Female.....	48	92	127	171	236	320	333	311	209	70	14	-
White, both sexes.....	121	178	222	263	329	466	463	371	232	72	15	-
Male.....	87	119	132	140	174	232	216	121	71	18	5	-
Female.....	34	59	90	123	155	234	247	250	161	54	10	-
Black, both sexes.....	43	73	78	89	138	127	122	76	62	23	6	-
Male.....	30	43	43	44	62	45	49	21	18	7	2	-
Female.....	13	30	35	45	76	82	73	55	44	16	4	-
American Indian 1/, both sexes.....	2	-	-	-	1	1	3	1	-	-	-	-
Male.....	2	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	6	12	13	11	16	9	5	1	1	-
Male.....	2	2	4	9	8	7	5	4	1	1	1	-
Female.....	1	3	2	3	5	4	11	5	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Ohio												
All races, both sexes.....	142	233	258	341	463	584	650	425	229	56	9	-
Male.....	86	139	142	186	242	286	294	153	67	7	2	-
Female.....	56	94	116	155	221	298	356	272	162	49	7	-
White, both sexes.....	102	190	222	261	369	490	574	375	206	49	7	-
Male.....	68	115	126	142	198	242	260	137	62	5	2	-
Female.....	34	75	96	119	171	248	314	238	144	44	5	-
Black, both sexes.....	40	42	35	79	93	92	74	46	23	7	2	-
Male.....	18	23	15	44	44	44	33	16	5	2	-	-
Female.....	22	19	20	35	49	48	41	30	18	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	2	2	4	-	-	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	1	2	1	4	-	-	-	-
Oklahoma												
All races, both sexes.....	51	69	117	104	143	173	178	124	75	22	3	-
Male.....	26	38	62	45	69	83	70	53	26	4	-	-
Female.....	25	31	55	59	74	90	108	71	49	18	3	-
White, both sexes.....	40	43	82	72	108	125	143	107	68	20	3	-
Male.....	22	24	44	31	57	58	54	49	24	4	-	-
Female.....	18	19	38	41	51	67	89	58	44	16	3	-
Black, both sexes.....	3	11	9	13	17	22	21	8	5	2	-	-
Male.....	2	6	4	9	8	11	9	1	1	-	-	-
Female.....	1	5	5	4	9	11	12	7	4	2	-	-
American Indian 1/, both sexes.....	7	15	25	19	18	24	14	9	1	-	-	-
Male.....	2	8	13	5	4	14	7	3	-	-	-	-
Female.....	5	7	12	14	14	10	7	6	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	2	-	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Oregon												
All races, both sexes.....	54	69	81	86	121	163	179	133	75	24	2	-
Male.....	38	42	51	38	56	86	89	56	22	8	2	-
Female.....	16	27	30	48	65	77	90	77	53	16	-	-
White, both sexes.....	51	64	75	82	117	153	171	132	70	23	2	-
Male.....	36	38	48	37	55	82	84	55	21	8	2	-
Female.....	15	26	27	45	62	71	87	77	49	15	-	-
Black, both sexes.....	1	2	3	2	1	4	3	-	2	1	-	-
Male.....	1	1	1	-	-	1	2	-	-	-	-	-
Female.....	-	1	2	2	1	3	1	-	2	1	-	-
American Indian 1/, both sexes.....	-	3	2	2	1	4	2	1	1	-	-	-
Male.....	-	3	1	1	-	3	1	1	1	-	-	-
Female.....	-	-	1	1	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	2	2	3	-	2	-	-	-
Male.....	1	-	1	-	1	-	2	-	-	-	-	-
Female.....	1	-	-	-	1	2	1	-	2	-	-	-
Pennsylvania												
All races, both sexes.....	133	190	279	331	420	572	635	482	236	87	9	1
Male.....	85	120	156	175	224	282	278	180	67	13	-	1
Female.....	48	70	123	156	196	290	357	302	169	74	9	-
White, both sexes.....	109	154	227	287	366	511	574	449	221	80	7	-
Male.....	72	99	127	150	198	262	259	169	60	13	-	-
Female.....	37	55	100	137	168	249	315	280	161	67	7	-
Black, both sexes.....	22	36	48	41	51	60	58	29	15	7	2	1
Male.....	13	21	27	22	25	19	18	10	7	-	-	1
Female.....	9	15	21	19	26	41	40	19	8	7	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	3	3	3	-	3	4	-	-	-	-
Male.....	-	-	1	3	1	-	1	1	-	-	-	-
Female.....	2	-	2	-	2	-	2	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Rhode Island												
All races, both sexes.....	10	14	23	28	27	44	50	36	29	3	2	-
Male.....	4	9	16	19	19	20	29	14	10	1	-	-
Female.....	6	5	7	9	8	24	21	22	19	2	2	-
White, both sexes.....	9	13	22	23	27	43	46	32	25	3	2	-
Male.....	3	8	15	15	19	20	27	12	8	1	-	-
Female.....	6	5	7	8	8	23	19	20	17	2	2	-
Black, both sexes.....	1	1	1	3	-	1	3	3	2	-	-	-
Male.....	1	1	1	2	-	-	2	1	2	-	-	-
Female.....	-	-	-	1	-	1	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	2	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
South Carolina												
All races, both sexes.....	73	104	114	107	141	179	161	114	52	15	7	1
Male.....	36	60	65	54	62	84	58	35	15	6	-	-
Female.....	37	44	49	53	79	95	103	79	37	9	7	1
White, both sexes.....	30	62	64	61	70	98	102	71	41	8	1	1
Male.....	13	37	46	33	35	52	45	26	11	4	-	-
Female.....	17	25	18	28	35	46	57	45	30	4	1	1
Black, both sexes.....	43	42	50	46	70	81	59	41	11	7	6	-
Male.....	23	23	19	21	27	32	13	8	4	2	-	-
Female.....	20	19	31	25	43	49	46	33	7	5	6	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
South Dakota												
All races, both sexes.....	12	12	5	21	23	31	40	45	20	6	1	-
Male.....	6	7	3	11	12	18	14	21	2	-	1	-
Female.....	6	5	2	10	11	13	26	24	18	6	-	-
White, both sexes.....	7	8	1	15	16	26	33	42	19	6	1	-
Male.....	5	5	1	9	8	16	13	19	2	-	1	-
Female.....	2	3	-	6	8	10	20	23	17	6	-	-
Black, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	4	4	6	6	4	7	2	1	-	-	-
Male.....	1	2	2	2	3	1	1	1	-	-	-	-
Female.....	4	2	2	4	3	3	6	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	89	158	155	217	264	233	292	204	92	26	4	-
Male.....	44	89	73	121	139	94	126	81	23	5	-	-
Female.....	45	69	82	96	125	139	166	123	69	21	4	-
White, both sexes.....	60	112	119	166	204	181	249	168	74	20	2	-
Male.....	33	65	60	102	113	75	116	64	22	4	-	-
Female.....	27	47	59	64	91	106	133	104	52	16	2	-
Black, both sexes.....	29	46	35	51	59	51	43	34	18	6	2	-
Male.....	11	24	12	19	26	18	10	16	1	1	-	-
Female.....	18	22	23	32	33	33	33	18	17	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	2	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Texas												
All races, both sexes.....	284	413	484	573	679	834	803	536	305	92	18	-
Male.....	159	225	269	289	323	380	343	187	91	20	5	-
Female.....	125	188	215	284	356	454	460	349	214	72	13	-
White, both sexes.....	219	332	390	471	566	718	713	447	257	71	11	-
Male.....	128	180	224	239	278	336	316	159	74	17	3	-
Female.....	91	152	166	232	288	382	397	288	183	54	8	-
Black, both sexes.....	61	70	87	94	102	106	84	79	45	20	7	-
Male.....	29	34	40	47	41	41	26	24	16	3	2	-
Female.....	32	36	47	47	61	65	58	55	29	17	5	-
American Indian 1/, both sexes.....	-	1	2	2	-	-	2	-	-	-	-	-
Male.....	-	1	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	10	5	6	11	10	4	10	3	1	-	-
Male.....	2	10	3	2	4	3	1	4	1	-	-	-
Female.....	2	-	2	4	7	7	3	6	2	1	-	-
Utah												
All races, both sexes.....	25	25	40	52	45	85	95	56	29	5	1	-
Male.....	16	14	24	22	20	41	46	23	12	3	-	-
Female.....	9	11	16	30	25	44	49	33	17	2	1	-
White, both sexes.....	25	24	36	49	41	83	88	56	28	5	1	-
Male.....	16	13	21	21	16	40	42	23	12	3	-	-
Female.....	9	11	15	28	25	43	46	33	16	2	1	-
Black, both sexes.....	-	-	2	1	2	-	-	-	-	-	-	-
Male.....	-	-	2	1	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	1	-	3	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	2	4	-	1	-	-	-
Male.....	-	1	1	-	1	1	4	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Vermont												
All races, both sexes.....	6	7	11	18	18	33	27	14	8	-	-	-
Male.....	6	5	4	11	11	17	8	5	2	-	-	-
Female.....	-	2	7	7	7	16	19	9	6	-	-	-
White, both sexes.....	6	7	11	18	18	32	27	14	7	-	-	-
Male.....	6	5	4	11	11	16	8	5	2	-	-	-
Female.....	-	2	7	7	7	16	19	9	5	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Virginia												
All races, both sexes.....	83	119	125	173	195	242	244	184	85	19	2	-
Male.....	55	69	76	100	84	111	106	65	20	2	-	-
Female.....	28	50	49	73	111	131	138	119	65	17	2	-
White, both sexes.....	49	70	77	107	128	172	177	137	67	12	2	-
Male.....	35	39	51	67	55	81	80	46	17	2	-	-
Female.....	14	31	26	40	73	91	97	91	50	10	2	-
Black, both sexes.....	34	46	47	64	60	67	59	43	18	7	-	-
Male.....	20	30	24	32	26	28	23	17	3	-	-	-
Female.....	14	16	23	32	34	39	36	26	15	7	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	2	6	3	7	4	-	-	-	-
Male.....	-	-	1	1	3	2	3	2	-	-	-	-
Female.....	-	3	-	1	3	1	4	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Disorders of pituitary gland (E22-E23)

Arkansas

All races, both sexes.....	6	-	1	-	-	1	-	-	-	-	1	-
Male.....	3	-	-	-	-	1	-	-	-	-	1	-
Female.....	3	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	6	-	1	-	-	1	-	-	-	-	1	-
Male.....	3	-	-	-	-	1	-	-	-	-	1	-
Female.....	3	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	14	1	-	-	-	-	1	1	-	1	1	-
Male.....	5	1	-	-	-	-	-	-	-	1	-	-
Female.....	9	-	-	-	-	-	1	1	-	-	1	-
White, both sexes.....	9	1	-	-	-	-	-	-	-	-	1	-
Male.....	4	1	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Nutritional diseases (E40-E68)

Arkansas

All races, both sexes.....	7	5	3	5	8	10	13	12	11	8	2	-
Male.....	4	4	1	3	5	4	6	3	2	2	-	-
Female.....	3	1	2	2	3	6	7	9	9	6	2	-
White, both sexes.....	4	4	3	3	6	8	12	11	9	7	2	-
Male.....	2	3	1	2	3	2	5	3	2	2	-	-
Female.....	2	1	2	1	3	6	7	8	7	5	2	-
Black, both sexes.....	3	-	-	2	2	2	1	1	1	1	-	-
Male.....	2	-	-	1	2	2	1	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	1	1	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	67	57	48	36	47	38	38	43	29	12	1	-
Male.....	33	24	23	18	15	19	10	18	13	4	-	-
Female.....	34	33	25	18	32	19	28	25	16	8	1	-
White, both sexes.....	59	53	43	30	43	35	33	37	27	11	-	-
Male.....	31	24	20	15	14	17	9	16	12	4	-	-
Female.....	28	29	23	15	29	18	24	21	15	7	-	-
Black, both sexes.....	7	4	3	3	4	2	1	3	1	1	1	-
Male.....	2	-	1	3	1	2	-	1	1	-	-	-
Female.....	5	4	2	-	3	-	1	2	-	1	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	3	-	-	3	3	1	-	-	-
Male.....	-	-	1	-	-	-	1	1	-	-	-	-
Female.....	1	-	-	3	-	-	2	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nutritional diseases (E40-E68)

Florida

All races, both sexes.....	44	38	33	43	35	46	38	31	20	4	1	-
Male.....	25	21	13	16	19	24	12	11	6	1	-	-
Female.....	19	17	20	27	16	22	26	20	14	3	1	-
White, both sexes.....	39	31	25	35	30	40	36	25	17	3	1	-
Male.....	25	19	11	12	19	22	11	8	5	-	-	-
Female.....	14	12	14	23	11	18	25	17	12	3	1	-
Black, both sexes.....	5	7	8	8	5	6	2	6	3	1	-	-
Male.....	-	2	2	4	-	2	1	3	1	1	-	-
Female.....	5	5	6	4	5	4	1	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	25	18	16	27	15	15	23	34	21	7	6	-
Male.....	18	8	8	13	8	6	4	9	6	2	2	-
Female.....	7	10	8	14	7	9	19	25	15	5	4	-
White, both sexes.....	19	14	13	21	10	10	18	19	16	3	3	-
Male.....	13	6	7	8	6	3	4	5	5	-	1	-
Female.....	6	8	6	13	4	7	14	14	11	3	2	-
Black, both sexes.....	6	4	3	6	5	5	5	15	5	3	2	-
Male.....	5	2	1	5	2	3	-	4	1	2	1	-
Female.....	1	2	2	1	3	2	5	11	4	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nutritional diseases (E40-E68)

Maine

All races, both sexes.....	2	2	2	3	3	3	5	5	2	3	-	-
Male.....	1	2	1	1	-	1	4	2	-	-	-	-
Female.....	1	-	1	2	3	2	1	3	2	3	-	-
White, both sexes.....	2	2	2	3	3	3	5	5	2	3	-	-
Male.....	1	2	1	1	-	1	4	2	-	-	-	-
Female.....	1	-	1	2	3	2	1	3	2	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	10	8	4	12	7	8	9	13	3	4	2	-
Male.....	5	1	2	6	2	3	-	5	-	-	-	-
Female.....	5	7	2	6	5	5	9	8	3	4	2	-
White, both sexes.....	6	5	2	7	7	6	8	11	1	2	2	-
Male.....	3	-	1	3	2	3	-	5	-	-	-	-
Female.....	3	5	1	4	5	3	8	6	1	2	2	-
Black, both sexes.....	3	3	2	5	-	2	1	2	2	1	-	-
Male.....	1	1	1	3	-	-	-	-	-	-	-	-
Female.....	2	2	1	2	-	2	1	2	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nutritional diseases (E40-E68)

Nebraska

All races, both sexes.....	-	3	4	2	2	-	5	4	4	1	2	-
Male.....	-	3	2	1	1	-	1	3	-	-	-	-
Female.....	-	-	2	1	1	-	4	1	4	1	2	-
White, both sexes.....	-	3	4	2	2	-	5	4	3	1	1	-
Male.....	-	3	2	1	1	-	1	3	-	-	-	-
Female.....	-	-	2	1	1	-	4	1	3	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	3	3	4	3	2	3	-	1	1	1	-	-
Male.....	2	-	3	3	1	2	-	-	-	-	-	-
Female.....	1	3	1	-	1	1	-	1	1	1	-	-
White, both sexes.....	2	2	4	3	1	2	-	1	1	-	-	-
Male.....	2	-	3	3	1	1	-	-	-	-	-	-
Female.....	-	2	1	-	-	1	-	1	1	-	-	-
Black, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Nutritional diseases (E40-E68)

Texas

All races, both sexes.....	57	51	39	31	36	37	54	53	46	27	4	-
Male.....	29	25	19	16	16	12	26	13	10	6	1	-
Female.....	28	26	20	15	20	25	28	40	36	21	3	-
White, both sexes.....	41	42	31	27	29	30	47	48	39	27	3	-
Male.....	23	20	18	13	16	11	23	10	9	6	1	-
Female.....	18	22	13	14	13	19	24	38	30	21	2	-
Black, both sexes.....	15	8	8	4	6	7	7	3	6	-	1	-
Male.....	6	5	1	3	-	1	3	1	1	-	-	-
Female.....	9	3	7	1	6	6	4	2	5	-	1	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-

Utah

All races, both sexes.....	4	3	1	4	2	2	6	8	2	2	2	-
Male.....	2	2	1	3	1	-	2	3	-	-	-	-
Female.....	2	1	-	1	1	2	4	5	2	2	2	-
White, both sexes.....	4	3	1	4	2	2	6	7	2	2	2	-
Male.....	2	2	1	3	1	-	2	3	-	-	-	-
Female.....	2	1	-	1	1	2	4	4	2	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malnutrition (E40-E46)

Arkansas

All races, both sexes.....	3	1	1	1	4	6	13	11	11	7	2	-
Male.....	1	1	1	1	4	4	6	3	2	2	-	-
Female.....	2	-	-	-	-	2	7	8	9	5	2	-
White, both sexes.....	2	-	1	1	2	4	12	10	9	6	2	-
Male.....	1	-	1	1	2	2	5	3	2	2	-	-
Female.....	1	-	-	-	-	2	7	7	7	4	2	-
Black, both sexes.....	1	-	-	-	2	2	1	1	1	1	-	-
Male.....	-	-	-	-	2	2	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	1	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	5	5	10	11	17	29	37	26	12	1	-
Male.....	2	3	2	6	5	10	8	17	11	4	-	-
Female.....	5	2	3	4	6	7	21	20	15	8	1	-
White, both sexes.....	6	5	5	8	9	16	25	32	24	11	-	-
Male.....	1	3	2	5	5	10	7	15	10	4	-	-
Female.....	5	2	3	3	4	6	18	17	14	7	-	-
Black, both sexes.....	1	-	-	1	2	-	1	2	1	1	1	-
Male.....	1	-	-	1	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	2	-	1	1	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	2	3	1	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malnutrition (E40-E46)

Florida

All races, both sexes.....	6	1	3	6	9	20	22	26	13	4	1	-
Male.....	1	-	1	3	8	10	6	10	5	1	-	-
Female.....	5	1	2	3	1	10	16	16	8	3	1	-
White, both sexes.....	6	-	2	4	8	17	22	21	11	3	1	-
Male.....	1	-	1	1	8	9	6	7	4	-	-	-
Female.....	5	-	1	3	-	8	16	14	7	3	1	-
Black, both sexes.....	-	1	1	2	1	3	-	5	2	1	-	-
Male.....	-	-	-	2	-	1	-	3	1	1	-	-
Female.....	-	1	1	-	1	2	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	3	3	3	11	5	9	21	31	20	7	6	-
Male.....	1	2	2	9	1	4	4	8	6	2	2	-
Female.....	2	1	1	2	4	5	17	23	14	5	4	-
White, both sexes.....	1	2	2	8	2	5	16	16	15	3	3	-
Male.....	-	1	2	6	-	1	4	4	5	-	1	-
Female.....	1	1	-	2	2	4	12	12	10	3	2	-
Black, both sexes.....	2	1	1	3	3	4	5	15	5	3	2	-
Male.....	1	1	-	3	1	3	-	4	1	2	1	-
Female.....	1	-	1	-	2	1	5	11	4	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malnutrition (E40-E46)

Maine

All races, both sexes.....	1	-	-	1	-	1	3	4	2	3	-	-
Male.....	-	-	-	-	-	1	2	2	-	-	-	-
Female.....	1	-	-	1	-	-	1	2	2	3	-	-
White, both sexes.....	1	-	-	1	-	1	3	4	2	3	-	-
Male.....	-	-	-	-	-	1	2	2	-	-	-	-
Female.....	1	-	-	1	-	-	1	2	2	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	-	-	-	1	1	3	8	13	2	4	2	-
Male.....	-	-	-	-	-	1	-	5	-	-	-	-
Female.....	-	-	-	1	1	2	8	8	2	4	2	-
White, both sexes.....	-	-	-	1	1	3	8	11	1	2	2	-
Male.....	-	-	-	-	-	1	-	5	-	-	-	-
Female.....	-	-	-	1	1	2	8	6	1	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	2	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malnutrition (E40-E46)

Nebraska

All races, both sexes.....	-	1	-	1	1	-	3	4	2	-	2	-
Male.....	-	1	-	1	-	-	-	3	-	-	-	-
Female.....	-	-	-	-	1	-	3	1	2	-	2	-
White, both sexes.....	-	1	-	1	1	-	3	4	1	-	1	-
Male.....	-	1	-	1	-	-	-	3	-	-	-	-
Female.....	-	-	-	-	1	-	3	1	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	-	1	1	-	2	2	-	1	1	1	-	-
Male.....	-	-	-	-	1	2	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	-	1	1	1	-	-
White, both sexes.....	-	-	1	-	1	1	-	1	1	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	1	-	-	-
Black, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malnutrition (E40-E46)												
Texas												
All races, both sexes.....	10	6	6	12	9	20	44	49	39	23	4	-
Male.....	5	4	4	6	4	8	21	11	8	4	1	-
Female.....	5	2	2	6	5	12	23	38	31	19	3	-
White, both sexes.....	7	4	6	10	9	17	38	44	34	23	3	-
Male.....	3	2	4	4	4	7	18	8	7	4	1	-
Female.....	4	2	2	6	5	10	20	36	27	19	2	-
Black, both sexes.....	3	2	-	2	-	3	6	3	4	-	1	-
Male.....	2	2	-	2	-	1	3	1	1	-	-	-
Female.....	1	-	-	-	-	2	3	2	3	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Utah												
All races, both sexes.....	-	-	-	1	-	2	4	8	2	2	2	-
Male.....	-	-	-	-	-	-	1	3	-	-	-	-
Female.....	-	-	-	1	-	2	3	5	2	2	2	-
White, both sexes.....	-	-	-	1	-	2	4	7	2	2	2	-
Male.....	-	-	-	-	-	-	1	3	-	-	-	-
Female.....	-	-	-	1	-	2	3	4	2	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nutritional marasmus (E41)												
Arkansas												
All races, both sexes.....	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1	-	-	-	1	1	2	1	3	-	-	-
Male.....	-	-	-	-	1	-	1	1	1	-	-	-
Female.....	1	-	-	-	-	1	1	-	2	-	-	-
White, both sexes.....	1	-	-	-	1	1	2	1	2	-	-	-
Male.....	-	-	-	-	1	-	1	1	1	-	-	-
Female.....	1	-	-	-	-	1	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified malnutrition (E40,E42-E46)

Arkansas

All races, both sexes.....	3	1	1	1	4	6	13	11	10	6	2	-
Male.....	1	1	1	1	4	4	6	3	2	1	-	-
Female.....	2	-	-	-	-	2	7	8	8	5	2	-
White, both sexes.....	2	-	1	1	2	4	12	10	8	5	2	-
Male.....	1	-	1	1	2	2	5	3	2	1	-	-
Female.....	1	-	-	-	-	2	7	7	6	4	2	-
Black, both sexes.....	1	-	-	-	2	2	1	1	1	1	-	-
Male.....	-	-	-	-	2	2	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	1	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	5	5	10	10	16	27	36	23	12	1	-
Male.....	2	3	2	6	4	10	7	16	10	4	-	-
Female.....	4	2	3	4	6	6	20	20	13	8	1	-
White, both sexes.....	5	5	5	8	8	15	23	31	22	11	-	-
Male.....	1	3	2	5	4	10	6	14	9	4	-	-
Female.....	4	2	3	3	4	5	17	17	13	7	-	-
Black, both sexes.....	1	-	-	1	2	-	1	2	1	1	1	-
Male.....	1	-	-	1	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	2	-	1	1	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	2	3	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified malnutrition (E40,E42-E46)

Florida

All races, both sexes.....	5	1	3	6	8	19	17	23	12	3	1	-
Male.....	1	-	1	3	8	10	4	10	5	1	-	-
Female.....	4	1	2	3	-	9	13	13	7	2	1	-
White, both sexes.....	5	-	2	4	8	16	17	18	10	2	1	-
Male.....	1	-	1	1	8	9	4	7	4	-	-	-
Female.....	4	-	1	3	-	7	13	11	6	2	1	-
Black, both sexes.....	-	1	1	2	-	3	-	5	2	1	-	-
Male.....	-	-	-	2	-	1	-	3	1	1	-	-
Female.....	-	1	1	-	-	2	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	3	3	3	9	5	9	20	26	19	7	6	-
Male.....	1	2	2	8	1	4	4	7	6	2	2	-
Female.....	2	1	1	1	4	5	16	19	13	5	4	-
White, both sexes.....	1	2	2	6	2	5	15	12	15	3	3	-
Male.....	-	1	2	5	-	1	4	3	5	-	1	-
Female.....	1	1	-	1	2	4	11	9	10	3	2	-
Black, both sexes.....	2	1	1	3	3	4	5	14	4	3	2	-
Male.....	1	1	-	3	1	3	-	4	1	2	1	-
Female.....	1	-	1	-	2	1	5	10	3	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified malnutrition (E40,E42-E46)

Maine

All races, both sexes.....	1	-	-	1	-	1	2	3	1	3	-	-
Male.....	-	-	-	-	-	1	2	2	-	-	-	-
Female.....	1	-	-	1	-	-	-	1	1	3	-	-
White, both sexes.....	1	-	-	1	-	1	2	3	1	3	-	-
Male.....	-	-	-	-	-	1	2	2	-	-	-	-
Female.....	1	-	-	1	-	-	-	1	1	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	-	-	-	1	1	3	8	13	2	4	2	-
Male.....	-	-	-	-	-	1	-	5	-	-	-	-
Female.....	-	-	-	1	1	2	8	8	2	4	2	-
White, both sexes.....	-	-	-	1	1	3	8	11	1	2	2	-
Male.....	-	-	-	-	-	1	-	5	-	-	-	-
Female.....	-	-	-	1	1	2	8	6	1	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	2	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified malnutrition (E40,E42-E46)

Nebraska

All races, both sexes.....	-	1	-	1	1	-	3	4	2	-	2	-
Male.....	-	1	-	1	-	-	-	3	-	-	-	-
Female.....	-	-	-	-	1	-	3	1	2	-	2	-
White, both sexes.....	-	1	-	1	1	-	3	4	1	-	1	-
Male.....	-	1	-	1	-	-	-	3	-	-	-	-
Female.....	-	-	-	-	1	-	3	1	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	-	1	1	-	2	1	-	1	1	1	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	-	1	1	1	-	-
White, both sexes.....	-	-	1	-	1	-	-	1	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	1	-	-	-
Black, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified malnutrition (E40,E42-E46)

Texas

All races, both sexes.....	10	6	6	12	8	20	42	48	37	22	4	-
Male.....	5	4	4	6	4	8	20	10	7	4	1	-
Female.....	5	2	2	6	4	12	22	38	30	18	3	-
White, both sexes.....	7	4	6	10	8	17	36	43	32	22	3	-
Male.....	3	2	4	4	4	7	17	7	6	4	1	-
Female.....	4	2	2	6	4	10	19	36	26	18	2	-
Black, both sexes.....	3	2	-	2	-	3	6	3	4	-	1	-
Male.....	2	2	-	2	-	1	3	1	1	-	-	-
Female.....	1	-	-	-	-	2	3	2	3	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Utah

All races, both sexes.....	-	-	-	1	-	2	4	8	2	2	2	-
Male.....	-	-	-	-	-	-	1	3	-	-	-	-
Female.....	-	-	-	1	-	2	3	5	2	2	2	-
White, both sexes.....	-	-	-	1	-	2	4	7	2	2	2	-
Male.....	-	-	-	-	-	-	1	3	-	-	-	-
Female.....	-	-	-	1	-	2	3	4	2	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Obesity and other hyperalimentation (E65-E68)

Arkansas

All races, both sexes.....	4	4	2	4	4	4	-	-	-	1	-	-
Male.....	3	3	-	2	1	-	-	-	-	-	-	-
Female.....	1	1	2	2	3	4	-	-	-	1	-	-
White, both sexes.....	2	4	2	2	4	4	-	-	-	1	-	-
Male.....	1	3	-	1	1	-	-	-	-	-	-	-
Female.....	1	1	2	1	3	4	-	-	-	1	-	-
Black, both sexes.....	2	-	-	2	-	-	-	-	-	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	59	51	42	26	36	21	8	4	1	-	-	-
Male.....	31	21	20	12	10	9	2	1	-	-	-	-
Female.....	28	30	22	14	26	12	6	3	1	-	-	-
White, both sexes.....	52	47	37	22	34	19	7	3	1	-	-	-
Male.....	30	21	17	10	9	7	2	1	-	-	-	-
Female.....	22	26	20	12	25	12	5	2	1	-	-	-
Black, both sexes.....	6	4	3	2	2	2	-	1	-	-	-	-
Male.....	1	-	1	2	1	2	-	-	-	-	-	-
Female.....	5	4	2	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Metabolic disorders (E70-E88)												
Alaska												
All races, both sexes.....	2	2	2	-	-	3	2	1	1	1	-	-
Male.....	1	1	-	-	-	1	1	1	-	-	-	-
Female.....	1	1	2	-	-	2	1	-	1	1	-	-
White, both sexes.....	-	2	-	-	-	2	2	1	1	1	-	-
Male.....	-	1	-	-	-	-	1	1	-	-	-	-
Female.....	-	1	-	-	-	2	1	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	2	3	20	11	18	29	28	26	18	11	2	-
Male.....	1	3	12	8	15	15	15	12	3	6	1	-
Female.....	1	-	8	3	3	14	13	14	15	5	1	-
White, both sexes.....	2	3	19	10	15	27	26	26	18	10	2	-
Male.....	1	3	11	8	12	14	15	12	3	5	1	-
Female.....	1	-	8	2	3	13	11	14	15	5	1	-
Black, both sexes.....	-	-	-	1	2	1	1	-	-	1	-	-
Male.....	-	-	-	-	2	-	-	-	-	1	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Metabolic disorders (E70-E88)												
Arkansas												
All races, both sexes.....	5	9	9	4	13	12	19	22	13	8	2	-
Male.....	3	7	5	2	8	6	9	7	4	2	-	-
Female.....	2	2	4	2	5	6	10	15	9	6	2	-
White, both sexes.....	5	7	8	3	11	10	17	21	11	7	2	-
Male.....	3	6	4	2	7	5	8	7	3	2	-	-
Female.....	2	1	4	1	4	5	9	14	8	5	2	-
Black, both sexes.....	-	2	1	1	2	2	2	1	2	1	-	-
Male.....	-	1	1	-	1	1	1	-	1	-	-	-
Female.....	-	1	-	1	1	1	1	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	48	68	47	80	117	135	200	175	102	43	8	-
Male.....	32	44	29	46	66	64	89	64	35	8	2	-
Female.....	16	24	18	34	51	71	111	111	67	35	6	-
White, both sexes.....	35	57	38	67	93	117	177	165	89	40	7	-
Male.....	24	37	24	39	47	54	80	60	31	7	2	-
Female.....	11	20	14	28	46	63	97	105	58	33	5	-
Black, both sexes.....	7	5	6	6	11	11	9	6	5	2	-	-
Male.....	4	3	3	5	9	6	3	1	2	1	-	-
Female.....	3	2	3	1	2	5	6	5	3	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	2	-	2	-	-	-	-	-
Male.....	-	-	-	-	2	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	6	3	7	11	7	12	4	8	1	1	-
Male.....	4	4	2	2	8	4	5	3	2	-	-	-
Female.....	1	2	1	5	3	3	7	1	6	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

Colorado

All races, both sexes.....	8	4	8	12	15	14	25	24	24	15	1	-
Male.....	5	3	7	11	10	8	12	10	5	1	-	-
Female.....	3	1	1	1	5	6	13	14	19	14	1	-
White, both sexes.....	8	3	8	12	15	13	25	23	24	15	1	-
Male.....	5	2	7	11	10	7	12	9	5	1	-	-
Female.....	3	1	1	1	5	6	13	14	19	14	1	-
Black, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	5	5	10	9	15	26	30	40	47	15	2	-
Male.....	5	5	8	4	7	10	12	15	15	-	-	-
Female.....	-	-	2	5	8	16	18	25	32	15	2	-
White, both sexes.....	5	5	9	8	14	24	26	40	45	15	2	-
Male.....	5	5	7	4	7	10	10	15	13	-	-	-
Female.....	-	-	2	4	7	14	16	25	32	15	2	-
Black, both sexes.....	-	-	1	1	1	1	4	-	2	-	-	-
Male.....	-	-	1	-	-	-	2	-	2	-	-	-
Female.....	-	-	-	1	1	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

Florida

All races, both sexes.....	24	46	60	79	95	152	167	181	111	38	7	-
Male.....	17	25	42	54	53	69	72	82	40	9	1	-
Female.....	7	21	18	25	42	83	95	99	71	29	6	-
White, both sexes.....	19	39	54	66	88	134	157	174	103	38	6	-
Male.....	13	20	39	48	50	61	68	80	39	9	-	-
Female.....	6	19	15	18	38	73	89	94	64	29	6	-
Black, both sexes.....	5	6	6	12	7	15	10	7	8	-	1	-
Male.....	4	5	3	5	3	8	4	2	1	-	1	-
Female.....	1	1	3	7	4	7	6	5	7	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	2	-	-	-	-	-	-

Georgia

All races, both sexes.....	5	20	22	28	42	35	59	52	46	14	4	-
Male.....	5	13	9	15	26	12	23	17	11	1	1	-
Female.....	-	7	13	13	16	23	36	35	35	13	3	-
White, both sexes.....	4	15	15	20	30	29	42	39	35	11	3	-
Male.....	4	11	7	13	20	9	16	11	9	1	1	-
Female.....	-	4	8	7	10	20	26	28	26	10	2	-
Black, both sexes.....	1	5	7	8	11	6	16	12	11	3	1	-
Male.....	1	2	2	2	6	3	7	6	2	-	-	-
Female.....	-	3	5	6	5	3	9	6	9	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Metabolic disorders (E70-E88)												
Hawaii												
All races, both sexes.....	3	-	1	3	1	5	8	10	9	3	-	-
Male.....	2	-	1	2	-	3	4	4	4	1	-	-
Female.....	1	-	-	1	1	2	4	6	5	2	-	-
White, both sexes.....	1	-	-	1	-	1	2	3	2	-	-	-
Male.....	-	-	-	1	-	1	1	-	2	-	-	-
Female.....	1	-	-	-	-	-	1	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	2	-	1	2	1	4	6	7	7	3	-	-
Male.....	2	-	1	1	-	2	3	4	2	1	-	-
Female.....	-	-	-	1	1	2	3	3	5	2	-	-
Idaho												
All races, both sexes.....	2	2	5	7	2	6	11	13	6	8	1	-
Male.....	1	2	3	5	-	2	5	4	2	2	-	-
Female.....	1	-	2	2	2	4	6	9	4	6	1	-
White, both sexes.....	2	2	5	7	2	5	11	13	6	7	1	-
Male.....	1	2	3	5	-	2	5	4	2	2	-	-
Female.....	1	-	2	2	2	3	6	9	4	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

Illinois

All races, both sexes.....	16	28	32	31	61	69	103	113	79	36	9	-
Male.....	13	20	15	16	26	29	47	34	28	6	2	-
Female.....	3	8	17	15	35	40	56	79	51	30	7	-
White, both sexes.....	10	23	26	22	49	58	95	106	72	30	8	-
Male.....	9	17	13	11	22	23	43	31	27	6	2	-
Female.....	1	6	13	11	27	35	52	75	45	24	6	-
Black, both sexes.....	5	4	6	8	12	9	7	7	6	4	1	-
Male.....	3	2	2	4	4	4	4	3	1	-	-	-
Female.....	2	2	4	4	8	5	3	4	5	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	-	2	1	-	1	2	-	-
Male.....	1	1	-	1	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	2	-	-

Indiana

All races, both sexes.....	9	13	14	15	31	37	65	43	35	14	1	-
Male.....	6	8	6	14	18	15	22	15	7	1	-	-
Female.....	3	5	8	1	13	22	43	28	28	13	1	-
White, both sexes.....	9	11	14	14	30	35	58	41	32	13	1	-
Male.....	6	7	6	13	17	14	20	14	7	1	-	-
Female.....	3	4	8	1	13	21	38	27	25	12	1	-
Black, both sexes.....	-	2	-	1	1	2	6	2	3	1	-	-
Male.....	-	1	-	1	1	1	2	1	-	-	-	-
Female.....	-	1	-	-	-	1	4	1	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Metabolic disorders (E70-E88)												
Maine												
All races, both sexes.....	5	4	4	7	10	10	15	33	16	8	1	-
Male.....	3	3	3	5	4	4	7	10	4	1	-	-
Female.....	2	1	1	2	6	6	8	23	12	7	1	-
White, both sexes.....	5	4	4	7	9	10	15	33	16	8	1	-
Male.....	3	3	3	5	3	4	7	10	4	1	-	-
Female.....	2	1	1	2	6	6	8	23	12	7	1	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	11	22	14	26	39	41	55	56	40	10	2	-
Male.....	9	19	6	15	20	22	25	16	12	1	-	-
Female.....	2	3	8	11	19	19	30	40	28	9	2	-
White, both sexes.....	7	13	9	16	29	32	44	39	33	8	2	-
Male.....	6	10	3	9	15	15	20	14	10	1	-	-
Female.....	1	3	6	7	14	17	24	25	23	7	2	-
Black, both sexes.....	4	8	4	10	10	8	11	16	6	2	-	-
Male.....	3	8	3	6	5	6	5	2	1	-	-	-
Female.....	1	-	1	4	5	2	6	14	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	1	-	1	1	-	-	-
Male.....	-	1	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Metabolic disorders (E70-E88)												
Massachusetts												
All races, both sexes.....	15	16	16	22	34	50	53	65	50	20	4	-
Male.....	10	13	10	16	18	27	19	22	13	3	-	-
Female.....	5	3	6	6	16	23	34	43	37	17	4	-
White, both sexes.....	14	15	14	21	32	44	52	65	47	20	4	-
Male.....	9	13	9	15	16	25	18	22	12	3	-	-
Female.....	5	2	5	6	16	19	34	43	35	17	4	-
Black, both sexes.....	1	1	1	-	2	6	-	-	3	-	-	-
Male.....	1	-	-	-	2	2	-	-	1	-	-	-
Female.....	-	1	1	-	-	4	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	18	26	31	44	42	88	108	109	89	26	11	-
Male.....	12	14	20	23	22	35	53	39	20	7	1	-
Female.....	6	12	11	21	20	53	55	70	69	19	10	-
White, both sexes.....	18	23	29	41	36	80	104	97	75	24	11	-
Male.....	12	12	19	22	19	32	51	35	17	6	1	-
Female.....	6	11	10	19	17	48	53	62	58	18	10	-
Black, both sexes.....	-	3	2	2	6	6	4	11	14	2	-	-
Male.....	-	2	1	1	3	3	2	4	3	1	-	-
Female.....	-	1	1	1	3	3	2	7	11	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

New Mexico

All races, both sexes.....	4	2	4	2	6	12	11	14	10	7	-	-
Male.....	3	2	3	2	4	6	7	5	5	2	-	-
Female.....	1	-	1	-	2	6	4	9	5	5	-	-
White, both sexes.....	3	2	4	2	5	10	10	13	10	7	-	-
Male.....	2	2	3	2	3	4	6	5	5	2	-	-
Female.....	1	-	1	-	2	6	4	8	5	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	2	1	1	-	-	-	-
Male.....	1	-	-	-	1	2	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	21	38	44	46	75	97	116	129	130	61	12	-
Male.....	15	27	29	37	41	48	39	41	34	8	2	-
Female.....	6	11	15	9	34	49	77	88	96	53	10	-
White, both sexes.....	20	33	39	36	68	90	106	127	122	58	12	-
Male.....	15	25	27	27	37	47	36	39	33	7	2	-
Female.....	5	8	12	9	31	43	70	88	89	51	10	-
Black, both sexes.....	1	4	5	10	7	6	10	2	8	3	-	-
Male.....	-	2	2	10	4	1	3	2	1	1	-	-
Female.....	1	2	3	-	3	5	7	-	7	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Metabolic disorders (E70-E88)

Ohio

All races, both sexes.....	36	43	54	68	104	144	145	133	103	51	6	-
Male.....	26	26	37	42	54	72	62	60	26	13	-	-
Female.....	10	17	17	26	50	72	83	73	77	38	6	-
White, both sexes.....	29	38	48	62	90	129	133	128	96	48	6	-
Male.....	21	24	33	39	47	64	59	57	24	13	-	-
Female.....	8	14	15	23	43	65	74	71	72	35	6	-
Black, both sexes.....	7	5	6	6	13	15	12	5	7	2	-	-
Male.....	5	2	4	3	7	8	3	3	2	-	-	-
Female.....	2	3	2	3	6	7	9	2	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-

Oklahoma

All races, both sexes.....	7	10	8	12	22	21	27	21	25	11	-	-
Male.....	5	7	5	9	10	9	12	5	6	2	-	-
Female.....	2	3	3	3	12	12	15	16	19	9	-	-
White, both sexes.....	7	9	7	11	20	18	25	19	25	10	-	-
Male.....	5	6	4	8	10	7	11	5	6	1	-	-
Female.....	2	3	3	3	10	11	14	14	19	9	-	-
Black, both sexes.....	-	1	1	1	-	1	-	2	-	1	-	-
Male.....	-	1	1	1	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

Rhode Island

All races, both sexes.....	3	3	4	6	8	11	11	9	12	5	3	-
Male.....	1	2	4	4	2	7	4	3	5	3	1	-
Female.....	2	1	-	2	6	4	7	6	7	2	2	-
White, both sexes.....	3	2	4	5	8	11	10	8	12	4	3	-
Male.....	1	1	4	4	2	7	4	2	5	3	1	-
Female.....	2	1	-	1	6	4	6	6	7	1	2	-
Black, both sexes.....	-	1	-	1	-	-	1	1	-	1	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	14	8	10	20	23	35	33	36	27	16	3	-
Male.....	10	5	7	14	8	12	16	11	7	1	-	-
Female.....	4	3	3	6	15	23	17	25	20	15	3	-
White, both sexes.....	11	7	8	14	22	26	24	26	22	12	1	-
Male.....	8	4	6	8	8	8	12	9	6	-	-	-
Female.....	3	3	2	6	14	18	12	17	16	12	1	-
Black, both sexes.....	3	1	2	6	1	9	9	8	5	4	2	-
Male.....	2	1	1	6	-	4	4	2	1	1	-	-
Female.....	1	-	1	-	1	5	5	6	4	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Metabolic disorders (E70-E88)

South Dakota

All races, both sexes.....	-	2	2	2	3	9	8	6	5	2	1	-
Male.....	-	1	-	1	-	7	2	2	1	1	-	-
Female.....	-	1	2	1	3	2	6	4	4	1	1	-
White, both sexes.....	-	1	2	2	3	9	8	5	5	2	1	-
Male.....	-	1	-	1	-	7	2	2	1	1	-	-
Female.....	-	-	2	1	3	2	6	3	4	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	18	22	27	30	40	54	58	80	52	15	7	-
Male.....	10	12	18	15	20	30	23	26	9	3	2	-
Female.....	8	10	9	15	20	24	35	54	43	12	5	-
White, both sexes.....	14	18	23	25	35	52	52	71	46	12	4	-
Male.....	8	9	14	12	17	30	22	21	9	2	-	-
Female.....	6	9	9	13	18	22	30	50	37	10	4	-
Black, both sexes.....	4	4	4	5	5	2	5	8	5	3	3	-
Male.....	2	3	4	3	3	-	1	4	-	1	2	-
Female.....	2	1	-	2	2	2	4	4	5	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Metabolic disorders (E70-E88)

Vermont

All races, both sexes.....	4	3	3	5	-	6	7	8	8	1	-	-
Male.....	3	3	2	5	-	3	5	3	2	1	-	-
Female.....	1	-	1	-	-	3	2	5	6	-	-	-
White, both sexes.....	4	3	3	5	-	6	7	8	8	1	-	-
Male.....	3	3	2	5	-	3	5	3	2	1	-	-
Female.....	1	-	1	-	-	3	2	5	6	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	11	21	21	23	44	55	77	57	45	23	6	-
Male.....	10	10	15	10	25	25	33	19	11	3	1	-
Female.....	1	11	6	13	19	30	44	38	34	20	5	-
White, both sexes.....	10	17	15	18	31	46	60	51	39	20	5	-
Male.....	9	9	12	8	20	20	26	16	10	3	1	-
Female.....	1	8	3	10	11	26	34	35	29	17	4	-
Black, both sexes.....	1	3	6	5	13	9	14	6	6	3	1	-
Male.....	1	-	3	2	5	5	6	3	1	-	-	-
Female.....	-	3	3	3	8	4	8	3	5	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	3	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Alaska

All races, both sexes.....	1	-	-	-	-	2	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	2	1	-	1	1	-	-
White, both sexes.....	-	-	-	-	-	2	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	1	-	3	1	4	8	11	14	11	9	2	-
Male.....	-	-	2	1	4	4	3	6	2	4	1	-
Female.....	1	-	1	-	-	4	8	8	9	5	1	-
White, both sexes.....	1	-	3	1	3	8	10	14	11	8	2	-
Male.....	-	-	2	1	3	4	3	6	2	3	1	-
Female.....	1	-	1	-	-	4	7	8	9	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Arkansas

All races, both sexes.....	3	1	1	1	5	8	17	20	12	8	2	-
Male.....	2	-	-	1	5	3	8	6	4	2	-	-
Female.....	1	1	1	-	-	5	9	14	8	6	2	-
White, both sexes.....	3	-	1	1	5	6	15	19	10	7	2	-
Male.....	2	-	-	1	5	2	7	6	3	2	-	-
Female.....	1	-	1	-	-	4	8	13	7	5	2	-
Black, both sexes.....	-	1	-	-	-	2	2	1	2	1	-	-
Male.....	-	-	-	-	-	1	1	-	1	-	-	-
Female.....	-	1	-	-	-	1	1	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	8	3	7	15	16	32	47	37	22	4	-
Male.....	2	3	1	4	10	8	11	11	16	4	2	-
Female.....	1	5	2	3	5	8	21	36	21	18	2	-
White, both sexes.....	2	6	3	4	11	15	27	44	32	19	4	-
Male.....	1	2	1	3	8	7	10	10	13	3	2	-
Female.....	1	4	2	1	3	8	17	34	19	16	2	-
Black, both sexes.....	1	2	-	1	2	1	3	2	1	2	-	-
Male.....	1	1	-	1	2	1	1	-	1	1	-	-
Female.....	-	1	-	-	-	-	2	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	-	1	1	4	1	-	-
Male.....	-	-	-	-	-	-	-	1	2	-	-	-
Female.....	-	-	-	2	2	-	1	-	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Colorado

All races, both sexes.....	3	1	1	4	5	5	15	18	19	15	1	-
Male.....	2	1	-	3	3	3	7	6	3	1	-	-
Female.....	1	-	1	1	2	2	8	12	16	14	1	-
White, both sexes.....	3	-	1	4	5	5	15	17	19	15	1	-
Male.....	2	-	-	3	3	3	7	5	3	1	-	-
Female.....	1	-	1	1	2	2	8	12	16	14	1	-
Black, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	-	-	2	4	3	8	16	19	36	12	2	-
Male.....	-	-	1	2	1	3	7	4	9	-	-	-
Female.....	-	-	1	2	2	5	9	15	27	12	2	-
White, both sexes.....	-	-	2	4	3	7	14	19	34	12	2	-
Male.....	-	-	1	2	1	3	7	4	7	-	-	-
Female.....	-	-	1	2	2	4	7	15	27	12	2	-
Black, both sexes.....	-	-	-	-	-	-	2	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Hawaii

All races, both sexes.....	-	-	-	1	1	2	5	7	6	3	-	-
Male.....	-	-	-	-	-	1	2	3	3	1	-	-
Female.....	-	-	-	1	1	1	3	4	3	2	-	-
White, both sexes.....	-	-	-	-	-	-	1	3	2	-	-	-
Male.....	-	-	-	-	-	-	1	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	2	4	4	4	3	-	-
Male.....	-	-	-	-	-	1	1	3	1	1	-	-
Female.....	-	-	-	1	1	1	3	1	3	2	-	-

Idaho

All races, both sexes.....	1	1	1	2	-	2	3	3	2	8	1	-
Male.....	1	1	1	1	-	-	1	-	-	2	-	-
Female.....	-	-	-	1	-	2	2	3	2	6	1	-
White, both sexes.....	1	1	1	2	-	2	3	3	2	7	1	-
Male.....	1	1	1	1	-	-	1	-	-	2	-	-
Female.....	-	-	-	1	-	2	2	3	2	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Illinois

All races, both sexes.....	6	7	9	8	20	30	57	79	67	32	9	-
Male.....	5	6	3	4	8	14	20	24	22	6	2	-
Female.....	1	1	6	4	12	16	37	55	45	26	7	-
White, both sexes.....	4	5	8	6	12	22	50	73	61	27	8	-
Male.....	4	5	2	3	4	9	17	21	21	6	2	-
Female.....	-	-	6	3	8	13	33	52	40	21	6	-
Black, both sexes.....	1	2	1	2	8	7	6	6	6	3	1	-
Male.....	-	1	1	1	4	4	3	3	1	-	-	-
Female.....	1	1	-	1	4	3	3	3	5	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	1	-	-	2	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	2	-	-

Indiana

All races, both sexes.....	1	3	4	3	5	15	30	22	25	12	1	-
Male.....	-	2	-	2	3	5	10	7	4	-	-	-
Female.....	1	1	4	1	2	10	20	15	21	12	1	-
White, both sexes.....	1	2	4	3	5	13	27	21	23	11	1	-
Male.....	-	1	-	2	3	4	9	6	4	-	-	-
Female.....	1	1	4	1	2	9	18	15	19	11	1	-
Black, both sexes.....	-	1	-	-	-	2	2	1	2	1	-	-
Male.....	-	1	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Maine

All races, both sexes.....	1	-	-	1	1	2	8	17	11	8	1	-
Male.....	-	-	-	1	1	1	4	4	2	1	-	-
Female.....	1	-	-	-	-	1	4	13	9	7	1	-
White, both sexes.....	1	-	-	1	1	2	8	17	11	8	1	-
Male.....	-	-	-	1	1	1	4	4	2	1	-	-
Female.....	1	-	-	-	-	1	4	13	9	7	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	3	3	2	5	12	13	19	27	25	7	2	-
Male.....	2	3	1	2	5	3	9	8	9	1	-	-
Female.....	1	-	1	3	7	10	10	19	16	6	2	-
White, both sexes.....	1	-	1	1	7	9	16	20	20	6	2	-
Male.....	-	-	-	-	4	1	8	6	7	1	-	-
Female.....	1	-	1	1	3	8	8	14	13	5	2	-
Black, both sexes.....	2	3	1	4	5	4	3	6	4	1	-	-
Male.....	2	3	1	2	1	2	1	2	1	-	-	-
Female.....	-	-	-	2	4	2	2	4	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

New Mexico

All races, both sexes.....	2	1	2	-	2	2	4	8	7	5	-	-
Male.....	1	1	1	-	1	1	2	2	4	2	-	-
Female.....	1	-	1	-	1	1	2	6	3	3	-	-
White, both sexes.....	2	1	2	-	2	2	3	7	7	5	-	-
Male.....	1	1	1	-	1	1	1	2	4	2	-	-
Female.....	1	-	1	-	1	1	2	5	3	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	3	6	7	10	22	28	45	86	96	51	11	-
Male.....	3	4	4	9	12	12	16	28	25	6	2	-
Female.....	-	2	3	1	10	16	29	58	71	45	9	-
White, both sexes.....	3	5	7	5	21	25	43	84	92	49	11	-
Male.....	3	4	4	4	11	12	15	26	25	6	2	-
Female.....	-	1	3	1	10	13	28	58	67	43	9	-
Black, both sexes.....	-	1	-	5	1	2	2	2	4	2	-	-
Male.....	-	-	-	5	1	-	1	2	-	-	-	-
Female.....	-	1	-	-	-	2	1	-	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Rhode Island

All races, both sexes.....	1	-	-	-	2	1	4	4	7	4	3	-
Male.....	-	-	-	-	1	1	2	1	5	2	1	-
Female.....	1	-	-	-	1	-	2	3	2	2	2	-
White, both sexes.....	1	-	-	-	2	1	3	3	7	3	3	-
Male.....	-	-	-	-	1	1	2	-	5	2	1	-
Female.....	1	-	-	-	1	-	1	3	2	1	2	-
Black, both sexes.....	-	-	-	-	-	-	1	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	1	2	3	7	13	14	19	26	22	13	3	-
Male.....	-	1	1	5	3	3	9	8	6	1	-	-
Female.....	1	1	2	2	10	11	10	18	16	12	3	-
White, both sexes.....	1	2	3	4	12	10	15	17	18	10	1	-
Male.....	-	1	1	2	3	2	8	6	6	-	-	-
Female.....	1	1	2	2	9	8	7	11	12	10	1	-
Black, both sexes.....	-	-	-	3	1	4	4	7	4	3	2	-
Male.....	-	-	-	3	-	1	1	2	-	1	-	-
Female.....	-	-	-	-	1	3	3	5	4	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

South Dakota

All races, both sexes.....	-	-	-	-	-	4	2	2	3	1	1	-
Male.....	-	-	-	-	-	3	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	2	1	3	1	1	-
White, both sexes.....	-	-	-	-	-	4	2	2	3	1	1	-
Male.....	-	-	-	-	-	3	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	2	1	3	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	6	7	8	8	20	24	37	56	41	11	6	-
Male.....	2	5	4	4	10	13	14	16	6	2	2	-
Female.....	4	2	4	4	10	11	23	40	35	9	4	-
White, both sexes.....	4	5	5	8	18	24	34	52	37	8	4	-
Male.....	2	4	1	4	8	13	14	13	6	1	-	-
Female.....	2	1	4	4	10	11	20	39	31	7	4	-
Black, both sexes.....	2	2	3	-	2	-	2	4	3	3	2	-
Male.....	-	1	3	-	2	-	-	3	-	1	2	-
Female.....	2	1	-	-	-	-	2	1	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Vermont

All races, both sexes.....	-	-	1	-	-	2	-	2	4	1	-	-
Male.....	-	-	-	-	-	-	-	1	1	1	-	-
Female.....	-	-	1	-	-	2	-	1	3	-	-	-
White, both sexes.....	-	-	1	-	-	2	-	2	4	1	-	-
Male.....	-	-	-	-	-	-	-	1	1	1	-	-
Female.....	-	-	1	-	-	2	-	1	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	-	6	2	4	10	23	40	31	33	21	4	-
Male.....	-	3	1	1	4	8	19	8	7	3	1	-
Female.....	-	3	1	3	6	15	21	23	26	18	3	-
White, both sexes.....	-	6	-	2	4	17	32	26	28	18	3	-
Male.....	-	3	-	-	2	5	16	5	6	3	1	-
Female.....	-	3	-	2	2	12	16	21	22	15	2	-
Black, both sexes.....	-	-	2	2	6	6	7	5	5	3	1	-
Male.....	-	-	1	1	2	3	3	3	1	-	-	-
Female.....	-	-	1	1	4	3	4	2	4	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other metabolic disorders (E70-E83,E85,E88)

Arkansas

All races, both sexes.....	2	7	8	3	8	4	2	2	1	-	-	-
Male.....	1	6	5	1	3	3	1	1	-	-	-	-
Female.....	1	1	3	2	5	1	1	1	1	-	-	-
White, both sexes.....	2	6	7	2	6	4	2	2	1	-	-	-
Male.....	1	5	4	1	2	3	1	1	-	-	-	-
Female.....	1	1	3	1	4	1	1	1	1	-	-	-
Black, both sexes.....	-	1	1	1	2	-	-	-	-	-	-	-
Male.....	-	1	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	44	58	44	73	102	119	167	128	65	21	4	-
Male.....	30	40	28	42	56	56	78	53	19	4	-	-
Female.....	14	18	16	31	46	63	89	75	46	17	4	-
White, both sexes.....	32	50	35	63	82	102	149	121	57	21	3	-
Male.....	23	35	23	36	39	47	70	50	18	4	-	-
Female.....	9	15	12	27	43	55	79	71	39	17	3	-
Black, both sexes.....	6	3	6	5	9	10	6	4	4	-	-	-
Male.....	3	2	3	4	7	5	2	1	1	-	-	-
Female.....	3	1	3	1	2	5	4	3	3	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	2	-	1	-	-	-	-	-
Male.....	-	-	-	-	2	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	5	3	5	9	7	11	3	4	-	1	-
Male.....	4	3	2	2	8	4	5	2	-	-	-	-
Female.....	1	2	1	3	1	3	6	1	4	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other metabolic disorders (E70-E83,E85,E88)

Florida

All races, both sexes.....	22	43	47	70	77	106	104	106	45	15	1	-
Male.....	16	23	36	48	46	52	46	57	15	1	-	-
Female.....	6	20	11	22	31	54	58	49	30	14	1	-
White, both sexes.....	18	37	45	58	76	95	101	100	43	15	1	-
Male.....	13	19	35	42	45	47	45	55	15	1	-	-
Female.....	5	18	10	16	31	48	56	45	28	14	1	-
Black, both sexes.....	4	5	2	11	1	8	3	6	2	-	-	-
Male.....	3	4	1	5	1	5	1	2	-	-	-	-
Female.....	1	1	1	6	-	3	2	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	2	-	-	-	-	-	-

Georgia

All races, both sexes.....	4	16	14	19	24	14	27	12	10	1	-	-
Male.....	4	11	6	11	16	6	11	5	2	-	-	-
Female.....	-	5	8	8	8	8	16	7	8	1	-	-
White, both sexes.....	3	13	10	15	20	13	19	9	8	-	-	-
Male.....	3	10	5	10	14	5	9	4	2	-	-	-
Female.....	-	3	5	5	6	8	10	5	6	-	-	-
Black, both sexes.....	1	3	4	4	3	1	7	2	2	1	-	-
Male.....	1	1	1	1	2	1	2	1	-	-	-	-
Female.....	-	2	3	3	1	-	5	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other metabolic disorders (E70-E83,E85,E88)												
Hawaii												
All races, both sexes.....	3	-	1	2	-	3	3	3	3	-	-	-
Male.....	2	-	1	2	-	2	2	1	1	-	-	-
Female.....	1	-	-	-	-	1	1	2	2	-	-	-
White, both sexes.....	1	-	-	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	2	-	1	1	-	2	2	3	3	-	-	-
Male.....	2	-	1	1	-	1	2	1	1	-	-	-
Female.....	-	-	-	-	-	1	-	2	2	-	-	-
Idaho												
All races, both sexes.....	1	1	4	5	2	4	8	10	4	-	-	-
Male.....	-	1	2	4	-	2	4	4	2	-	-	-
Female.....	1	-	2	1	2	2	4	6	2	-	-	-
White, both sexes.....	1	1	4	5	2	3	8	10	4	-	-	-
Male.....	-	1	2	4	-	2	4	4	2	-	-	-
Female.....	1	-	2	1	2	1	4	6	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other metabolic disorders (E70-E83,E85,E88)

Massachusetts

All races, both sexes.....	11	10	9	14	22	28	20	22	9	3	-	-
Male.....	7	9	7	11	13	18	9	8	1	-	-	-
Female.....	4	1	2	3	9	10	11	14	8	3	-	-
White, both sexes.....	10	10	9	13	22	24	19	22	9	3	-	-
Male.....	6	9	7	10	13	16	8	8	1	-	-	-
Female.....	4	1	2	3	9	8	11	14	8	3	-	-
Black, both sexes.....	1	-	-	-	-	4	-	-	-	-	-	-
Male.....	1	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	15	21	22	39	31	48	55	45	25	3	3	-
Male.....	11	11	16	22	16	18	35	22	4	-	1	-
Female.....	4	10	6	17	15	30	20	23	21	3	2	-
White, both sexes.....	15	20	21	37	27	45	55	41	22	3	3	-
Male.....	11	11	16	21	14	17	35	21	4	-	1	-
Female.....	4	9	5	16	13	28	20	20	18	3	2	-
Black, both sexes.....	-	1	1	1	4	2	-	4	3	-	-	-
Male.....	-	-	-	1	2	1	-	1	-	-	-	-
Female.....	-	1	1	-	2	1	-	3	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other metabolic disorders (E70-E83,E85,E88)

Ohio

All races, both sexes.....	28	36	48	57	83	105	77	59	28	13	-	-
Male.....	21	24	32	35	43	58	36	33	13	5	-	-
Female.....	7	12	16	22	40	47	41	26	15	8	-	-
White, both sexes.....	22	32	44	52	73	92	72	56	26	12	-	-
Male.....	17	23	30	32	38	52	34	30	12	5	-	-
Female.....	5	9	14	20	35	40	38	26	14	7	-	-
Black, both sexes.....	6	4	4	5	9	13	5	3	2	1	-	-
Male.....	4	1	2	3	5	6	2	3	1	-	-	-
Female.....	2	3	2	2	4	7	3	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	6	10	7	9	17	17	17	12	12	2	-	-
Male.....	4	7	4	7	8	8	10	4	3	-	-	-
Female.....	2	3	3	2	9	9	7	8	9	2	-	-
White, both sexes.....	6	9	7	8	16	15	15	10	12	2	-	-
Male.....	4	6	4	6	8	7	9	4	3	-	-	-
Female.....	2	3	3	2	8	8	6	6	9	2	-	-
Black, both sexes.....	-	1	-	1	-	1	-	2	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other metabolic disorders (E70-E83,E85,E88)

Vermont

All races, both sexes.....	4	3	2	5	-	4	7	6	4	-	-	-
Male.....	3	3	2	5	-	3	5	2	1	-	-	-
Female.....	1	-	-	-	-	1	2	4	3	-	-	-
White, both sexes.....	4	3	2	5	-	4	7	6	4	-	-	-
Male.....	3	3	2	5	-	3	5	2	1	-	-	-
Female.....	1	-	-	-	-	1	2	4	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	10	15	19	19	34	32	37	26	12	2	2	-
Male.....	10	7	14	9	21	17	14	11	4	-	-	-
Female.....	-	8	5	10	13	15	23	15	8	2	2	-
White, both sexes.....	9	11	15	16	27	29	28	25	11	2	2	-
Male.....	9	6	12	8	18	15	10	11	4	-	-	-
Female.....	-	5	3	8	9	14	18	14	7	2	2	-
Black, both sexes.....	1	3	4	3	7	3	7	1	1	-	-	-
Male.....	1	-	2	1	3	2	3	-	-	-	-	-
Female.....	-	3	2	2	4	1	4	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	2	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
V. Mental and behavioral disorders (F01-F99)												
New Mexico												
All races, both sexes.....	538	-	-	-	-	1	3	2	8	8	22	21
Male.....	239	-	-	-	-	1	2	2	7	7	15	16
Female.....	299	-	-	-	-	-	1	-	1	1	7	5
White, both sexes.....	482	-	-	-	-	-	2	1	4	7	16	17
Male.....	208	-	-	-	-	-	2	1	4	6	11	12
Female.....	274	-	-	-	-	-	-	-	-	1	5	5
Black, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	47	-	-	-	-	1	1	1	4	1	6	4
Male.....	28	-	-	-	-	1	-	1	3	1	4	4
Female.....	19	-	-	-	-	-	1	-	1	-	2	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	3,086	-	1	-	2	5	5	13	25	39	59	118
Male.....	1,166	-	-	-	1	1	4	9	21	26	36	84
Female.....	1,920	-	1	-	1	4	1	4	4	13	23	34
White, both sexes.....	2,746	-	1	-	-	3	4	9	16	23	42	83
Male.....	979	-	-	-	-	1	3	5	13	16	26	60
Female.....	1,767	-	1	-	-	2	1	4	3	7	16	23
Black, both sexes.....	302	-	-	-	2	1	1	2	6	14	15	30
Male.....	165	-	-	-	1	-	1	2	5	8	8	21
Female.....	137	-	-	-	1	1	-	-	1	6	7	9
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	1	-	-	2
Male.....	4	-	-	-	-	-	-	-	1	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	32	-	-	-	-	1	-	2	2	2	2	3
Male.....	18	-	-	-	-	-	-	2	2	2	2	2
Female.....	14	-	-	-	-	1	-	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
V. Mental and behavioral disorders (F01-F99)												
Oregon												
All races, both sexes.....	1,122	-	-	-	-	2	2	10	7	18	40	51
Male.....	476	-	-	-	-	1	-	9	4	16	31	40
Female.....	646	-	-	-	-	1	2	1	3	2	9	11
White, both sexes.....	1,090	-	-	-	-	2	2	10	6	18	39	47
Male.....	458	-	-	-	-	1	-	9	3	16	30	38
Female.....	632	-	-	-	-	1	2	1	3	2	9	9
Black, both sexes.....	12	-	-	-	-	-	-	-	-	-	1	1
Male.....	7	-	-	-	-	-	-	-	-	-	1	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	1	-	-	3
Male.....	8	-	-	-	-	-	-	-	1	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	3,067	-	2	-	-	4	6	9	9	20	34	29
Male.....	979	-	-	-	-	2	5	8	6	12	24	18
Female.....	2,088	-	2	-	-	2	1	1	3	8	10	11
White, both sexes.....	2,849	-	1	-	-	3	4	9	9	18	31	25
Male.....	908	-	-	-	-	2	3	8	6	11	22	16
Female.....	1,941	-	1	-	-	1	1	1	3	7	9	9
Black, both sexes.....	207	-	1	-	-	1	2	-	-	1	3	4
Male.....	64	-	-	-	-	-	2	-	-	1	2	2
Female.....	143	-	1	-	-	1	-	-	-	-	1	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Alaska

All races, both sexes.....	11	9	7	3	5	10	9	18	15	5	1	-
Male.....	7	6	2	1	5	5	1	2	6	1	1	-
Female.....	4	3	5	2	-	5	8	16	9	4	-	-
White, both sexes.....	6	5	4	-	4	8	4	14	12	3	1	-
Male.....	3	4	1	-	4	5	-	2	5	1	1	-
Female.....	3	1	3	-	-	3	4	12	7	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	5	4	3	3	1	2	5	2	2	1	-	-
Male.....	4	2	1	1	1	-	1	-	-	-	-	-
Female.....	1	2	2	2	-	2	4	2	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Arizona

All races, both sexes.....	47	38	30	42	55	100	212	281	222	111	32	-
Male.....	33	29	26	25	27	41	96	89	66	26	5	-
Female.....	14	9	4	17	28	59	116	192	156	85	27	-
White, both sexes.....	42	33	26	35	51	96	209	276	214	109	29	-
Male.....	29	25	22	19	23	40	95	87	64	26	5	-
Female.....	13	8	4	16	28	56	114	189	150	83	24	-
Black, both sexes.....	-	1	-	2	2	1	1	2	2	-	1	-
Male.....	-	1	-	2	2	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	2	-	1	-
American Indian 1/, both sexes.....	5	4	4	5	2	2	1	2	3	2	2	-
Male.....	4	3	4	4	2	1	-	1	2	-	-	-
Female.....	1	1	-	1	-	1	1	1	1	2	2	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	1	3	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Arkansas

All races, both sexes.....	15	8	11	11	27	39	77	135	102	53	8	-
Male.....	12	8	6	6	12	18	35	46	21	7	-	-
Female.....	3	-	5	5	15	21	42	89	81	46	8	-
White, both sexes.....	10	5	10	10	27	34	68	125	94	46	5	-
Male.....	8	5	5	5	12	14	30	41	20	6	-	-
Female.....	2	-	5	5	15	20	38	84	74	40	5	-
Black, both sexes.....	5	3	1	1	-	5	9	10	8	6	3	-
Male.....	4	3	1	1	-	4	5	5	1	1	-	-
Female.....	1	-	-	-	-	1	4	5	7	5	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

California

All races, both sexes.....	264	194	127	125	157	292	537	820	748	363	98	2
Male.....	205	146	89	88	89	139	199	264	193	83	25	2
Female.....	59	48	38	37	68	153	338	556	555	280	73	-
White, both sexes.....	215	173	110	100	130	254	481	742	678	322	82	2
Male.....	167	127	75	66	73	118	174	236	172	67	19	2
Female.....	48	46	35	34	57	136	307	506	506	255	63	-
Black, both sexes.....	36	17	14	19	18	23	31	35	33	18	7	-
Male.....	25	16	12	17	10	15	14	14	6	6	2	-
Female.....	11	1	2	2	8	8	17	21	27	12	5	-
American Indian 1/, both sexes.....	4	2	1	1	-	1	1	4	2	-	1	-
Male.....	4	1	1	1	-	-	1	-	1	-	1	-
Female.....	-	1	-	-	-	1	-	4	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	2	2	5	9	14	24	39	35	23	8	-
Male.....	9	2	1	4	6	6	10	14	14	10	3	-
Female.....	-	-	1	1	3	8	14	25	21	13	5	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Colorado

All races, both sexes.....	40	25	20	15	29	60	156	191	138	76	12	-
Male.....	27	19	15	12	16	31	60	61	32	13	2	-
Female.....	13	6	5	3	13	29	96	130	106	63	10	-
White, both sexes.....	39	23	19	13	28	58	149	184	134	75	9	-
Male.....	26	17	14	11	15	29	55	60	31	13	1	-
Female.....	13	6	5	2	13	29	94	124	103	62	8	-
Black, both sexes.....	1	2	-	1	1	2	5	5	4	1	2	-
Male.....	1	2	-	1	1	2	3	1	1	-	-	-
Female.....	-	-	-	-	-	-	2	4	3	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	2	2	-	-	-	-
Male.....	-	-	1	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	2	-	-	-	-

Connecticut

All races, both sexes.....	14	16	17	12	33	59	154	233	217	93	23	-
Male.....	10	12	10	6	21	34	63	85	48	15	4	-
Female.....	4	4	7	6	12	25	91	148	169	78	19	-
White, both sexes.....	11	14	16	10	29	56	148	224	210	91	23	-
Male.....	7	10	9	5	17	31	60	79	46	14	4	-
Female.....	4	4	7	5	12	25	88	145	164	77	19	-
Black, both sexes.....	3	2	1	2	4	3	6	8	6	2	-	-
Male.....	3	2	1	1	4	3	3	5	2	1	-	-
Female.....	-	-	-	1	-	-	3	3	4	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

Florida

All races, both sexes.....	135	115	96	100	188	423	836	1,025	1,010	465	90	2
Male.....	112	88	79	65	104	190	323	342	262	85	12	-
Female.....	23	27	17	35	84	233	513	683	748	380	78	-
White, both sexes.....	120	99	87	81	167	376	791	966	964	449	80	1
Male.....	101	72	70	52	96	166	303	317	250	81	12	1
Female.....	19	27	17	29	71	210	488	649	714	368	68	-
Black, both sexes.....	14	15	9	19	21	46	41	59	43	15	9	1
Male.....	10	15	9	13	8	23	19	25	10	3	-	1
Female.....	4	-	-	6	13	23	22	34	33	12	9	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	2	-	-	-
Male.....	1	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	4	-	1	1	1	-
Male.....	-	-	-	-	-	1	1	-	1	1	-	-
Female.....	-	-	-	-	-	-	3	-	-	-	1	-

Georgia

All races, both sexes.....	60	60	49	51	77	176	340	392	336	130	21	-
Male.....	46	52	40	31	35	62	109	87	68	27	-	-
Female.....	14	8	9	20	42	114	231	305	268	103	21	-
White, both sexes.....	37	38	35	29	49	132	279	328	271	101	15	-
Male.....	26	34	26	17	20	40	86	73	52	19	-	-
Female.....	11	4	9	12	29	92	193	255	219	82	15	-
Black, both sexes.....	23	22	14	22	28	44	61	63	65	29	6	-
Male.....	20	18	14	14	15	22	23	14	16	8	-	-
Female.....	3	4	-	8	13	22	38	49	49	21	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Illinois

All races, both sexes.....	43	50	35	35	78	224	388	614	580	294	39	-
Male.....	35	36	24	19	46	94	151	183	134	42	7	-
Female.....	8	14	11	16	32	130	237	431	446	252	32	-
White, both sexes.....	33	46	31	23	64	193	360	573	537	268	33	-
Male.....	29	32	20	12	40	78	142	173	123	38	7	-
Female.....	4	14	11	11	24	115	218	400	414	230	26	-
Black, both sexes.....	10	4	4	12	14	29	28	38	42	24	6	-
Male.....	6	4	4	7	6	15	9	10	11	3	-	-
Female.....	4	-	-	5	8	14	19	28	31	21	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	3	1	2	-	-
Male.....	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	3	1	1	-	-

Indiana

All races, both sexes.....	16	17	32	26	51	119	243	326	280	129	25	-
Male.....	13	12	22	20	27	49	78	89	66	20	1	-
Female.....	3	5	10	6	24	70	165	237	214	109	24	-
White, both sexes.....	12	16	30	24	45	109	224	310	266	121	24	-
Male.....	10	11	21	19	25	43	71	86	62	20	1	-
Female.....	2	5	9	5	20	66	153	224	204	101	23	-
Black, both sexes.....	4	1	2	2	6	10	17	16	13	8	1	-
Male.....	3	1	1	1	2	6	6	3	3	-	-	-
Female.....	1	-	1	1	4	4	11	13	10	8	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

Iowa

All races, both sexes.....	12	7	3	12	22	43	109	166	147	102	23	-
Male.....	9	6	1	8	9	24	56	62	35	22	2	-
Female.....	3	1	2	4	13	19	53	104	112	80	21	-
White, both sexes.....	12	7	3	11	22	42	109	166	147	102	23	-
Male.....	9	6	1	7	9	24	56	62	35	22	2	-
Female.....	3	1	2	4	13	18	53	104	112	80	21	-
Black, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	21	10	12	12	18	44	110	150	149	73	24	-
Male.....	16	7	8	4	11	23	41	41	28	16	2	-
Female.....	5	3	4	8	7	21	69	109	121	57	22	-
White, both sexes.....	17	9	12	11	16	41	109	140	142	70	22	-
Male.....	13	7	8	4	10	21	41	38	28	15	2	-
Female.....	4	2	4	7	6	20	68	102	114	55	20	-
Black, both sexes.....	4	1	-	-	2	3	1	8	7	3	2	-
Male.....	3	-	-	-	1	2	-	3	-	1	-	-
Female.....	1	1	-	-	1	1	1	5	7	2	2	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
V. Mental and behavioral disorders (F01-F99)												
Maine												
All races, both sexes.....	5	17	10	7	14	29	86	90	95	34	8	-
Male.....	4	12	6	2	8	13	36	29	20	4	1	-
Female.....	1	5	4	5	6	16	50	61	75	30	7	-
White, both sexes.....	5	17	10	7	14	29	86	90	95	34	8	-
Male.....	4	12	6	2	8	13	36	29	20	4	1	-
Female.....	1	5	4	5	6	16	50	61	75	30	7	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	32	19	21	19	38	101	211	259	218	122	11	-
Male.....	26	11	13	14	20	36	74	65	47	17	1	-
Female.....	6	8	8	5	18	65	137	194	171	105	10	-
White, both sexes.....	18	12	17	15	27	80	185	225	184	99	10	-
Male.....	13	7	10	11	15	26	61	55	40	13	1	-
Female.....	5	5	7	4	12	54	124	170	144	86	9	-
Black, both sexes.....	13	7	3	4	11	20	25	31	33	22	1	-
Male.....	12	4	2	3	5	10	12	9	7	4	-	-
Female.....	1	3	1	1	6	10	13	22	26	18	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	1	1	2	1	1	-	-
Male.....	1	-	1	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Massachusetts

All races, both sexes.....	44	26	20	28	61	167	332	470	432	244	50	-
Male.....	34	22	15	15	38	66	105	137	93	34	4	-
Female.....	10	4	5	13	23	101	227	333	339	210	46	-
White, both sexes.....	41	25	19	27	59	155	325	454	424	235	47	-
Male.....	31	21	15	15	37	61	103	132	92	32	3	-
Female.....	10	4	4	12	22	94	222	322	332	203	44	-
Black, both sexes.....	3	1	-	1	2	10	6	14	5	6	2	-
Male.....	3	1	-	-	1	4	2	5	-	1	1	-
Female.....	-	-	-	1	1	6	4	9	5	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	2	1	2	3	2	1	-
Male.....	-	-	-	-	-	1	-	-	1	1	-	-
Female.....	-	-	1	-	-	1	1	2	2	1	1	-

Michigan

All races, both sexes.....	105	53	38	55	78	162	313	419	372	165	48	-
Male.....	80	42	24	37	35	70	124	138	89	31	7	-
Female.....	25	11	14	18	43	92	189	281	283	134	41	-
White, both sexes.....	57	39	30	41	66	143	281	379	353	155	45	-
Male.....	47	32	19	25	31	61	112	131	82	29	7	-
Female.....	10	7	11	16	35	82	169	248	271	126	38	-
Black, both sexes.....	47	14	7	13	10	18	31	39	17	10	3	-
Male.....	32	10	5	11	4	9	12	7	5	2	-	-
Female.....	15	4	2	2	6	9	19	32	12	8	3	-
American Indian 1/, both sexes.....	1	-	1	-	1	1	1	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	1	-	1	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
V. Mental and behavioral disorders (F01-F99)												
Nebraska												
All races, both sexes.....	6	9	10	6	15	36	53	85	99	38	11	-
Male.....	5	4	8	2	8	15	22	29	21	7	2	-
Female.....	1	5	2	4	7	21	31	56	78	31	9	-
White, both sexes.....	6	8	9	6	15	32	53	82	96	38	11	-
Male.....	5	4	7	2	8	12	22	27	20	7	2	-
Female.....	1	4	2	4	7	20	31	55	76	31	9	-
Black, both sexes.....	-	-	1	-	-	4	-	2	2	-	-	-
Male.....	-	-	1	-	-	3	-	1	1	-	-	-
Female.....	-	-	-	-	-	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Nevada												
All races, both sexes.....	18	22	17	19	24	53	97	134	93	26	-	-
Male.....	12	18	16	16	13	21	28	47	23	4	-	-
Female.....	6	4	1	3	11	32	69	87	70	22	-	-
White, both sexes.....	18	21	16	16	19	46	90	128	89	25	-	-
Male.....	12	17	15	14	9	20	26	45	21	3	-	-
Female.....	6	4	1	2	10	26	64	83	68	22	-	-
Black, both sexes.....	-	-	1	2	4	6	5	5	2	-	-	-
Male.....	-	-	1	2	3	1	-	2	1	-	-	-
Female.....	-	-	-	-	1	5	5	3	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	2	1	2	1	-	-
Male.....	-	-	-	-	1	-	2	-	1	1	-	-
Female.....	-	-	-	1	-	1	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

New Hampshire

All races, both sexes.....	7	9	7	3	7	20	34	52	53	28	6	-
Male.....	7	8	3	2	2	8	15	17	5	3	1	-
Female.....	-	1	4	1	5	12	19	35	48	25	5	-
White, both sexes.....	7	9	7	3	7	20	34	52	53	28	6	-
Male.....	7	8	3	2	2	8	15	17	5	3	1	-
Female.....	-	1	4	1	5	12	19	35	48	25	5	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	42	45	28	22	51	150	264	380	309	151	25	-
Male.....	35	35	17	17	26	60	98	131	83	19	3	-
Female.....	7	10	11	5	25	90	166	249	226	132	22	-
White, both sexes.....	34	33	17	19	42	133	236	357	288	140	20	-
Male.....	28	26	8	14	22	52	90	124	81	18	3	-
Female.....	6	7	9	5	20	81	146	233	207	122	17	-
Black, both sexes.....	7	11	9	3	9	16	26	22	18	8	5	-
Male.....	6	9	7	3	4	8	8	7	1	1	-	-
Female.....	1	2	2	-	5	8	18	15	17	7	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	-	-	1	2	-	2	3	-	-
Male.....	1	-	2	-	-	-	-	-	1	-	-	-
Female.....	-	1	-	-	-	1	2	-	1	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

New Mexico

All races, both sexes.....	29	30	17	15	23	44	77	107	85	35	11	-
Male.....	21	26	13	11	14	17	32	28	20	6	1	-
Female.....	8	4	4	4	9	27	45	79	65	29	10	-
White, both sexes.....	25	27	14	12	19	43	73	99	79	33	11	-
Male.....	18	25	10	8	11	17	32	26	19	5	1	-
Female.....	7	2	4	4	8	26	41	73	60	28	10	-
Black, both sexes.....	-	1	-	-	1	-	3	1	2	1	-	-
Male.....	-	-	-	-	1	-	-	-	1	1	-	-
Female.....	-	1	-	-	-	-	3	1	1	-	-	-
American Indian 1/, both sexes.....	4	2	3	3	3	1	1	7	4	1	-	-
Male.....	3	1	3	3	2	-	-	2	-	-	-	-
Female.....	1	1	-	-	1	1	1	5	4	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	110	103	76	81	117	264	445	641	609	302	71	-
Male.....	82	75	51	54	57	129	158	190	130	51	7	-
Female.....	28	28	25	27	60	135	287	451	479	251	64	-
White, both sexes.....	85	73	55	66	90	237	417	607	582	290	63	-
Male.....	65	54	36	42	39	114	147	179	124	49	6	-
Female.....	20	19	19	24	51	123	270	428	458	241	57	-
Black, both sexes.....	24	28	19	15	27	25	24	29	24	9	7	-
Male.....	16	21	14	12	18	13	10	8	5	1	1	-
Female.....	8	7	5	3	9	12	14	21	19	8	6	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	-	2	4	5	3	2	1	-
Male.....	1	-	-	-	-	2	1	3	1	-	-	-
Female.....	-	1	1	-	-	-	3	2	2	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Oregon

All races, both sexes.....	45	49	30	41	49	80	179	241	185	68	25	-
Male.....	29	43	24	27	24	34	56	80	42	14	2	-
Female.....	16	6	6	14	25	46	123	161	143	54	23	-
White, both sexes.....	40	44	28	41	49	78	174	239	182	68	23	-
Male.....	25	38	22	27	24	32	55	80	42	14	2	-
Female.....	15	6	6	14	25	46	119	159	140	54	21	-
Black, both sexes.....	2	2	1	-	-	-	1	1	1	-	2	-
Male.....	2	2	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	-	2	-
American Indian 1/, both sexes.....	2	2	1	-	-	1	2	-	-	-	-	-
Male.....	1	2	1	-	-	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	1	2	1	2	-	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	2	-	-	-

Pennsylvania

All races, both sexes.....	44	31	44	48	104	257	549	816	684	319	58	-
Male.....	31	22	31	29	56	106	187	230	159	47	6	-
Female.....	13	9	13	19	48	151	362	586	525	272	52	-
White, both sexes.....	38	28	36	43	94	234	504	780	646	298	48	-
Male.....	25	21	26	25	49	98	173	224	151	44	4	-
Female.....	13	7	10	18	45	136	331	556	495	254	44	-
Black, both sexes.....	6	3	7	5	10	22	42	34	36	21	9	-
Male.....	6	1	4	4	7	7	12	5	7	3	1	-
Female.....	-	2	3	1	3	15	30	29	29	18	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	1	-
Male.....	-	-	-	-	-	1	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	3	1	2	-	-	-
Male.....	-	-	1	-	-	-	2	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

South Dakota

All races, both sexes.....	9	6	4	5	9	9	19	28	35	22	3	-
Male.....	7	5	3	5	8	6	11	13	10	3	1	-
Female.....	2	1	1	-	1	3	8	15	25	19	2	-
White, both sexes.....	6	5	4	3	8	9	19	28	34	22	3	-
Male.....	4	4	3	3	7	6	11	13	9	3	1	-
Female.....	2	1	1	-	1	3	8	15	25	19	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	1	-	2	1	-	-	-	1	-	-	-
Male.....	3	1	-	2	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	40	27	39	30	51	101	174	255	196	89	16	-
Male.....	30	22	31	17	26	41	68	77	37	13	-	-
Female.....	10	5	8	13	25	60	106	178	159	76	16	-
White, both sexes.....	34	21	29	27	45	89	159	232	181	78	14	-
Male.....	25	17	23	16	22	36	61	70	34	10	-	-
Female.....	9	4	6	11	23	53	98	162	147	68	14	-
Black, both sexes.....	6	6	10	3	6	11	14	23	15	11	2	-
Male.....	5	5	8	1	4	5	7	7	3	3	-	-
Female.....	1	1	2	2	2	6	7	16	12	8	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

Texas

All races, both sexes.....	97	82	87	78	173	367	667	859	732	325	85	-
Male.....	77	57	59	40	81	146	237	252	174	41	6	-
Female.....	20	25	28	38	92	221	430	607	558	284	79	-
White, both sexes.....	82	74	74	65	152	329	604	800	678	298	77	-
Male.....	66	51	50	33	72	133	212	237	160	33	4	-
Female.....	16	23	24	32	80	196	392	563	518	265	73	-
Black, both sexes.....	15	7	12	13	20	38	58	57	51	26	8	-
Male.....	11	5	8	7	9	13	24	14	14	7	2	-
Female.....	4	2	4	6	11	25	34	43	37	19	6	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	5	2	3	1	-	-
Male.....	-	-	-	-	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	1	-	4	1	3	-	-	-

Utah

All races, both sexes.....	7	15	22	16	31	45	95	135	103	50	5	-
Male.....	5	14	15	11	16	22	38	47	29	12	-	-
Female.....	2	1	7	5	15	23	57	88	74	38	5	-
White, both sexes.....	7	15	21	15	31	44	94	131	103	50	5	-
Male.....	5	14	14	10	16	22	37	44	29	12	-	-
Female.....	2	1	7	5	15	22	57	87	74	38	5	-
Black, both sexes.....	-	-	1	1	-	-	-	3	-	-	-	-
Male.....	-	-	1	1	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Vermont

All races, both sexes.....	5	2	2	3	11	9	25	37	33	21	5	-
Male.....	4	1	2	2	5	4	11	18	9	3	-	-
Female.....	1	1	-	1	6	5	14	19	24	18	5	-
White, both sexes.....	5	2	2	3	11	9	25	37	32	21	5	-
Male.....	4	1	2	2	5	4	11	18	8	3	-	-
Female.....	1	1	-	1	6	5	14	19	24	18	5	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	35	26	23	32	70	120	260	338	248	129	22	-
Male.....	26	22	19	21	37	47	84	102	58	22	-	-
Female.....	9	4	4	11	33	73	176	236	190	107	22	-
White, both sexes.....	22	20	15	23	57	93	216	293	213	107	17	-
Male.....	18	16	13	15	31	35	66	89	48	16	-	-
Female.....	4	4	2	8	26	58	150	204	165	91	17	-
Black, both sexes.....	13	6	8	9	13	26	41	42	33	22	5	-
Male.....	8	6	6	6	6	11	16	13	9	6	-	-
Female.....	5	-	2	3	7	15	25	29	24	16	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	3	2	-	-	-
Male.....	-	-	-	-	-	1	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
V. Mental and behavioral disorders (F01-F99)												
Wisconsin												
All races, both sexes.....	31	40	27	31	74	117	303	400	397	209	59	-
Male.....	26	23	15	21	39	53	107	118	93	31	5	-
Female.....	5	17	12	10	35	64	196	282	304	178	54	-
White, both sexes.....	28	37	23	30	69	110	295	393	388	207	59	-
Male.....	23	22	12	21	37	50	103	116	90	31	5	-
Female.....	5	15	11	9	32	60	192	277	298	176	54	-
Black, both sexes.....	3	2	4	1	5	7	7	7	8	2	-	-
Male.....	3	1	3	-	2	3	4	2	3	-	-	-
Female.....	-	1	1	1	3	4	3	5	5	2	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Wyoming												
All races, both sexes.....	9	7	9	4	5	8	8	10	25	5	-	-
Male.....	8	5	7	3	5	4	3	2	4	-	-	-
Female.....	1	2	2	1	-	4	5	8	21	5	-	-
White, both sexes.....	8	6	9	4	4	8	8	10	24	5	-	-
Male.....	7	5	7	3	4	4	3	2	4	-	-	-
Female.....	1	1	2	1	-	4	5	8	20	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Organic dementia (F01,F03)												
Alaska												
All races, both sexes.....	-	-	1	-	3	6	8	17	15	5	1	-
Male.....	-	-	-	-	3	3	1	2	6	1	1	-
Female.....	-	-	1	-	-	3	7	15	9	4	-	-
White, both sexes.....	-	-	1	-	2	4	3	13	12	3	1	-
Male.....	-	-	-	-	2	3	-	2	5	1	1	-
Female.....	-	-	1	-	-	1	3	11	7	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	5	2	2	1	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	2	4	2	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Arizona												
All races, both sexes.....	2	3	3	19	41	90	196	257	211	106	31	-
Male.....	1	1	3	9	18	34	90	80	62	26	5	-
Female.....	1	2	-	10	23	56	106	177	149	80	26	-
White, both sexes.....	2	3	3	17	39	86	193	252	203	104	28	-
Male.....	1	1	3	7	16	33	89	78	60	26	5	-
Female.....	1	2	-	10	23	53	104	174	143	78	23	-
Black, both sexes.....	-	-	-	2	2	1	1	2	2	-	1	-
Male.....	-	-	-	2	2	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	1	2	3	2	2	-
Male.....	-	-	-	-	-	1	-	1	2	-	-	-
Female.....	-	-	-	-	-	1	1	1	1	2	2	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	1	3	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Arkansas

All races, both sexes.....	1	-	2	8	22	31	71	123	99	49	8	-
Male.....	1	-	1	3	10	13	33	41	20	7	-	-
Female.....	-	-	1	5	12	18	38	82	79	42	8	-
White, both sexes.....	-	-	2	8	22	28	63	113	91	43	5	-
Male.....	-	-	1	3	10	11	28	36	19	6	-	-
Female.....	-	-	1	5	12	17	35	77	72	37	5	-
Black, both sexes.....	1	-	-	-	-	3	8	10	8	5	3	-
Male.....	1	-	-	-	-	2	5	5	1	1	-	-
Female.....	-	-	-	-	-	1	3	5	7	4	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

California

All races, both sexes.....	2	6	10	26	91	234	480	763	696	335	88	-
Male.....	1	4	4	14	42	105	171	248	173	75	22	-
Female.....	1	2	6	12	49	129	309	515	523	260	66	-
White, both sexes.....	2	5	10	20	73	204	425	688	632	296	74	-
Male.....	1	3	4	10	33	89	146	222	156	60	17	-
Female.....	1	2	6	10	40	115	279	466	476	236	57	-
Black, both sexes.....	-	-	-	5	12	19	30	34	31	18	7	-
Male.....	-	-	-	4	6	11	14	13	5	6	2	-
Female.....	-	-	-	1	6	8	16	21	26	12	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	3	2	-	1	-
Male.....	-	-	-	-	-	-	1	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	6	11	24	38	31	21	6	-
Male.....	-	1	-	-	3	5	10	13	11	9	2	-
Female.....	-	-	-	1	3	6	14	25	20	12	4	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Colorado

All races, both sexes.....	-	-	4	2	18	47	139	179	132	72	12	-
Male.....	-	-	2	-	10	21	55	52	32	12	2	-
Female.....	-	-	2	2	8	26	84	127	100	60	10	-
White, both sexes.....	-	-	4	1	17	46	132	172	128	71	9	-
Male.....	-	-	2	-	9	20	50	51	31	12	1	-
Female.....	-	-	2	1	8	26	82	121	97	59	8	-
Black, both sexes.....	-	-	-	-	1	1	5	5	4	1	2	-
Male.....	-	-	-	-	1	1	3	1	1	-	-	-
Female.....	-	-	-	-	-	-	2	4	3	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	2	2	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	2	-	-	-	-

Connecticut

All races, both sexes.....	1	3	8	3	24	53	141	206	200	90	18	-
Male.....	-	1	4	1	13	29	53	74	42	15	2	-
Female.....	1	2	4	2	11	24	88	132	158	75	16	-
White, both sexes.....	1	3	7	2	22	50	135	198	193	88	18	-
Male.....	-	1	3	1	11	26	50	68	40	14	2	-
Female.....	1	2	4	1	11	24	85	130	153	74	16	-
Black, both sexes.....	-	-	1	1	2	3	6	7	6	2	-	-
Male.....	-	-	1	-	2	3	3	5	2	1	-	-
Female.....	-	-	-	1	-	-	3	2	4	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Organic dementia (F01,F03)

Florida

All races, both sexes.....	2	9	19	48	140	363	764	949	948	433	84	-
Male.....	2	8	13	28	73	158	289	319	238	83	11	-
Female.....	-	1	6	20	67	205	475	630	710	350	73	-
White, both sexes.....	2	7	17	40	121	325	724	891	904	418	74	-
Male.....	2	6	11	22	66	140	270	294	226	79	11	-
Female.....	-	1	6	18	55	185	454	597	678	339	63	-
Black, both sexes.....	-	2	2	8	19	37	37	58	41	14	9	-
Male.....	-	2	2	6	7	17	18	25	10	3	-	-
Female.....	-	-	-	2	12	20	19	33	31	11	9	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	3	-	1	1	1	-
Male.....	-	-	-	-	-	1	1	-	1	1	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	1	-

Georgia

All races, both sexes.....	-	3	13	18	66	155	321	378	322	126	21	-
Male.....	-	3	6	8	26	47	100	84	63	27	-	-
Female.....	-	-	7	10	40	108	221	294	259	99	21	-
White, both sexes.....	-	1	11	11	40	118	264	316	261	98	15	-
Male.....	-	1	4	5	13	31	79	70	49	19	-	-
Female.....	-	-	7	6	27	87	185	246	212	79	15	-
Black, both sexes.....	-	2	2	7	26	37	57	61	61	28	6	-
Male.....	-	2	2	3	13	16	21	14	14	8	-	-
Female.....	-	-	-	4	13	21	36	47	47	20	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Organic dementia (F01,F03)

Illinois

All races, both sexes.....	1	6	10	21	58	189	343	555	538	272	36	-
Male.....	-	3	5	10	30	78	129	160	122	37	7	-
Female.....	1	3	5	11	28	111	214	395	416	235	29	-
White, both sexes.....	1	6	10	12	47	161	316	516	496	248	30	-
Male.....	-	3	5	5	27	63	121	151	111	33	7	-
Female.....	1	3	5	7	20	98	195	365	385	215	23	-
Black, both sexes.....	-	-	-	9	11	26	27	37	41	22	6	-
Male.....	-	-	-	5	3	14	8	9	11	3	-	-
Female.....	-	-	-	4	8	12	19	28	30	19	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	2	1	2	-	-
Male.....	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	2	1	1	-	-

Indiana

All races, both sexes.....	-	2	12	9	42	100	213	311	263	118	25	-
Male.....	-	1	7	7	21	39	67	84	63	20	1	-
Female.....	-	1	5	2	21	61	146	227	200	98	24	-
White, both sexes.....	-	2	12	9	38	91	197	296	250	110	24	-
Male.....	-	1	7	7	20	34	60	81	60	20	1	-
Female.....	-	1	5	2	18	57	137	215	190	90	23	-
Black, both sexes.....	-	-	-	-	4	9	14	15	12	8	1	-
Male.....	-	-	-	-	1	5	6	3	2	-	-	-
Female.....	-	-	-	-	3	4	8	12	10	8	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Organic dementia (F01,F03)

Iowa

All races, both sexes.....	2	1	1	3	15	34	93	139	138	89	23	-
Male.....	1	1	-	2	5	17	48	51	34	19	2	-
Female.....	1	-	1	1	10	17	45	88	104	70	21	-
White, both sexes.....	2	1	1	3	15	33	93	139	138	89	23	-
Male.....	1	1	-	2	5	17	48	51	34	19	2	-
Female.....	1	-	1	1	10	16	45	88	104	70	21	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	-	1	2	6	11	38	99	135	139	68	23	-
Male.....	-	-	1	2	5	17	35	37	26	14	1	-
Female.....	-	1	1	4	6	21	64	98	113	54	22	-
White, both sexes.....	-	1	2	6	10	37	98	126	132	65	21	-
Male.....	-	-	1	2	4	17	35	35	26	13	1	-
Female.....	-	1	1	4	6	20	63	91	106	52	20	-
Black, both sexes.....	-	-	-	-	1	1	1	7	7	3	2	-
Male.....	-	-	-	-	1	-	-	2	-	1	-	-
Female.....	-	-	-	-	-	1	1	5	7	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Organic dementia (F01,F03)												
Maine												
All races, both sexes.....	-	1	4	1	8	24	75	83	93	34	8	-
Male.....	-	1	2	-	4	10	30	27	20	4	1	-
Female.....	-	-	2	1	4	14	45	56	73	30	7	-
White, both sexes.....	-	1	4	1	8	24	75	83	93	34	8	-
Male.....	-	1	2	-	4	10	30	27	20	4	1	-
Female.....	-	-	2	1	4	14	45	56	73	30	7	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	4	3	4	13	32	88	192	244	213	120	11	-
Male.....	1	2	1	9	16	30	67	61	47	16	1	-
Female.....	3	1	3	4	16	58	125	183	166	104	10	-
White, both sexes.....	3	3	3	11	23	67	169	211	181	97	10	-
Male.....	1	2	-	8	13	20	57	52	40	12	1	-
Female.....	2	1	3	3	10	47	112	159	141	85	9	-
Black, both sexes.....	1	-	-	2	9	20	23	30	31	22	1	-
Male.....	-	-	-	1	3	10	10	8	7	4	-	-
Female.....	1	-	-	1	6	10	13	22	24	18	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	2	1	1	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Massachusetts

All races, both sexes.....	1	3	5	18	40	146	304	422	395	228	47	-
Male.....	-	2	4	10	22	53	92	117	79	33	4	-
Female.....	1	1	1	8	18	93	212	305	316	195	43	-
White, both sexes.....	1	3	4	17	39	134	297	407	387	219	44	-
Male.....	-	2	4	10	21	48	90	113	78	31	3	-
Female.....	1	1	-	7	18	86	207	294	309	188	41	-
Black, both sexes.....	-	-	-	1	1	10	6	13	5	6	2	-
Male.....	-	-	-	-	1	4	2	4	-	1	1	-
Female.....	-	-	-	1	-	6	4	9	5	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	2	1	2	3	2	1	-
Male.....	-	-	-	-	-	1	-	-	1	1	-	-
Female.....	-	-	1	-	-	1	1	2	2	1	1	-

Michigan

All races, both sexes.....	1	2	10	33	58	136	280	396	352	156	48	-
Male.....	1	1	4	17	21	59	109	131	80	29	7	-
Female.....	-	1	6	16	37	77	171	265	272	127	41	-
White, both sexes.....	1	1	9	28	48	122	250	357	334	147	45	-
Male.....	1	-	4	14	18	52	97	124	73	28	7	-
Female.....	-	1	5	14	30	70	153	233	261	119	38	-
Black, both sexes.....	-	1	1	5	8	14	29	38	16	9	3	-
Male.....	-	1	-	3	3	7	12	7	5	1	-	-
Female.....	-	-	1	2	5	7	17	31	11	8	3	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Organic dementia (F01,F03)												
Nebraska												
All races, both sexes.....	-	-	2	2	8	20	42	72	87	35	11	-
Male.....	-	-	1	-	2	7	17	25	17	6	2	-
Female.....	-	-	1	2	6	13	25	47	70	29	9	-
White, both sexes.....	-	-	2	2	8	16	42	69	85	35	11	-
Male.....	-	-	1	-	2	4	17	23	17	6	2	-
Female.....	-	-	1	2	6	12	25	46	68	29	9	-
Black, both sexes.....	-	-	-	-	-	4	-	2	1	-	-	-
Male.....	-	-	-	-	-	3	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Nevada												
All races, both sexes.....	-	1	1	10	21	48	94	130	89	24	-	-
Male.....	-	1	1	8	10	16	27	46	21	3	-	-
Female.....	-	-	-	2	11	32	67	84	68	21	-	-
White, both sexes.....	-	1	1	8	16	41	87	124	85	23	-	-
Male.....	-	1	1	7	6	15	25	44	19	2	-	-
Female.....	-	-	-	1	10	26	62	80	66	21	-	-
Black, both sexes.....	-	-	-	1	4	6	5	5	2	-	-	-
Male.....	-	-	-	1	3	1	-	2	1	-	-	-
Female.....	-	-	-	-	1	5	5	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	2	1	2	1	-	-
Male.....	-	-	-	-	1	-	2	-	1	1	-	-
Female.....	-	-	-	1	-	1	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Organic dementia (F01,F03)												
New Hampshire												
All races, both sexes.....	-	1	5	1	4	11	31	51	50	25	6	-
Male.....	-	1	2	-	1	5	13	16	5	3	1	-
Female.....	-	-	3	1	3	6	18	35	45	22	5	-
White, both sexes.....	-	1	5	1	4	11	31	51	50	25	6	-
Male.....	-	1	2	-	1	5	13	16	5	3	1	-
Female.....	-	-	3	1	3	6	18	35	45	22	5	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	1	4	7	9	34	127	239	358	290	144	24	-
Male.....	-	2	2	5	17	49	83	122	74	18	2	-
Female.....	1	2	5	4	17	78	156	236	216	126	22	-
White, both sexes.....	1	4	6	9	27	111	212	336	269	133	19	-
Male.....	-	2	1	5	14	41	75	115	72	17	2	-
Female.....	1	2	5	4	13	70	137	221	197	116	17	-
Black, both sexes.....	-	-	1	-	7	16	25	21	18	8	5	-
Male.....	-	-	1	-	3	8	8	7	1	1	-	-
Female.....	-	-	-	-	4	8	17	14	17	7	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	2	3	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	2	-	1	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

New Mexico

All races, both sexes.....	-	1	-	5	12	38	73	101	82	35	9	-
Male.....	-	1	-	3	5	13	29	27	19	6	-	-
Female.....	-	-	-	2	7	25	44	74	63	29	9	-
White, both sexes.....	-	1	-	5	11	38	69	93	76	33	9	-
Male.....	-	1	-	3	5	13	29	25	18	5	-	-
Female.....	-	-	-	2	6	25	40	68	58	28	9	-
Black, both sexes.....	-	-	-	-	-	-	3	1	2	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	-	-	3	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	7	4	1	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	1	-	1	5	4	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	3	7	12	26	69	208	416	607	584	295	70	-
Male.....	1	1	5	13	23	97	149	181	125	49	7	-
Female.....	2	6	7	13	46	111	267	426	459	246	63	-
White, both sexes.....	2	5	9	20	55	188	389	574	557	283	62	-
Male.....	-	1	4	9	16	86	138	170	119	47	6	-
Female.....	2	4	5	11	39	102	251	404	438	236	56	-
Black, both sexes.....	-	2	2	6	14	20	23	28	24	9	7	-
Male.....	-	-	1	4	7	11	10	8	5	1	1	-
Female.....	-	2	1	2	7	9	13	20	19	8	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	4	5	3	2	1	-
Male.....	1	-	-	-	-	-	1	3	1	-	-	-
Female.....	-	-	1	-	-	-	3	2	2	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Organic dementia (F01,F03)												
Oregon												
All races, both sexes.....	1	3	4	14	22	60	153	224	177	66	25	-
Male.....	1	3	2	9	7	23	45	72	40	14	2	-
Female.....	-	-	2	5	15	37	108	152	137	52	23	-
White, both sexes.....	1	3	4	14	22	59	149	222	174	66	23	-
Male.....	1	3	2	9	7	22	45	72	40	14	2	-
Female.....	-	-	2	5	15	37	104	150	134	52	21	-
Black, both sexes.....	-	-	-	-	-	-	1	1	1	-	2	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	1	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	2	-	-	-
Pennsylvania												
All races, both sexes.....	1	3	14	24	80	231	507	769	640	304	56	-
Male.....	-	1	6	13	43	91	171	216	148	46	6	-
Female.....	1	2	8	11	37	140	336	553	492	258	50	-
White, both sexes.....	1	2	12	22	73	209	465	734	603	283	46	-
Male.....	-	1	6	12	38	84	159	210	140	43	4	-
Female.....	1	1	6	10	35	125	306	524	463	240	42	-
Black, both sexes.....	-	1	2	2	7	21	40	33	35	21	9	-
Male.....	-	-	-	1	5	6	11	5	7	3	1	-
Female.....	-	1	2	1	2	15	29	28	28	18	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	1	-
Male.....	-	-	-	-	-	1	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	1	2	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Organic dementia (F01,F03)												
South Dakota												
All races, both sexes.....	1	-	-	-	2	7	16	22	31	19	2	-
Male.....	-	-	-	-	2	4	9	8	10	2	1	-
Female.....	1	-	-	-	-	3	7	14	21	17	1	-
White, both sexes.....	1	-	-	-	2	7	16	22	30	19	2	-
Male.....	-	-	-	-	2	4	9	8	9	2	1	-
Female.....	1	-	-	-	-	3	7	14	21	17	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	-	1	7	16	39	88	160	237	182	86	14	-
Male.....	-	1	5	6	19	34	64	72	34	13	-	-
Female.....	-	-	2	10	20	54	96	165	148	73	14	-
White, both sexes.....	-	1	6	13	36	78	147	216	169	75	12	-
Male.....	-	1	4	5	18	29	58	65	31	10	-	-
Female.....	-	-	2	8	18	49	89	151	138	65	12	-
Black, both sexes.....	-	-	1	3	3	9	12	21	13	11	2	-
Male.....	-	-	1	1	1	5	6	7	3	3	-	-
Female.....	-	-	-	2	2	4	6	14	10	8	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Texas

All races, both sexes.....	2	11	30	44	129	322	607	809	695	316	83	-
Male.....	2	5	14	20	54	117	210	233	163	40	6	-
Female.....	-	6	16	24	75	205	397	576	532	276	77	-
White, both sexes.....	1	11	26	36	112	289	549	753	642	289	75	-
Male.....	1	5	13	15	47	107	186	220	150	32	4	-
Female.....	-	6	13	21	65	182	363	533	492	257	71	-
Black, both sexes.....	1	-	4	8	17	33	54	54	50	26	8	-
Male.....	1	-	1	5	7	10	23	12	13	7	2	-
Female.....	-	-	3	3	10	23	31	42	37	19	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	4	2	3	1	-	-
Male.....	-	-	-	-	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	-	-	3	1	3	-	-	-

Utah

All races, both sexes.....	-	-	2	4	23	38	85	128	99	49	5	-
Male.....	-	-	1	2	11	19	33	44	26	12	-	-
Female.....	-	-	1	2	12	19	52	84	73	37	5	-
White, both sexes.....	-	-	2	4	23	37	84	124	99	49	5	-
Male.....	-	-	1	2	11	19	32	41	26	12	-	-
Female.....	-	-	1	2	12	18	52	83	73	37	5	-
Black, both sexes.....	-	-	-	-	-	-	-	3	-	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Vermont

All races, both sexes.....	1	-	-	-	7	6	24	33	27	20	5	-
Male.....	-	-	-	-	2	3	10	15	7	3	-	-
Female.....	1	-	-	-	5	3	14	18	20	17	5	-
White, both sexes.....	1	-	-	-	7	6	24	33	26	20	5	-
Male.....	-	-	-	-	2	3	10	15	6	3	-	-
Female.....	1	-	-	-	5	3	14	18	20	17	5	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1	3	7	17	52	105	238	321	233	121	22	-
Male.....	-	1	6	9	24	41	77	97	55	20	-	-
Female.....	1	2	1	8	28	64	161	224	178	101	22	-
White, both sexes.....	-	3	2	13	42	79	199	280	199	101	17	-
Male.....	-	1	2	7	21	29	59	85	45	14	-	-
Female.....	-	2	-	6	21	50	140	195	154	87	17	-
Black, both sexes.....	1	-	5	4	10	25	36	38	32	20	5	-
Male.....	-	-	4	2	3	11	16	12	9	6	-	-
Female.....	1	-	1	2	7	14	20	26	23	14	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	3	2	-	-	-
Male.....	-	-	-	-	-	1	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Organic dementia (F01,F03)

Wisconsin

All races, both sexes.....	-	8	8	11	50	100	288	368	368	197	55	-
Male.....	-	1	3	8	22	47	100	107	86	29	5	-
Female.....	-	7	5	3	28	53	188	261	282	168	50	-
White, both sexes.....	-	7	7	11	45	93	280	362	359	195	55	-
Male.....	-	1	3	8	20	44	96	105	83	29	5	-
Female.....	-	6	4	3	25	49	184	257	276	166	50	-
Black, both sexes.....	-	1	1	-	5	7	7	6	8	2	-	-
Male.....	-	-	-	-	2	3	4	2	3	-	-	-
Female.....	-	1	1	-	3	4	3	4	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Wyoming

All races, both sexes.....	-	2	-	1	1	6	7	8	23	5	-	-
Male.....	-	1	-	-	1	3	2	2	3	-	-	-
Female.....	-	1	-	1	-	3	5	6	20	5	-	-
White, both sexes.....	-	2	-	1	1	6	7	8	22	5	-	-
Male.....	-	1	-	-	1	3	2	2	3	-	-	-
Female.....	-	1	-	1	-	3	5	6	19	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Mental and behavioral disorders due to psychoactive substance use (F10-F19)

Oregon

All races, both sexes.....	314	-	-	-	-	2	1	10	6	16	38	48
Male.....	235	-	-	-	-	1	-	9	4	14	30	38
Female.....	79	-	-	-	-	1	1	1	2	2	8	10
White, both sexes.....	295	-	-	-	-	2	1	10	5	16	37	45
Male.....	218	-	-	-	-	1	-	9	3	14	29	36
Female.....	77	-	-	-	-	1	1	1	2	2	8	9
Black, both sexes.....	7	-	-	-	-	-	-	-	-	-	1	1
Male.....	7	-	-	-	-	-	-	-	-	-	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	1	-	-	2
Male.....	7	-	-	-	-	-	-	-	1	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	214	-	-	-	-	2	4	8	9	18	29	19
Male.....	159	-	-	-	-	2	4	7	6	11	22	12
Female.....	55	-	-	-	-	-	-	1	3	7	7	7
White, both sexes.....	187	-	-	-	-	2	3	8	9	16	26	16
Male.....	138	-	-	-	-	2	3	7	6	10	20	11
Female.....	49	-	-	-	-	-	-	1	3	6	6	5
Black, both sexes.....	25	-	-	-	-	-	1	-	-	1	3	3
Male.....	20	-	-	-	-	-	1	-	-	1	2	1
Female.....	5	-	-	-	-	-	-	-	-	-	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Mental and behavioral disorders due to psychoactive substance use (F10-F19)

Arkansas

All races, both sexes.....	14	8	7	2	1	3	1	3	-	-	-	-
Male.....	11	8	4	2	-	2	1	2	-	-	-	-
Female.....	3	-	3	-	1	1	-	1	-	-	-	-
White, both sexes.....	10	5	6	1	1	3	1	3	-	-	-	-
Male.....	8	5	3	1	-	2	1	2	-	-	-	-
Female.....	2	-	3	-	1	1	-	1	-	-	-	-
Black, both sexes.....	4	3	1	1	-	-	-	-	-	-	-	-
Male.....	3	3	1	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	253	175	108	91	61	40	23	16	6	1	-	2
Male.....	197	135	81	70	43	29	14	7	4	-	-	2
Female.....	56	40	27	21	18	11	9	9	2	1	-	-
White, both sexes.....	205	156	92	73	52	34	22	15	5	1	-	2
Male.....	160	118	68	52	36	26	14	6	3	-	-	2
Female.....	45	38	24	21	16	8	8	9	2	1	-	-
Black, both sexes.....	35	16	13	13	6	3	1	1	-	-	-	-
Male.....	24	15	11	13	4	3	-	1	-	-	-	-
Female.....	11	1	2	-	2	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	4	2	1	1	-	1	-	-	-	-	-	-
Male.....	4	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	2	4	3	2	-	-	1	-	-	-
Male.....	9	1	1	4	3	-	-	-	1	-	-	-
Female.....	-	-	1	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Mental and behavioral disorders due to psychoactive substance use (F10-F19)

New Hampshire

All races, both sexes.....	7	6	2	2	2	3	2	-	-	-	-	-
Male.....	7	6	1	2	1	1	2	-	-	-	-	-
Female.....	-	-	1	-	1	2	-	-	-	-	-	-
White, both sexes.....	7	6	2	2	2	3	2	-	-	-	-	-
Male.....	7	6	1	2	1	1	2	-	-	-	-	-
Female.....	-	-	1	-	1	2	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	40	36	19	12	13	13	11	4	3	1	-	-
Male.....	34	31	14	11	9	7	8	1	2	-	-	-
Female.....	6	5	5	1	4	6	3	3	1	1	-	-
White, both sexes.....	32	26	10	10	11	12	11	4	3	1	-	-
Male.....	27	23	7	9	8	7	8	1	2	-	-	-
Female.....	5	3	3	1	3	5	3	3	1	1	-	-
Black, both sexes.....	7	10	8	2	2	-	-	-	-	-	-	-
Male.....	6	8	6	2	1	-	-	-	-	-	-	-
Female.....	1	2	2	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Mental and behavioral disorders due to use of alcohol (F10)												
Oregon												
All races, both sexes.....	199	-	-	-	-	1	-	2	1	8	18	31
Male.....	156	-	-	-	-	-	-	2	1	6	15	26
Female.....	43	-	-	-	-	1	-	-	-	2	3	5
White, both sexes.....	187	-	-	-	-	1	-	2	-	8	17	31
Male.....	145	-	-	-	-	-	-	2	-	6	14	26
Female.....	42	-	-	-	-	1	-	-	-	2	3	5
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	1	-	-	-
Male.....	5	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	151	-	-	-	-	2	-	3	6	8	19	16
Male.....	114	-	-	-	-	2	-	3	4	4	16	11
Female.....	37	-	-	-	-	-	-	-	2	4	3	5
White, both sexes.....	135	-	-	-	-	2	-	3	6	6	19	16
Male.....	101	-	-	-	-	2	-	3	4	3	16	11
Female.....	34	-	-	-	-	-	-	-	2	3	3	5
Black, both sexes.....	14	-	-	-	-	-	-	-	-	1	-	-
Male.....	12	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Mental and behavioral disorders due to use of alcohol (F10)

Arkansas

All races, both sexes.....	11	8	7	2	-	1	1	2	-	-	-	-
Male.....	10	8	4	2	-	1	1	1	-	-	-	-
Female.....	1	-	3	-	-	-	-	1	-	-	-	-
White, both sexes.....	8	5	6	1	-	1	1	2	-	-	-	-
Male.....	7	5	3	1	-	1	1	1	-	-	-	-
Female.....	1	-	3	-	-	-	-	1	-	-	-	-
Black, both sexes.....	3	3	1	1	-	-	-	-	-	-	-	-
Male.....	3	3	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	156	129	89	74	51	29	20	12	4	1	-	1
Male.....	126	99	67	59	39	22	12	5	3	-	-	1
Female.....	30	30	22	15	12	7	8	7	1	1	-	-
White, both sexes.....	134	119	79	60	42	24	19	11	3	1	-	1
Male.....	106	90	58	45	32	19	12	4	2	-	-	1
Female.....	28	29	21	15	10	5	7	7	1	1	-	-
Black, both sexes.....	16	9	7	9	6	3	1	1	-	-	-	-
Male.....	14	9	7	9	4	3	-	1	-	-	-	-
Female.....	2	-	-	-	2	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	1	1	-	-	-	-	-	-	-	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	2	4	3	2	-	-	1	-	-	-
Male.....	4	-	1	4	3	-	-	-	1	-	-	-
Female.....	-	-	1	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Mental and behavioral disorders due to other psychoactive substance use (F11-F19)

New Hampshire

All races, both sexes.....	-	1	1	1	1	-	2	-	-	-	-	-
Male.....	-	1	-	1	-	-	2	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
White, both sexes.....	-	1	1	1	1	-	2	-	-	-	-	-
Male.....	-	1	-	1	-	-	2	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	12	9	9	4	4	8	7	3	3	1	-	-
Male.....	11	7	7	4	2	3	6	1	2	-	-	-
Female.....	1	2	2	-	2	5	1	2	1	1	-	-
White, both sexes.....	8	6	5	3	4	7	7	3	3	1	-	-
Male.....	7	4	4	3	2	3	6	1	2	-	-	-
Female.....	1	2	1	-	2	4	1	2	1	1	-	-
Black, both sexes.....	3	3	4	1	-	-	-	-	-	-	-	-
Male.....	3	3	3	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Mood (affective) disorders (F30-F39)

Arkansas

All races, both sexes.....	-	-	1	-	-	1	-	-	1	1	-	-
Male.....	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-
White, both sexes.....	-	-	1	-	-	1	-	-	1	1	-	-
Male.....	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	-	-	1	4	4	8	15	11	2	1	-
Male.....	-	-	-	1	3	-	2	1	3	1	-	-
Female.....	-	-	-	-	1	4	6	14	8	1	1	-
White, both sexes.....	-	-	-	1	4	4	8	15	8	2	1	-
Male.....	-	-	-	1	3	-	2	1	1	1	-	-
Female.....	-	-	-	-	1	4	6	14	7	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	3	-	-	-
Male.....	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Mental retardation (F70-F79)

New Mexico

All races, both sexes.....	4	-	-	-	-	-	-	-	-	1	1	-
Male.....	4	-	-	-	-	-	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	30	-	1	-	2	2	1	2	-	-	3	4
Male.....	14	-	-	-	1	-	1	-	-	-	1	3
Female.....	16	-	1	-	1	2	-	2	-	-	2	1
White, both sexes.....	25	-	1	-	-	-	1	2	-	-	2	4
Male.....	13	-	-	-	-	-	1	-	-	-	1	3
Female.....	12	-	1	-	-	-	-	2	-	-	1	1
Black, both sexes.....	4	-	-	-	2	1	-	-	-	-	1	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	1	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified mental and behavioral disorders (F50-F69,F80-F99)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	5	1	-	1	6	13	11	22	15	8	-
Male.....	-	1	-	-	1	1	5	5	7	5	3	-
Female.....	-	4	1	-	-	5	8	6	15	10	5	-
White, both sexes.....	-	5	1	-	1	5	13	9	22	14	6	-
Male.....	-	1	-	-	1	-	5	4	7	5	2	-
Female.....	-	4	1	-	-	5	8	5	15	9	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	1	2	-
Male.....	-	-	-	-	-	1	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
VI. Diseases of the nervous system (G00-G98)												
Arkansas												
All races, both sexes.....	1,075	6	8	3	4	9	6	4	5	7	14	18
Male.....	426	1	3	1	3	7	3	2	3	2	12	14
Female.....	649	5	5	2	1	2	3	2	2	5	2	4
White, both sexes.....	979	4	3	2	3	7	4	3	5	5	10	14
Male.....	380	-	1	1	2	5	3	1	3	2	9	11
Female.....	599	4	2	1	1	2	1	2	2	3	1	3
Black, both sexes.....	94	2	5	1	1	2	2	1	-	2	4	4
Male.....	46	1	2	-	1	2	-	1	-	-	3	3
Female.....	48	1	3	1	-	-	2	-	-	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	11,073	35	39	25	34	43	52	43	49	73	96	144
Male.....	4,434	23	24	17	23	32	36	26	30	47	62	88
Female.....	6,639	12	15	8	11	11	16	17	19	26	34	56
White, both sexes.....	9,966	31	24	22	24	33	38	34	37	57	82	122
Male.....	3,969	19	15	14	18	24	24	21	23	39	57	79
Female.....	5,997	12	9	8	6	9	14	13	14	18	25	43
Black, both sexes.....	605	1	9	-	7	8	6	4	7	12	12	12
Male.....	227	1	4	-	4	7	4	2	4	4	4	7
Female.....	378	-	5	-	3	1	2	2	3	8	8	5
American Indian 1/, both sexes.....	34	-	2	-	-	-	-	-	-	1	-	2
Male.....	18	-	2	-	-	-	-	-	-	1	-	-
Female.....	16	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	468	3	4	3	3	2	8	5	5	3	2	8
Male.....	220	3	3	3	1	1	8	3	3	3	1	2
Female.....	248	-	1	-	2	1	-	2	2	-	1	6

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

VI. Diseases of the nervous system (G00-G98)

Kentucky

All races, both sexes.....	1,635	5	6	7	5	6	8	8	8	12	16	35
Male.....	636	5	4	4	2	5	4	5	4	7	9	17
Female.....	999	-	2	3	3	1	4	3	4	5	7	18
White, both sexes.....	1,560	5	5	6	4	5	7	6	8	12	14	30
Male.....	607	5	3	3	1	4	4	4	4	7	7	14
Female.....	953	-	2	3	3	1	3	2	4	5	7	16
Black, both sexes.....	71	-	1	1	1	-	1	2	-	-	2	5
Male.....	27	-	1	1	1	-	-	1	-	-	2	3
Female.....	44	-	-	-	-	-	1	1	-	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	1,999	6	9	5	11	5	3	13	11	12	25	32
Male.....	779	3	1	5	5	5	3	7	6	5	17	22
Female.....	1,220	3	8	-	6	-	-	6	5	7	8	10
White, both sexes.....	1,569	2	3	3	7	3	1	7	5	3	11	18
Male.....	605	1	-	3	3	3	1	5	4	1	9	13
Female.....	964	1	3	-	4	-	-	2	1	2	2	5
Black, both sexes.....	420	4	6	2	4	2	2	6	5	9	14	13
Male.....	173	2	1	2	2	2	2	2	2	4	8	9
Female.....	247	2	5	-	2	-	-	4	3	5	6	4
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
VI. Diseases of the nervous system (G00-G98)												
New Mexico												
All races, both sexes.....	648	3	3	1	1	3	2	5	-	2	8	9
Male.....	291	2	2	1	-	3	2	3	-	2	5	6
Female.....	357	1	1	-	1	-	-	2	-	-	3	3
White, both sexes.....	617	2	3	-	1	1	2	5	-	1	6	9
Male.....	275	1	2	-	-	1	2	3	-	1	4	6
Female.....	342	1	1	-	1	-	-	2	-	-	2	3
Black, both sexes.....	7	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	21	1	-	-	-	1	-	-	-	1	2	-
Male.....	13	1	-	-	-	1	-	-	-	1	1	-
Female.....	8	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	4,045	21	11	18	10	14	22	22	24	22	46	58
Male.....	1,615	12	5	8	4	11	13	14	17	12	25	33
Female.....	2,430	9	6	10	6	3	9	8	7	10	21	25
White, both sexes.....	3,692	12	6	13	5	8	15	18	13	18	36	45
Male.....	1,474	7	3	7	3	6	11	12	10	9	21	26
Female.....	2,218	5	3	6	2	2	4	6	3	9	15	19
Black, both sexes.....	323	8	5	5	5	5	6	4	11	4	10	13
Male.....	128	4	2	1	1	5	2	2	7	3	4	7
Female.....	195	4	3	4	4	-	4	2	4	1	6	6
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	1	-	-	-	1	-	-	-	-	-	-
Male.....	11	1	-	-	-	-	-	-	-	-	-	-
Female.....	17	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
VI. Diseases of the nervous system (G00-G98)												
Oregon												
All races, both sexes.....	1,993	2	3	6	2	2	12	7	7	9	18	17
Male.....	782	2	1	3	2	-	5	5	4	2	10	9
Female.....	1,211	-	2	3	-	2	7	2	3	7	8	8
White, both sexes.....	1,956	2	3	6	2	2	9	7	7	8	18	16
Male.....	768	2	1	3	2	-	4	5	4	2	10	9
Female.....	1,188	-	2	3	-	2	5	2	3	6	8	7
Black, both sexes.....	14	-	-	-	-	-	2	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	16	-	-	-	-	-	1	-	-	-	-	-
Male.....	7	-	-	-	-	-	1	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	5,760	23	11	8	11	25	12	12	22	28	56	81
Male.....	2,165	15	7	3	3	16	7	7	13	15	30	40
Female.....	3,595	8	4	5	8	9	5	5	9	13	26	41
White, both sexes.....	5,416	16	8	7	8	18	10	8	16	24	49	66
Male.....	2,043	11	5	3	3	10	6	6	10	12	28	35
Female.....	3,373	5	3	4	5	8	4	2	6	12	21	31
Black, both sexes.....	325	7	3	1	3	7	1	3	4	4	7	15
Male.....	116	4	2	-	-	6	1	-	1	3	2	5
Female.....	209	3	1	1	3	1	-	3	3	1	5	10
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	-	1	1	2	-	-	-
Male.....	5	-	-	-	-	-	-	1	2	-	-	-
Female.....	13	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Alaska

All races, both sexes.....	7	6	7	8	10	11	21	14	11	-	-	-
Male.....	4	4	1	3	4	4	10	4	3	-	-	-
Female.....	3	2	6	5	6	7	11	10	8	-	-	-
White, both sexes.....	6	5	6	8	9	9	20	13	11	-	-	-
Male.....	3	3	1	3	3	3	10	4	3	-	-	-
Female.....	3	2	5	5	6	6	10	9	8	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	1	2	1	-	-	-	-	-
Male.....	1	1	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	40	43	63	80	158	324	535	608	409	165	27	1
Male.....	20	19	28	37	85	163	223	240	117	33	4	1
Female.....	20	24	35	43	73	161	312	368	292	132	23	-
White, both sexes.....	33	41	61	77	156	312	520	591	397	162	25	-
Male.....	17	19	27	36	84	154	219	236	110	32	4	-
Female.....	16	22	34	41	72	158	301	355	287	130	21	-
Black, both sexes.....	1	1	2	2	1	5	8	9	8	3	1	-
Male.....	1	-	1	-	-	2	4	2	3	1	-	-
Female.....	-	1	1	2	1	3	4	7	5	2	1	-
American Indian 1/, both sexes.....	5	1	-	1	1	6	3	5	2	-	1	1
Male.....	2	-	-	1	1	6	-	1	2	-	-	1
Female.....	3	1	-	-	-	-	3	4	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	4	3	2	-	-	-
Male.....	-	-	-	-	-	1	-	1	2	-	-	-
Female.....	1	-	-	-	-	-	4	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Arkansas

All races, both sexes.....	24	22	41	51	74	122	207	230	160	50	10	-
Male.....	13	10	21	32	40	54	91	69	37	7	1	-
Female.....	11	12	20	19	34	68	116	161	123	43	9	-
White, both sexes.....	22	18	34	45	68	111	194	217	153	47	10	-
Male.....	12	9	17	29	36	48	85	63	35	7	1	-
Female.....	10	9	17	16	32	63	109	154	118	40	9	-
Black, both sexes.....	2	4	7	5	6	11	13	13	7	2	-	-
Male.....	1	1	4	3	4	6	6	6	2	-	-	-
Female.....	1	3	3	2	2	5	7	7	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	1	-	-

California

All races, both sexes.....	173	210	250	351	606	1,329	2,363	2,468	1,805	754	131	-
Male.....	85	114	124	187	333	599	1,018	923	487	142	14	-
Female.....	88	96	126	164	273	730	1,345	1,545	1,318	612	117	-
White, both sexes.....	140	180	225	302	533	1,173	2,157	2,263	1,668	702	119	-
Male.....	71	97	115	159	296	528	947	834	448	128	13	-
Female.....	69	83	110	143	237	645	1,210	1,429	1,220	574	106	-
Black, both sexes.....	25	19	18	26	37	80	108	109	70	26	9	-
Male.....	13	11	5	13	21	32	32	40	14	4	1	-
Female.....	12	8	13	13	16	48	76	69	56	22	8	-
American Indian 1/, both sexes.....	2	1	1	2	-	2	9	6	4	2	-	-
Male.....	-	1	1	1	-	-	8	2	2	-	-	-
Female.....	2	-	-	1	-	2	1	4	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	6	10	6	21	36	74	89	90	63	24	3	-
Male.....	1	5	3	14	16	39	31	47	23	10	-	-
Female.....	5	5	3	7	20	35	58	43	40	14	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Colorado

All races, both sexes.....	50	51	43	54	99	190	328	336	265	81	17	-
Male.....	25	26	19	28	48	78	136	105	81	14	1	-
Female.....	25	25	24	26	51	112	192	231	184	67	16	-
White, both sexes.....	45	50	39	49	96	182	315	329	257	77	16	-
Male.....	25	25	16	23	48	73	131	102	80	14	1	-
Female.....	20	25	23	26	48	109	184	227	177	63	15	-
Black, both sexes.....	4	-	4	4	-	6	9	5	6	3	1	-
Male.....	-	-	3	4	-	3	4	3	1	-	-	-
Female.....	4	-	1	-	-	3	5	2	5	3	1	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	1	-	1	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	3	2	3	2	1	1	-	-
Male.....	-	-	-	-	-	2	1	-	-	-	-	-
Female.....	1	-	-	-	3	-	2	2	1	1	-	-

Connecticut

All races, both sexes.....	23	31	38	49	79	153	241	277	197	83	14	-
Male.....	13	13	17	24	35	87	111	102	56	15	1	-
Female.....	10	18	21	25	44	66	130	175	141	68	13	-
White, both sexes.....	21	28	37	48	78	147	230	264	187	80	14	-
Male.....	12	13	16	24	34	83	107	98	54	15	1	-
Female.....	9	15	21	24	44	64	123	166	133	65	13	-
Black, both sexes.....	1	3	1	1	-	6	9	12	9	3	-	-
Male.....	1	-	1	-	-	4	2	3	2	-	-	-
Female.....	-	3	-	1	-	2	7	9	7	3	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	1	-	-	-
Male.....	-	-	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Florida

All races, both sexes.....	111	161	170	255	472	969	1,598	1,750	1,229	470	82	-
Male.....	63	88	91	137	253	499	719	709	338	87	11	-
Female.....	48	73	79	118	219	470	879	1,041	891	383	71	-
White, both sexes.....	99	133	148	227	434	906	1,515	1,655	1,187	447	75	-
Male.....	57	75	83	124	236	468	688	681	328	86	8	-
Female.....	42	58	65	103	198	438	827	974	859	361	67	-
Black, both sexes.....	12	27	22	28	32	60	79	90	40	21	6	-
Male.....	6	13	8	13	14	31	30	26	9	1	3	-
Female.....	6	14	14	15	18	29	49	64	31	20	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	6	3	3	5	2	2	1	-
Male.....	-	-	-	-	3	-	1	2	1	-	-	-
Female.....	-	1	-	-	3	3	2	3	1	2	1	-

Georgia

All races, both sexes.....	69	83	111	127	191	374	558	579	377	118	26	-
Male.....	39	44	57	62	95	163	209	169	78	14	3	-
Female.....	30	39	54	65	96	211	349	410	299	104	23	-
White, both sexes.....	48	60	76	96	154	319	474	507	316	101	18	-
Male.....	25	29	39	50	77	140	183	147	61	12	2	-
Female.....	23	31	37	46	77	179	291	360	255	89	16	-
Black, both sexes.....	20	23	35	28	36	55	80	71	59	17	8	-
Male.....	14	15	18	10	18	23	25	22	17	2	1	-
Female.....	6	8	17	18	18	32	55	49	42	15	7	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	3	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	3	1	-	1	1	1	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
VI. Diseases of the nervous system (G00-G98)												
Hawaii												
All races, both sexes.....	6	12	9	5	18	46	74	80	48	22	10	-
Male.....	4	6	6	3	13	21	45	36	20	2	2	-
Female.....	2	6	3	2	5	25	29	44	28	20	8	-
White, both sexes.....	2	3	3	-	5	19	24	27	12	8	1	-
Male.....	-	2	1	-	5	6	12	13	2	-	-	-
Female.....	2	1	2	-	-	13	12	14	10	8	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	9	6	5	13	27	50	53	36	14	9	-
Male.....	4	4	5	3	8	15	33	23	18	2	2	-
Female.....	-	5	1	2	5	12	17	30	18	12	7	-
Idaho												
All races, both sexes.....	12	11	18	22	40	74	114	144	103	30	5	-
Male.....	7	4	11	12	17	34	49	57	27	2	-	-
Female.....	5	7	7	10	23	40	65	87	76	28	5	-
White, both sexes.....	12	10	18	22	40	73	112	144	103	30	5	-
Male.....	7	4	11	12	17	34	48	57	27	2	-	-
Female.....	5	6	7	10	23	39	64	87	76	28	5	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
VI. Diseases of the nervous system (G00-G98)												
Iowa												
All races, both sexes.....	19	26	28	50	89	176	296	365	259	99	17	-
Male.....	10	15	14	30	47	78	126	113	66	19	2	-
Female.....	9	11	14	20	42	98	170	252	193	80	15	-
White, both sexes.....	19	26	28	49	87	175	291	363	255	99	17	-
Male.....	10	15	14	30	45	77	124	113	64	19	2	-
Female.....	9	11	14	19	42	98	167	250	191	80	15	-
Black, both sexes.....	-	-	-	1	2	1	4	1	4	-	-	-
Male.....	-	-	-	-	2	1	1	-	2	-	-	-
Female.....	-	-	-	1	-	-	3	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Kansas												
All races, both sexes.....	15	27	37	51	74	176	285	312	195	82	15	-
Male.....	4	15	29	25	40	68	127	92	52	10	1	-
Female.....	11	12	8	26	34	108	158	220	143	72	14	-
White, both sexes.....	13	24	34	49	70	170	274	299	192	78	15	-
Male.....	4	12	26	25	37	66	123	88	52	8	1	-
Female.....	9	12	8	24	33	104	151	211	140	70	14	-
Black, both sexes.....	1	2	2	2	3	6	10	10	2	4	-	-
Male.....	-	2	2	-	2	2	3	4	-	2	-	-
Female.....	1	-	-	2	1	4	7	6	2	2	-	-
American Indian 1/, both sexes.....	1	1	-	-	1	-	1	2	1	-	-	-
Male.....	-	1	-	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Kentucky

All races, both sexes.....	38	50	44	70	95	213	332	330	247	83	17	-
Male.....	20	22	23	38	46	97	128	111	72	13	-	-
Female.....	18	28	21	32	49	116	204	219	175	70	17	-
White, both sexes.....	36	46	41	65	92	207	323	316	238	78	16	-
Male.....	19	21	23	35	44	95	126	108	68	12	-	-
Female.....	17	25	18	30	48	112	197	208	170	66	16	-
Black, both sexes.....	2	4	2	4	3	6	9	13	9	5	1	-
Male.....	1	1	-	2	2	2	2	3	4	1	-	-
Female.....	1	3	2	2	1	4	7	10	5	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-

Louisiana

All races, both sexes.....	44	42	52	77	126	298	410	411	294	99	14	-
Male.....	28	22	25	32	63	123	179	138	76	14	-	-
Female.....	16	20	27	45	63	175	231	273	218	85	14	-
White, both sexes.....	28	25	35	60	93	248	346	348	235	77	11	-
Male.....	16	13	18	27	47	107	151	116	58	9	-	-
Female.....	12	12	17	33	46	141	195	232	177	68	11	-
Black, both sexes.....	16	16	17	16	31	47	64	63	58	22	3	-
Male.....	12	8	7	5	16	16	28	22	18	5	-	-
Female.....	4	8	10	11	15	31	36	41	40	17	3	-
American Indian 1/, both sexes.....	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	2	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Maine

All races, both sexes.....	16	15	15	23	55	103	152	172	135	57	10	-
Male.....	11	5	10	14	25	45	60	51	31	8	-	-
Female.....	5	10	5	9	30	58	92	121	104	49	10	-
White, both sexes.....	16	15	15	23	55	103	151	171	133	57	10	-
Male.....	11	5	10	14	25	45	60	51	31	8	-	-
Female.....	5	10	5	9	30	58	91	120	102	49	10	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Maryland

All races, both sexes.....	44	44	73	59	111	215	355	350	266	90	18	-
Male.....	23	23	39	32	53	96	148	114	62	19	2	-
Female.....	21	21	34	27	58	119	207	236	204	71	16	-
White, both sexes.....	32	29	45	42	84	176	292	298	222	79	16	-
Male.....	17	14	27	24	40	82	126	91	55	17	2	-
Female.....	15	15	18	18	44	94	166	207	167	62	14	-
Black, both sexes.....	12	14	26	15	21	37	60	46	38	11	1	-
Male.....	6	8	10	7	11	13	20	19	6	2	-	-
Female.....	6	6	16	8	10	24	40	27	32	9	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	6	2	3	6	6	-	-	-
Male.....	-	1	2	1	2	1	2	4	1	-	-	-
Female.....	-	-	-	1	4	1	1	2	5	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Massachusetts

All races, both sexes.....	41	75	81	85	188	368	570	654	435	186	31	-
Male.....	23	37	42	42	93	159	223	203	91	28	1	-
Female.....	18	38	39	43	95	209	347	451	344	158	30	-
White, both sexes.....	41	72	77	81	175	357	551	643	416	184	30	-
Male.....	23	34	41	40	84	155	215	197	86	28	1	-
Female.....	18	38	36	41	91	202	336	446	330	156	29	-
Black, both sexes.....	-	2	4	3	10	9	13	8	18	-	1	-
Male.....	-	2	1	1	6	3	5	4	5	-	-	-
Female.....	-	-	3	2	4	6	8	4	13	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	2	2	6	3	1	1	-	-
Male.....	-	1	-	1	2	1	3	2	-	-	-	-
Female.....	-	-	-	-	-	1	3	1	1	1	-	-

Michigan

All races, both sexes.....	93	115	114	159	241	516	780	823	609	235	42	-
Male.....	56	51	59	86	125	260	332	267	149	30	2	-
Female.....	37	64	55	73	116	256	448	556	460	205	40	-
White, both sexes.....	75	101	102	141	222	470	723	779	588	220	38	-
Male.....	44	42	53	77	115	239	305	254	145	29	2	-
Female.....	31	59	49	64	107	231	418	525	443	191	36	-
Black, both sexes.....	18	14	11	18	15	41	53	38	20	14	4	-
Male.....	12	9	5	9	8	19	23	12	4	1	-	-
Female.....	6	5	6	9	7	22	30	26	16	13	4	-
American Indian 1/, both sexes.....	-	-	-	-	2	5	3	3	1	1	-	-
Male.....	-	-	-	-	1	2	3	1	-	-	-	-
Female.....	-	-	-	-	1	3	-	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	-	1	3	-	-	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Nebraska

All races, both sexes.....	14	20	18	30	45	87	153	186	120	53	11	-
Male.....	9	15	9	23	21	38	71	62	31	10	2	-
Female.....	5	5	9	7	24	49	82	124	89	43	9	-
White, both sexes.....	13	18	18	29	45	86	149	184	119	52	10	-
Male.....	8	13	9	22	21	38	68	60	31	10	2	-
Female.....	5	5	9	7	24	48	81	124	88	42	8	-
Black, both sexes.....	1	1	-	1	-	-	1	2	1	1	1	-
Male.....	1	1	-	1	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	3	-	-	-	-	-
Male.....	-	1	-	-	-	-	3	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	16	25	18	41	49	86	100	126	61	24	1	-
Male.....	8	12	8	22	29	42	48	56	20	6	-	-
Female.....	8	13	10	19	20	44	52	70	41	18	1	-
White, both sexes.....	13	24	16	38	48	80	93	119	59	23	1	-
Male.....	5	12	7	21	29	38	45	50	18	6	-	-
Female.....	8	12	9	17	19	42	48	69	41	17	1	-
Black, both sexes.....	2	-	1	2	1	2	3	4	2	1	-	-
Male.....	2	-	1	1	-	1	-	3	2	-	-	-
Female.....	-	-	-	1	1	1	3	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	-	4	3	3	-	-	-	-
Male.....	1	-	-	-	-	3	2	3	-	-	-	-
Female.....	-	1	-	1	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

New Hampshire

All races, both sexes.....	11	9	17	20	36	66	118	116	75	42	6	-
Male.....	6	4	9	9	17	34	46	39	11	10	1	-
Female.....	5	5	8	11	19	32	72	77	64	32	5	-
White, both sexes.....	10	9	17	20	36	64	118	116	75	42	6	-
Male.....	6	4	9	9	17	33	46	39	11	10	1	-
Female.....	4	5	8	11	19	31	72	77	64	32	5	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	61	66	83	82	186	352	546	690	502	189	32	-
Male.....	27	37	47	38	90	180	233	219	141	34	2	-
Female.....	34	29	36	44	96	172	313	471	361	155	30	-
White, both sexes.....	50	53	70	66	169	317	522	655	475	181	27	-
Male.....	23	31	38	32	81	162	223	210	134	33	2	-
Female.....	27	22	32	34	88	155	299	445	341	148	25	-
Black, both sexes.....	10	12	11	10	16	28	23	33	20	8	4	-
Male.....	4	5	9	3	9	13	9	8	4	1	-	-
Female.....	6	7	2	7	7	15	14	25	16	7	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	6	1	7	1	2	7	-	-	-
Male.....	-	1	-	3	-	5	1	1	3	-	-	-
Female.....	1	-	2	3	1	2	-	1	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
VI. Diseases of the nervous system (G00-G98)												
New Mexico												
All races, both sexes.....	11	22	18	21	52	98	126	126	95	38	4	-
Male.....	7	14	8	10	30	47	56	56	25	10	2	-
Female.....	4	8	10	11	22	51	70	70	70	28	2	-
White, both sexes.....	9	22	15	20	51	95	124	120	92	36	3	-
Male.....	6	14	6	10	29	46	56	53	24	10	1	-
Female.....	3	8	9	10	22	49	68	67	68	26	2	-
Black, both sexes.....	1	-	1	-	-	1	-	2	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	2	1	-	-	-
American Indian 1/, both sexes.....	1	-	2	1	1	2	1	4	1	2	1	-
Male.....	1	-	1	-	1	1	-	3	1	-	1	-
Female.....	-	-	1	1	-	1	1	1	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
New York												
All races, both sexes.....	112	143	171	192	297	474	726	786	604	233	39	-
Male.....	54	71	85	98	158	224	295	272	162	37	5	-
Female.....	58	72	86	94	139	250	431	514	442	196	34	-
White, both sexes.....	89	125	150	168	274	435	685	745	576	219	37	-
Male.....	48	62	78	85	144	206	281	262	152	36	5	-
Female.....	41	63	72	83	130	229	404	483	424	183	32	-
Black, both sexes.....	23	18	15	23	20	35	36	36	25	14	2	-
Male.....	6	9	5	13	12	17	9	9	9	1	-	-
Female.....	17	9	10	10	8	18	27	27	16	13	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	5	1	3	4	4	5	3	-	-	-
Male.....	-	-	1	-	2	1	4	1	1	-	-	-
Female.....	-	-	4	1	1	3	-	4	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Ohio

All races, both sexes.....	87	128	164	218	349	646	1,024	1,056	726	272	56	-
Male.....	45	62	85	106	175	299	422	331	159	46	5	-
Female.....	42	66	79	112	174	347	602	725	567	226	51	-
White, both sexes.....	72	112	147	188	316	594	951	997	676	255	51	-
Male.....	37	55	80	89	160	281	394	310	149	43	5	-
Female.....	35	57	67	99	156	313	557	687	527	212	46	-
Black, both sexes.....	15	15	17	29	33	51	72	58	50	17	5	-
Male.....	8	7	5	16	15	18	27	21	10	3	-	-
Female.....	7	8	12	13	18	33	45	37	40	14	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	1	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	1	-	-	-	-

Oklahoma

All races, both sexes.....	29	33	44	66	121	199	296	286	192	80	17	-
Male.....	19	14	24	43	59	100	125	87	48	13	1	-
Female.....	10	19	20	23	62	99	171	199	144	67	16	-
White, both sexes.....	23	31	36	59	110	178	275	274	178	75	14	-
Male.....	15	13	19	41	56	88	121	82	45	12	-	-
Female.....	8	18	17	18	54	90	154	192	133	63	14	-
Black, both sexes.....	3	-	4	1	7	11	14	7	7	4	3	-
Male.....	2	-	1	-	2	6	4	3	2	1	1	-
Female.....	1	-	3	1	5	5	10	4	5	3	2	-
American Indian 1/, both sexes.....	3	1	4	4	3	9	6	5	7	-	-	-
Male.....	2	-	4	1	1	6	-	2	1	-	-	-
Female.....	1	1	-	3	2	3	6	3	6	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	1	1	1	-	-	1	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Oregon

All races, both sexes.....	33	45	39	63	117	254	412	450	359	124	12	-
Male.....	17	19	19	30	61	117	176	184	89	27	-	-
Female.....	16	26	20	33	56	137	236	266	270	97	12	-
White, both sexes.....	31	43	39	60	116	249	401	446	357	122	12	-
Male.....	17	17	19	29	60	115	173	181	88	27	-	-
Female.....	14	26	20	31	56	134	228	265	269	95	12	-
Black, both sexes.....	-	1	-	2	1	2	4	1	-	1	-	-
Male.....	-	1	-	1	1	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	2	3	-	-	1	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	2	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	3	5	3	2	1	-	-
Male.....	-	-	-	-	-	2	1	2	1	-	-	-
Female.....	-	-	-	1	-	1	4	1	1	1	-	-

Pennsylvania

All races, both sexes.....	94	141	140	189	388	726	1,162	1,365	869	351	46	-
Male.....	52	77	75	106	203	335	485	449	174	50	3	-
Female.....	42	64	65	83	185	391	677	916	695	301	43	-
White, both sexes.....	82	117	120	174	360	679	1,119	1,325	839	330	41	-
Male.....	46	65	64	99	192	319	470	439	172	46	2	-
Female.....	36	52	56	75	168	360	649	886	667	284	39	-
Black, both sexes.....	11	21	19	15	27	44	43	37	30	18	5	-
Male.....	6	12	10	7	11	15	15	10	2	3	1	-
Female.....	5	9	9	8	16	29	28	27	28	15	4	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	-	-	1	3	-	3	-	3	-	-
Male.....	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	1	3	-	-	1	2	-	3	-	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Rhode Island

All races, both sexes.....	10	6	15	12	27	60	91	111	73	31	4	-
Male.....	6	2	9	5	19	28	39	42	15	6	-	-
Female.....	4	4	6	7	8	32	52	69	58	25	4	-
White, both sexes.....	10	6	14	11	24	58	89	109	71	31	3	-
Male.....	6	2	8	5	17	28	37	41	13	6	-	-
Female.....	4	4	6	6	7	30	52	68	58	25	3	-
Black, both sexes.....	-	-	1	-	3	2	2	2	2	-	-	-
Male.....	-	-	1	-	2	-	2	1	2	-	-	-
Female.....	-	-	-	-	1	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	32	36	52	82	122	267	405	394	293	116	14	-
Male.....	21	22	29	43	63	117	140	111	50	16	-	-
Female.....	11	14	23	39	59	150	265	283	243	100	14	-
White, both sexes.....	19	27	41	63	96	227	330	332	257	92	9	-
Male.....	15	15	23	32	53	101	122	98	47	12	-	-
Female.....	4	12	18	31	43	126	208	234	210	80	9	-
Black, both sexes.....	13	9	11	18	26	40	74	62	36	24	5	-
Male.....	6	7	6	11	10	16	18	13	3	4	-	-
Female.....	7	2	5	7	16	24	56	49	33	20	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

South Dakota

All races, both sexes.....	10	9	12	10	18	48	65	87	80	32	5	-
Male.....	6	3	8	4	10	20	20	30	23	5	1	-
Female.....	4	6	4	6	8	28	45	57	57	27	4	-
White, both sexes.....	9	8	11	9	17	47	63	87	79	32	4	-
Male.....	5	2	8	3	10	20	19	30	23	5	-	-
Female.....	4	6	3	6	7	27	44	57	56	27	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	1	-	1	2	-	1	-	-	-
Male.....	1	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	42	51	74	109	194	302	505	534	388	127	28	-
Male.....	22	30	39	57	91	136	187	163	74	18	2	-
Female.....	20	21	35	52	103	166	318	371	314	109	26	-
White, both sexes.....	34	42	61	96	183	279	470	483	347	110	22	-
Male.....	20	26	32	52	86	127	175	149	67	16	-	-
Female.....	14	16	29	44	97	152	295	334	280	94	22	-
Black, both sexes.....	8	9	13	12	10	22	34	51	41	16	5	-
Male.....	2	4	7	4	4	8	11	14	7	2	2	-
Female.....	6	5	6	8	6	14	23	37	34	14	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	1	-	-	1	-	-
Male.....	-	-	-	1	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Texas

All races, both sexes.....	157	202	208	291	474	982	1,472	1,505	1,075	395	65	-
Male.....	77	111	106	135	231	451	600	524	252	65	10	-
Female.....	80	91	102	156	243	531	872	981	823	330	55	-
White, both sexes.....	126	171	185	262	424	905	1,387	1,406	987	357	54	-
Male.....	61	95	94	122	211	414	570	490	231	58	10	-
Female.....	65	76	91	140	213	491	817	916	756	299	44	-
Black, both sexes.....	29	29	21	22	48	73	80	94	85	35	10	-
Male.....	16	14	12	8	20	34	28	33	21	7	-	-
Female.....	13	15	9	14	28	39	52	61	64	28	10	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	2	1	-	-	1	-
Male.....	-	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	6	1	3	3	4	3	3	-	-
Male.....	-	2	-	4	-	2	1	1	-	-	-	-
Female.....	2	-	2	2	1	1	2	3	3	3	-	-

Utah

All races, both sexes.....	19	14	32	34	50	94	145	175	91	28	4	-
Male.....	10	7	12	24	25	48	64	57	32	6	1	-
Female.....	9	7	20	10	25	46	81	118	59	22	3	-
White, both sexes.....	19	14	32	34	50	94	141	174	91	28	4	-
Male.....	10	7	12	24	25	48	62	57	32	6	1	-
Female.....	9	7	20	10	25	46	79	117	59	22	3	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	3	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Vermont

All races, both sexes.....	7	6	6	11	12	38	67	62	42	26	6	-
Male.....	5	2	1	6	4	19	22	21	6	3	-	-
Female.....	2	4	5	5	8	19	45	41	36	23	6	-
White, both sexes.....	7	6	5	11	12	38	67	62	42	26	6	-
Male.....	5	2	1	6	4	19	22	21	6	3	-	-
Female.....	2	4	4	5	8	19	45	41	36	23	6	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	50	67	98	127	180	348	585	503	376	124	19	-
Male.....	24	40	45	68	79	157	249	145	78	15	1	-
Female.....	26	27	53	59	101	191	336	358	298	109	18	-
White, both sexes.....	37	56	77	105	160	308	515	432	329	103	14	-
Male.....	20	32	37	54	71	140	220	127	69	12	1	-
Female.....	17	24	40	51	89	168	295	305	260	91	13	-
Black, both sexes.....	13	11	18	20	19	38	64	65	45	20	5	-
Male.....	4	8	6	12	7	17	28	16	8	3	-	-
Female.....	9	3	12	8	12	21	36	49	37	17	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	2	1	2	6	5	2	1	-	-
Male.....	-	-	2	2	1	-	1	2	1	-	-	-
Female.....	-	-	1	-	-	2	5	3	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Meningitis (G00,G03)

New Mexico

All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	45	1	-	-	1	1	2	-	1	1	2	4
Male.....	23	-	-	-	-	1	1	-	-	1	2	3
Female.....	22	1	-	-	1	-	1	-	1	-	-	1
White, both sexes.....	24	-	-	-	-	1	1	-	-	1	-	1
Male.....	12	-	-	-	-	1	1	-	-	1	-	1
Female.....	12	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	19	1	-	-	1	-	-	-	1	-	2	3
Male.....	10	-	-	-	-	-	-	-	-	-	2	2
Female.....	9	1	-	-	1	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Meningitis (G00,G03)												
Arkansas												
All races, both sexes.....	3	-	-	-	1	-	-	-	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	1	-	-	-	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	9	1	5	4	4	6	6	4	3	-	-	-
Male.....	4	1	2	-	1	3	5	2	1	-	-	-
Female.....	5	-	3	4	3	3	1	2	2	-	-	-
White, both sexes.....	5	-	4	4	3	6	6	4	1	-	-	-
Male.....	3	-	1	-	-	3	5	2	-	-	-	-
Female.....	2	-	3	4	3	3	1	2	1	-	-	-
Black, both sexes.....	3	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	2	-	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other inflammatory diseases of central nervous system (G04-G09)

Arkansas

All races, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	45	1	1	1	1	1	1	1	2	2	3	2
Male.....	28	-	1	1	1	-	1	-	1	1	3	1
Female.....	17	1	-	-	-	1	-	1	1	1	-	1
White, both sexes.....	36	1	1	1	1	1	1	-	1	-	3	2
Male.....	25	-	1	1	1	-	1	-	1	-	3	1
Female.....	11	1	-	-	-	1	-	-	-	-	-	1
Black, both sexes.....	6	-	-	-	-	-	-	-	1	2	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Parkinson's disease (G20-G21)

Alaska

All races, both sexes.....	-	1	-	-	4	4	3	3	2	-	-	-
Male.....	-	1	-	-	2	3	3	1	1	-	-	-
Female.....	-	-	-	-	2	1	-	2	1	-	-	-
White, both sexes.....	-	-	-	-	4	3	3	3	2	-	-	-
Male.....	-	-	-	-	2	2	3	1	1	-	-	-
Female.....	-	-	-	-	2	1	-	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	-	3	4	14	34	88	98	101	37	8	2	-
Male.....	-	2	1	7	23	60	61	63	21	4	1	-
Female.....	-	1	3	7	11	28	37	38	16	4	1	-
White, both sexes.....	-	3	4	14	34	86	98	98	36	8	2	-
Male.....	-	2	1	7	23	58	61	63	20	4	1	-
Female.....	-	1	3	7	11	28	37	35	16	4	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	2	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Parkinson's disease (G20-G21)

Arkansas

All races, both sexes.....	-	1	5	6	9	32	46	37	17	3	1	-
Male.....	-	1	1	5	3	19	27	17	8	1	1	-
Female.....	-	-	4	1	6	13	19	20	9	2	-	-
White, both sexes.....	-	1	4	6	9	31	45	37	17	3	1	-
Male.....	-	1	-	5	3	19	27	17	8	1	1	-
Female.....	-	-	4	1	6	12	18	20	9	2	-	-
Black, both sexes.....	-	-	1	-	-	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	9	27	64	133	344	544	433	212	55	4	-
Male.....	3	5	18	41	89	204	343	255	98	23	-	-
Female.....	-	4	9	23	44	140	201	178	114	32	4	-
White, both sexes.....	2	8	26	54	115	304	501	397	192	47	3	-
Male.....	2	5	17	33	74	181	323	231	89	18	-	-
Female.....	-	3	9	21	41	123	178	166	103	29	3	-
Black, both sexes.....	1	-	1	4	6	13	14	11	7	2	-	-
Male.....	1	-	1	3	6	8	5	5	3	1	-	-
Female.....	-	-	-	1	-	5	9	6	4	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	3	3	1	-	-	-
Male.....	-	-	-	-	-	-	3	2	1	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	6	12	26	26	22	12	6	1	-
Male.....	-	-	-	5	9	15	12	17	5	4	-	-
Female.....	-	1	-	1	3	11	14	5	7	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Parkinson's disease (G20-G21)

Florida

All races, both sexes.....	1	7	20	33	122	265	394	343	115	37	2	-
Male.....	1	4	8	22	88	186	245	222	55	15	-	-
Female.....	-	3	12	11	34	79	149	121	60	22	2	-
White, both sexes.....	1	7	19	32	116	257	386	333	114	37	2	-
Male.....	1	4	7	21	85	180	240	218	54	15	-	-
Female.....	-	3	12	11	31	77	146	115	60	22	2	-
Black, both sexes.....	-	-	1	1	5	8	8	8	1	-	-	-
Male.....	-	-	1	1	3	6	5	3	1	-	-	-
Female.....	-	-	-	-	2	2	3	5	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-

Georgia

All races, both sexes.....	2	4	8	18	41	70	99	66	27	6	3	-
Male.....	2	3	7	15	24	38	57	34	9	1	1	-
Female.....	-	1	1	3	17	32	42	32	18	5	2	-
White, both sexes.....	2	4	7	15	38	65	89	60	24	6	1	-
Male.....	2	3	6	12	22	36	50	30	8	1	1	-
Female.....	-	1	1	3	16	29	39	30	16	5	-	-
Black, both sexes.....	-	-	1	1	2	5	9	6	3	-	2	-
Male.....	-	-	1	1	2	2	6	4	1	-	-	-
Female.....	-	-	-	-	-	3	3	2	2	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	-	-	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Parkinson's disease (G20-G21)												
Kentucky												
All races, both sexes.....	-	3	5	13	12	59	67	51	32	12	-	-
Male.....	-	2	3	9	6	35	38	25	13	4	-	-
Female.....	-	1	2	4	6	24	29	26	19	8	-	-
White, both sexes.....	-	3	5	13	12	58	65	51	32	11	-	-
Male.....	-	2	3	9	6	34	37	25	13	3	-	-
Female.....	-	1	2	4	6	24	28	26	19	8	-	-
Black, both sexes.....	-	-	-	-	-	1	2	-	-	1	-	-
Male.....	-	-	-	-	-	1	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	4	1	3	16	22	53	85	59	28	9	-	-
Male.....	4	1	3	8	10	36	49	31	15	2	-	-
Female.....	-	-	-	8	12	17	36	28	13	7	-	-
White, both sexes.....	2	1	1	12	16	46	74	51	26	7	-	-
Male.....	2	1	1	6	7	32	46	28	13	1	-	-
Female.....	-	-	-	6	9	14	28	23	13	6	-	-
Black, both sexes.....	2	-	2	4	4	7	11	8	2	2	-	-
Male.....	2	-	2	2	3	4	3	3	2	1	-	-
Female.....	-	-	-	2	1	3	8	5	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

Maine

All races, both sexes.....	-	1	1	1	12	21	42	20	15	3	-	-
Male.....	-	1	1	1	9	12	28	12	7	-	-	-
Female.....	-	-	-	-	3	9	14	8	8	3	-	-
White, both sexes.....	-	1	1	1	12	21	42	20	15	3	-	-
Male.....	-	1	1	1	9	12	28	12	7	-	-	-
Female.....	-	-	-	-	3	9	14	8	8	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	-	3	4	9	28	61	92	75	44	7	-	-
Male.....	-	3	1	8	22	33	55	43	18	5	-	-
Female.....	-	-	3	1	6	28	37	32	26	2	-	-
White, both sexes.....	-	2	2	8	24	54	79	64	42	7	-	-
Male.....	-	2	1	8	20	30	48	35	18	5	-	-
Female.....	-	-	1	-	4	24	31	29	24	2	-	-
Black, both sexes.....	-	-	2	1	2	5	11	8	2	-	-	-
Male.....	-	-	-	-	1	2	5	6	-	-	-	-
Female.....	-	-	2	1	1	3	6	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	2	2	2	3	-	-	-	-
Male.....	-	1	-	-	1	1	2	2	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Parkinson's disease (G20-G21)

Massachusetts

All races, both sexes.....	-	3	3	11	32	80	126	105	42	16	1	-
Male.....	-	2	2	7	21	48	63	52	17	5	-	-
Female.....	-	1	1	4	11	32	63	53	25	11	1	-
White, both sexes.....	-	3	3	10	31	79	123	101	40	16	1	-
Male.....	-	2	2	7	20	47	62	49	16	5	-	-
Female.....	-	1	1	3	11	32	61	52	24	11	1	-
Black, both sexes.....	-	-	-	1	-	1	2	4	2	-	-	-
Male.....	-	-	-	-	-	1	-	3	1	-	-	-
Female.....	-	-	-	1	-	-	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	1	6	7	19	55	143	203	160	74	17	4	-
Male.....	1	4	2	14	35	89	127	74	30	8	-	-
Female.....	-	2	5	5	20	54	76	86	44	9	4	-
White, both sexes.....	1	6	7	16	52	131	194	152	72	16	3	-
Male.....	1	4	2	13	32	81	121	69	29	8	-	-
Female.....	-	2	5	3	20	50	73	83	43	8	3	-
Black, both sexes.....	-	-	-	3	3	10	7	7	1	-	1	-
Male.....	-	-	-	1	3	7	4	5	1	-	-	-
Female.....	-	-	-	2	-	3	3	2	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	2	-	1	1	-	-
Male.....	-	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Parkinson's disease (G20-G21)												
New Hampshire												
All races, both sexes.....	1	-	2	3	8	19	22	21	7	3	1	-
Male.....	1	-	2	1	5	10	14	11	3	3	-	-
Female.....	-	-	-	2	3	9	8	10	4	-	1	-
White, both sexes.....	1	-	2	3	8	19	22	21	7	3	1	-
Male.....	1	-	2	1	5	10	14	11	3	3	-	-
Female.....	-	-	-	2	3	9	8	10	4	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	-	1	7	17	47	109	158	121	56	9	3	-
Male.....	-	1	5	7	28	71	97	67	27	3	1	-
Female.....	-	-	2	10	19	38	61	54	29	6	2	-
White, both sexes.....	-	1	5	15	46	100	155	116	53	8	2	-
Male.....	-	1	3	7	28	65	94	65	26	2	1	-
Female.....	-	-	2	8	18	35	61	51	27	6	1	-
Black, both sexes.....	-	-	2	-	1	5	2	3	1	1	1	-
Male.....	-	-	2	-	-	3	2	1	-	1	-	-
Female.....	-	-	-	-	1	2	-	2	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	4	1	2	2	-	-	-
Male.....	-	-	-	-	-	3	1	1	1	-	-	-
Female.....	-	-	-	2	-	1	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Parkinson's disease (G20-G21)												
New Mexico												
All races, both sexes.....	1	2	-	1	14	30	39	31	16	3	-	-
Male.....	1	1	-	1	12	19	21	22	8	1	-	-
Female.....	-	1	-	-	2	11	18	9	8	2	-	-
White, both sexes.....	-	2	-	1	14	28	37	30	16	3	-	-
Male.....	-	1	-	1	12	18	21	21	8	1	-	-
Female.....	-	1	-	-	2	10	16	9	8	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	2	1	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
New York												
All races, both sexes.....	3	5	8	32	77	132	193	173	92	16	2	-
Male.....	3	5	6	25	49	84	113	87	42	5	1	-
Female.....	-	-	2	7	28	48	80	86	50	11	1	-
White, both sexes.....	3	5	7	28	74	124	189	167	86	15	2	-
Male.....	3	5	6	22	47	80	111	82	38	5	1	-
Female.....	-	-	1	6	27	44	78	85	48	10	1	-
Black, both sexes.....	-	-	1	4	2	8	3	5	4	1	-	-
Male.....	-	-	-	3	1	4	1	4	4	-	-	-
Female.....	-	-	1	1	1	4	2	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	2	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Parkinson's disease (G20-G21)

Vermont

All races, both sexes.....	-	-	-	-	4	11	16	14	7	1	-	-
Male.....	-	-	-	-	2	9	6	5	3	1	-	-
Female.....	-	-	-	-	2	2	10	9	4	-	-	-
White, both sexes.....	-	-	-	-	4	11	16	14	7	1	-	-
Male.....	-	-	-	-	2	9	6	5	3	1	-	-
Female.....	-	-	-	-	2	2	10	9	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1	1	8	16	37	78	148	93	51	7	1	-
Male.....	1	-	6	10	25	45	91	47	20	3	-	-
Female.....	-	1	2	6	12	33	57	46	31	4	1	-
White, both sexes.....	1	1	6	15	35	75	135	85	45	6	1	-
Male.....	1	-	5	9	24	42	85	44	18	2	-	-
Female.....	-	1	1	6	11	33	50	41	27	4	1	-
Black, both sexes.....	-	-	-	-	2	3	9	5	5	1	-	-
Male.....	-	-	-	-	1	3	5	1	1	1	-	-
Female.....	-	-	-	-	1	-	4	4	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	-	-	4	3	1	-	-	-
Male.....	-	-	1	1	-	-	1	2	1	-	-	-
Female.....	-	-	1	-	-	-	3	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)												
Alaska												
All races, both sexes.....	-	-	1	2	5	5	17	9	9	-	-	-
Male.....	-	-	-	1	1	-	7	2	2	-	-	-
Female.....	-	-	1	1	4	5	10	7	7	-	-	-
White, both sexes.....	-	-	1	2	4	5	16	8	9	-	-	-
Male.....	-	-	-	1	-	-	7	2	2	-	-	-
Female.....	-	-	1	1	4	5	9	6	7	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	2	4	2	23	69	169	387	484	357	153	25	-
Male.....	1	1	1	8	32	64	138	165	91	28	3	-
Female.....	1	3	1	15	37	105	249	319	266	125	22	-
White, both sexes.....	2	4	2	22	68	164	374	472	348	150	23	-
Male.....	1	1	1	8	31	61	134	162	86	27	3	-
Female.....	1	3	1	14	37	103	240	310	262	123	20	-
Black, both sexes.....	-	-	-	1	-	3	8	8	7	3	1	-
Male.....	-	-	-	-	-	1	4	2	3	1	-	-
Female.....	-	-	-	1	-	2	4	6	4	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	2	3	1	-	1	-
Male.....	-	-	-	-	1	1	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	2	2	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	3	1	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	3	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Arkansas

All races, both sexes.....	-	1	9	15	24	68	141	175	136	46	7	-
Male.....	-	1	3	9	13	29	54	46	26	6	-	-
Female.....	-	-	6	6	11	39	87	129	110	40	7	-
White, both sexes.....	-	1	9	13	24	61	131	163	129	44	7	-
Male.....	-	1	3	8	13	25	50	41	24	6	-	-
Female.....	-	-	6	5	11	36	81	122	105	38	7	-
Black, both sexes.....	-	-	-	2	-	7	10	12	7	2	-	-
Male.....	-	-	-	1	-	4	4	5	2	-	-	-
Female.....	-	-	-	1	-	3	6	7	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	10	31	100	253	745	1,569	1,906	1,534	683	124	-
Male.....	-	6	12	45	126	276	557	613	366	115	14	-
Female.....	6	4	19	55	127	469	1,012	1,293	1,168	568	110	-
White, both sexes.....	5	7	26	85	220	656	1,425	1,751	1,422	641	115	-
Male.....	-	4	10	38	111	243	512	555	338	106	13	-
Female.....	5	3	16	47	109	413	913	1,196	1,084	535	102	-
Black, both sexes.....	1	2	1	10	21	54	88	89	61	23	8	-
Male.....	-	1	-	4	9	16	25	32	10	3	1	-
Female.....	1	1	1	6	12	38	63	57	51	20	7	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	5	3	3	2	-	-
Male.....	-	-	-	1	-	-	5	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	3	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	4	4	12	34	51	63	48	17	1	-
Male.....	-	1	2	2	6	17	15	26	17	6	-	-
Female.....	-	-	2	2	6	17	36	37	31	11	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

Colorado

All races, both sexes.....	1	1	7	13	35	95	206	237	228	70	17	-
Male.....	-	-	4	5	16	30	73	56	58	10	1	-
Female.....	1	1	3	8	19	65	133	181	170	60	16	-
White, both sexes.....	1	1	6	13	34	88	198	233	220	67	16	-
Male.....	-	-	3	5	16	26	70	55	57	10	1	-
Female.....	1	1	3	8	18	62	128	178	163	57	15	-
Black, both sexes.....	-	-	1	-	-	5	5	3	6	3	1	-
Male.....	-	-	1	-	-	2	2	1	1	-	-	-
Female.....	-	-	-	-	-	3	3	2	5	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	2	1	1	-	-	-
Male.....	-	-	-	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	1	-	-	-

Connecticut

All races, both sexes.....	1	2	1	13	22	61	144	195	153	78	14	-
Male.....	1	1	-	6	8	28	60	61	35	13	1	-
Female.....	-	1	1	7	14	33	84	134	118	65	13	-
White, both sexes.....	1	2	1	13	22	58	138	185	146	75	14	-
Male.....	1	1	-	6	8	26	59	58	33	13	1	-
Female.....	-	1	1	7	14	32	79	127	113	62	13	-
Black, both sexes.....	-	-	-	-	-	3	6	10	6	3	-	-
Male.....	-	-	-	-	-	2	1	3	2	-	-	-
Female.....	-	-	-	-	-	1	5	7	4	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)												
Florida												
All races, both sexes.....	3	9	23	61	172	484	955	1,184	968	382	64	-
Male.....	1	3	13	34	64	200	360	381	241	61	8	-
Female.....	2	6	10	27	108	284	595	803	727	321	56	-
White, both sexes.....	3	9	22	56	159	448	909	1,123	934	361	60	-
Male.....	1	3	13	32	60	186	346	368	234	60	6	-
Female.....	2	6	9	24	99	262	563	755	700	301	54	-
Black, both sexes.....	-	-	1	5	12	33	46	58	32	19	3	-
Male.....	-	-	-	2	4	14	14	12	6	1	2	-
Female.....	-	-	1	3	8	19	32	46	26	18	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	3	-	3	2	2	1	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	1	3	-	2	1	2	1	-
Georgia												
All races, both sexes.....	2	5	15	19	85	233	404	481	334	109	23	-
Male.....	1	1	8	5	36	82	132	125	62	12	2	-
Female.....	1	4	7	14	49	151	272	356	272	97	21	-
White, both sexes.....	2	4	11	11	66	194	344	420	278	93	17	-
Male.....	1	1	7	3	31	67	116	108	47	10	1	-
Female.....	1	3	4	8	35	127	228	312	231	83	16	-
Black, both sexes.....	-	1	4	7	19	39	59	60	55	16	6	-
Male.....	-	-	1	2	5	15	16	17	15	2	1	-
Female.....	-	1	3	5	14	24	43	43	40	14	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

Iowa

All races, both sexes.....	-	1	1	10	32	109	188	292	226	93	15	-
Male.....	-	1	-	5	11	40	66	79	56	18	1	-
Female.....	-	-	1	5	21	69	122	213	170	75	14	-
White, both sexes.....	-	1	1	10	32	109	184	290	222	93	15	-
Male.....	-	1	-	5	11	40	64	79	54	18	1	-
Female.....	-	-	1	5	21	69	120	211	168	75	14	-
Black, both sexes.....	-	-	-	-	-	-	3	1	4	-	-	-
Male.....	-	-	-	-	-	-	1	-	2	-	-	-
Female.....	-	-	-	-	-	-	2	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Kansas

All races, both sexes.....	1	3	6	8	20	98	173	230	155	63	12	-
Male.....	-	1	4	2	4	30	61	60	35	7	-	-
Female.....	1	2	2	6	16	68	112	170	120	56	12	-
White, both sexes.....	1	3	5	7	19	93	165	219	152	62	12	-
Male.....	-	1	3	2	3	28	60	58	35	6	-	-
Female.....	1	2	2	5	16	65	105	161	117	56	12	-
Black, both sexes.....	-	-	-	1	-	5	8	8	2	1	-	-
Male.....	-	-	-	-	-	2	1	2	-	1	-	-
Female.....	-	-	-	1	-	3	7	6	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	2	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)												
Kentucky												
All races, both sexes.....	-	2	3	18	44	119	241	259	205	71	17	-
Male.....	-	1	2	9	18	45	80	75	54	9	-	-
Female.....	-	1	1	9	26	74	161	184	151	62	17	-
White, both sexes.....	-	2	3	17	41	116	235	247	196	67	16	-
Male.....	-	1	2	8	16	44	79	73	50	9	-	-
Female.....	-	1	1	9	25	72	156	174	146	58	16	-
Black, both sexes.....	-	-	-	1	3	3	6	11	9	4	1	-
Male.....	-	-	-	1	2	1	1	2	4	-	-	-
Female.....	-	-	-	-	1	2	5	9	5	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Louisiana												
All races, both sexes.....	2	3	7	24	62	189	288	330	261	88	13	-
Male.....	1	1	2	12	31	57	110	97	61	12	-	-
Female.....	1	2	5	12	31	132	178	233	200	76	13	-
White, both sexes.....	2	2	5	19	44	155	242	282	204	69	11	-
Male.....	1	1	2	10	22	48	89	81	45	8	-	-
Female.....	1	1	3	9	22	107	153	201	159	61	11	-
Black, both sexes.....	-	1	2	5	18	31	46	48	56	19	2	-
Male.....	-	-	-	2	9	9	21	16	16	4	-	-
Female.....	-	1	2	3	9	22	25	32	40	15	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)												
Maine												
All races, both sexes.....	1	-	2	5	28	61	99	136	116	53	10	-
Male.....	1	-	1	2	8	24	26	31	21	8	-	-
Female.....	-	-	1	3	20	37	73	105	95	45	10	-
White, both sexes.....	1	-	2	5	28	61	98	135	114	53	10	-
Male.....	1	-	1	2	8	24	26	31	21	8	-	-
Female.....	-	-	1	3	20	37	72	104	93	45	10	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Maryland												
All races, both sexes.....	-	-	7	14	36	83	211	247	210	80	17	-
Male.....	-	-	3	6	11	32	69	61	43	12	2	-
Female.....	-	-	4	8	25	51	142	186	167	68	15	-
White, both sexes.....	-	-	4	11	27	63	167	211	169	69	15	-
Male.....	-	-	2	6	7	24	57	49	36	10	2	-
Female.....	-	-	2	5	20	39	110	162	133	59	13	-
Black, both sexes.....	-	-	3	3	9	20	43	33	35	11	1	-
Male.....	-	-	1	-	4	8	12	10	6	2	-	-
Female.....	-	-	2	3	5	12	31	23	29	9	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	3	6	-	-	-
Male.....	-	-	-	-	-	-	-	2	1	-	-	-
Female.....	-	-	-	-	-	-	1	1	5	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)												
Massachusetts												
All races, both sexes.....	4	8	9	9	62	188	348	487	365	163	30	-
Male.....	2	3	4	4	29	63	120	127	64	23	1	-
Female.....	2	5	5	5	33	125	228	360	301	140	29	-
White, both sexes.....	4	8	9	9	60	184	335	480	350	162	29	-
Male.....	2	3	4	4	28	60	115	124	62	23	1	-
Female.....	2	5	5	5	32	124	220	356	288	139	28	-
Black, both sexes.....	-	-	-	-	2	3	9	4	14	-	1	-
Male.....	-	-	-	-	1	2	4	1	2	-	-	-
Female.....	-	-	-	-	1	1	5	3	12	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	4	3	1	-	-	-
Male.....	-	-	-	-	-	1	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	3	1	1	-	-	-
Michigan												
All races, both sexes.....	2	3	14	42	78	253	479	603	508	209	38	-
Male.....	2	-	8	20	38	101	163	175	114	21	2	-
Female.....	-	3	6	22	40	152	316	428	394	188	36	-
White, both sexes.....	2	3	13	38	71	234	440	574	491	195	35	-
Male.....	2	-	7	19	35	94	144	170	111	20	2	-
Female.....	-	3	6	19	36	140	296	404	380	175	33	-
Black, both sexes.....	-	-	1	4	5	17	38	25	17	14	3	-
Male.....	-	-	1	1	2	7	18	5	3	1	-	-
Female.....	-	-	-	3	3	10	20	20	14	13	3	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	1	2	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Nebraska

All races, both sexes.....	1	2	-	13	14	51	92	133	98	45	10	-
Male.....	-	2	-	9	7	16	37	36	21	7	2	-
Female.....	1	-	-	4	7	35	55	97	77	38	8	-
White, both sexes.....	1	2	-	12	14	51	90	133	97	44	9	-
Male.....	-	2	-	8	7	16	36	36	21	7	2	-
Female.....	1	-	-	4	7	35	54	97	76	37	7	-
Black, both sexes.....	-	-	-	1	-	-	1	-	1	1	1	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	-	-	3	6	13	41	64	89	54	21	1	-
Male.....	-	-	-	5	6	15	25	38	16	4	-	-
Female.....	-	-	3	1	7	26	39	51	38	17	1	-
White, both sexes.....	-	-	3	5	13	37	58	83	52	21	1	-
Male.....	-	-	-	5	6	13	22	33	14	4	-	-
Female.....	-	-	3	-	7	24	36	50	38	17	1	-
Black, both sexes.....	-	-	-	1	-	2	2	3	2	-	-	-
Male.....	-	-	-	-	-	1	-	2	2	-	-	-
Female.....	-	-	-	1	-	1	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	3	3	-	-	-	-
Male.....	-	-	-	-	-	1	2	3	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

New Hampshire

All races, both sexes.....	1	-	3	7	12	33	83	84	64	39	5	-
Male.....	1	-	1	3	3	18	25	21	7	7	1	-
Female.....	-	-	2	4	9	15	58	63	57	32	4	-
White, both sexes.....	1	-	3	7	12	31	83	84	64	39	5	-
Male.....	1	-	1	3	3	17	25	21	7	7	1	-
Female.....	-	-	2	4	9	14	58	63	57	32	4	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	-	1	7	11	57	147	331	520	429	177	29	-
Male.....	-	-	4	7	21	58	110	134	109	30	1	-
Female.....	-	1	3	4	36	89	221	386	320	147	28	-
White, both sexes.....	-	1	6	8	54	132	315	491	407	171	25	-
Male.....	-	-	4	5	19	52	103	127	103	30	1	-
Female.....	-	1	2	3	35	80	212	364	304	141	24	-
Black, both sexes.....	-	-	-	3	3	14	16	29	18	6	3	-
Male.....	-	-	-	2	2	5	7	7	4	-	-	-
Female.....	-	-	-	1	1	9	9	22	14	6	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	4	-	-	-
Male.....	-	-	-	-	-	1	-	-	2	-	-	-
Female.....	-	-	1	-	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

New Mexico

All races, both sexes.....	-	1	2	8	15	40	62	86	73	34	4	-
Male.....	-	1	-	3	6	14	22	30	15	8	2	-
Female.....	-	-	2	5	9	26	40	56	58	26	2	-
White, both sexes.....	-	1	2	7	15	40	62	82	70	32	3	-
Male.....	-	1	-	3	6	14	22	28	14	8	1	-
Female.....	-	-	2	4	9	26	40	54	56	24	2	-
Black, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	3	1	2	1	-
Male.....	-	-	-	-	-	-	-	2	1	-	1	-
Female.....	-	-	-	1	-	-	-	1	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

New York

All races, both sexes.....	5	7	17	39	78	195	405	539	464	204	36	-
Male.....	2	1	8	14	32	78	134	157	105	30	4	-
Female.....	3	6	9	25	46	117	271	382	359	174	32	-
White, both sexes.....	5	5	16	33	70	182	377	507	446	192	34	-
Male.....	2	1	8	12	27	73	125	153	100	29	4	-
Female.....	3	4	8	21	43	109	252	354	346	163	30	-
Black, both sexes.....	-	2	-	6	8	9	26	29	17	12	2	-
Male.....	-	-	-	2	5	4	7	4	4	1	-	-
Female.....	-	2	-	4	3	5	19	25	13	11	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	4	2	3	1	-	-	-
Male.....	-	-	-	-	-	1	2	-	1	-	-	-
Female.....	-	-	1	-	-	3	-	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)												
Ohio												
All races, both sexes.....	3	8	18	49	127	317	660	825	621	247	51	-
Male.....	2	4	10	18	49	113	228	224	115	39	3	-
Female.....	1	4	8	31	78	204	432	601	506	208	48	-
White, both sexes.....	1	8	18	47	113	289	605	774	577	231	46	-
Male.....	1	4	10	18	45	105	211	207	106	37	3	-
Female.....	-	4	8	29	68	184	394	567	471	194	43	-
Black, both sexes.....	2	-	-	2	14	28	54	50	44	16	5	-
Male.....	1	-	-	-	4	8	16	17	9	2	-	-
Female.....	1	-	-	2	10	20	38	33	35	14	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Oklahoma												
All races, both sexes.....	-	1	5	15	53	106	207	233	162	69	16	-
Male.....	-	-	2	8	25	44	79	66	39	10	1	-
Female.....	-	1	3	7	28	62	128	167	123	59	15	-
White, both sexes.....	-	1	3	15	44	92	191	223	152	65	13	-
Male.....	-	-	-	8	22	39	76	62	37	9	-	-
Female.....	-	1	3	7	22	53	115	161	115	56	13	-
Black, both sexes.....	-	-	-	-	6	9	12	6	6	3	3	-
Male.....	-	-	-	-	2	4	3	3	2	1	1	-
Female.....	-	-	-	-	4	5	9	3	4	2	2	-
American Indian 1/, both sexes.....	-	-	2	-	2	4	3	4	4	-	-	-
Male.....	-	-	2	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	1	3	3	3	4	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)												
Oregon												
All races, both sexes.....	1	1	6	19	40	135	273	363	304	108	12	-
Male.....	-	1	5	4	19	51	107	136	65	22	-	-
Female.....	1	-	1	15	21	84	166	227	239	86	12	-
White, both sexes.....	1	1	6	18	40	132	268	362	303	106	12	-
Male.....	-	1	5	4	19	51	106	135	64	22	-	-
Female.....	1	-	1	14	21	81	162	227	239	84	12	-
Black, both sexes.....	-	-	-	1	-	2	4	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	2	3	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	1	-	-
Pennsylvania												
All races, both sexes.....	4	5	17	43	119	331	689	995	709	315	45	-
Male.....	3	3	7	17	62	132	226	287	121	44	3	-
Female.....	1	2	10	26	57	199	463	708	588	271	42	-
White, both sexes.....	4	5	16	40	114	311	671	969	683	297	40	-
Male.....	3	3	7	16	59	127	221	283	120	41	2	-
Female.....	1	2	9	24	55	184	450	686	563	256	38	-
Black, both sexes.....	-	-	1	3	5	19	18	24	26	15	5	-
Male.....	-	-	-	1	3	5	5	4	1	2	1	-
Female.....	-	-	1	2	2	14	13	20	25	13	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	2	-	3	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	2	-	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Rhode Island

All races, both sexes.....	-	1	4	2	9	31	56	84	63	30	3	-
Male.....	-	-	2	1	6	13	20	22	11	6	-	-
Female.....	-	1	2	1	3	18	36	62	52	24	3	-
White, both sexes.....	-	1	3	2	9	30	56	82	61	30	3	-
Male.....	-	-	1	1	6	13	20	21	9	6	-	-
Female.....	-	1	2	1	3	17	36	61	52	24	3	-
Black, both sexes.....	-	-	1	-	-	1	-	2	2	-	-	-
Male.....	-	-	1	-	-	-	-	1	2	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	-	1	5	23	53	162	296	324	260	108	13	-
Male.....	-	1	3	12	24	60	85	81	40	15	-	-
Female.....	-	-	2	11	29	102	211	243	220	93	13	-
White, both sexes.....	-	1	5	16	44	140	237	268	228	85	9	-
Male.....	-	1	3	9	21	52	69	70	38	11	-	-
Female.....	-	-	2	7	23	88	168	198	190	74	9	-
Black, both sexes.....	-	-	-	7	9	22	58	56	32	23	4	-
Male.....	-	-	-	3	3	8	16	11	2	4	-	-
Female.....	-	-	-	4	6	14	42	45	30	19	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

South Dakota

All races, both sexes.....	-	-	-	4	6	27	41	68	63	29	5	-
Male.....	-	-	-	2	4	8	11	21	11	3	1	-
Female.....	-	-	-	2	2	19	30	47	52	26	4	-
White, both sexes.....	-	-	-	4	5	26	39	68	62	29	4	-
Male.....	-	-	-	2	4	8	10	21	11	3	-	-
Female.....	-	-	-	2	1	18	29	47	51	26	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	1	7	12	37	88	193	350	434	346	117	27	-
Male.....	-	3	4	16	28	73	107	118	54	13	2	-
Female.....	1	4	8	21	60	120	243	316	292	104	25	-
White, both sexes.....	1	6	9	34	82	178	323	392	311	101	21	-
Male.....	-	2	3	15	26	68	99	109	50	11	-	-
Female.....	1	4	6	19	56	110	224	283	261	90	21	-
Black, both sexes.....	-	1	3	3	6	15	26	42	35	15	5	-
Male.....	-	1	1	1	2	5	7	9	4	2	2	-
Female.....	-	-	2	2	4	10	19	33	31	13	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Texas

All races, both sexes.....	4	15	32	78	196	555	966	1,153	918	355	59	-
Male.....	3	10	17	31	76	211	329	352	187	52	10	-
Female.....	1	5	15	47	120	344	637	801	731	303	49	-
White, both sexes.....	3	14	27	68	170	510	909	1,075	840	324	50	-
Male.....	3	10	13	27	65	196	316	328	168	45	10	-
Female.....	-	4	14	41	105	314	593	747	672	279	40	-
Black, both sexes.....	1	1	5	8	24	45	55	75	75	28	8	-
Male.....	-	-	4	3	11	15	12	24	19	7	-	-
Female.....	1	1	1	5	13	30	43	51	56	21	8	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	2	1	-	-	1	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	-	-	2	3	3	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	2	3	3	-	-

Utah

All races, both sexes.....	-	5	8	7	20	36	85	119	68	24	4	-
Male.....	-	3	2	5	12	14	28	33	20	5	1	-
Female.....	-	2	6	2	8	22	57	86	48	19	3	-
White, both sexes.....	-	5	8	7	20	36	83	118	68	24	4	-
Male.....	-	3	2	5	12	14	28	33	20	5	1	-
Female.....	-	2	6	2	8	22	55	85	48	19	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

Vermont

All races, both sexes.....	1	-	-	4	3	18	41	44	32	24	6	-
Male.....	1	-	-	1	1	5	13	14	3	2	-	-
Female.....	-	-	-	3	2	13	28	30	29	22	6	-
White, both sexes.....	1	-	-	4	3	18	41	44	32	24	6	-
Male.....	1	-	-	1	1	5	13	14	3	2	-	-
Female.....	-	-	-	3	2	13	28	30	29	22	6	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1	6	11	24	70	182	368	377	309	113	18	-
Male.....	1	2	5	5	21	68	122	82	54	12	1	-
Female.....	-	4	6	19	49	114	246	295	255	101	17	-
White, both sexes.....	1	6	10	22	65	158	322	319	269	95	13	-
Male.....	1	2	4	4	19	61	105	68	47	10	1	-
Female.....	-	4	6	18	46	97	217	251	222	85	12	-
Black, both sexes.....	-	-	1	2	5	22	44	56	39	17	5	-
Male.....	-	-	1	1	2	7	17	14	7	2	-	-
Female.....	-	-	-	1	3	15	27	42	32	15	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	2	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	2	1	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Multiple sclerosis (G35)												
Arkansas												
All races, both sexes.....	21	-	-	-	-	-	1	-	-	1	1	4
Male.....	5	-	-	-	-	-	-	-	-	-	-	3
Female.....	16	-	-	-	-	-	1	-	-	1	1	1
White, both sexes.....	16	-	-	-	-	-	-	-	-	-	1	4
Male.....	4	-	-	-	-	-	-	-	-	-	-	3
Female.....	12	-	-	-	-	-	-	-	-	-	1	1
Black, both sexes.....	5	-	-	-	-	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	311	-	-	-	-	1	2	1	3	13	9	27
Male.....	111	-	-	-	-	-	1	-	-	5	5	10
Female.....	200	-	-	-	-	1	1	1	3	8	4	17
White, both sexes.....	279	-	-	-	-	1	1	1	2	9	8	26
Male.....	101	-	-	-	-	-	-	-	-	4	5	10
Female.....	178	-	-	-	-	1	1	1	2	5	3	16
Black, both sexes.....	27	-	-	-	-	-	-	-	-	4	1	-
Male.....	9	-	-	-	-	-	-	-	-	1	-	-
Female.....	18	-	-	-	-	-	-	-	-	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	1	-	1	-	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Multiple sclerosis (G35)												
Arkansas												
All races, both sexes.....	2	2	3	2	4	-	-	1	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	2	2	2	2	3	-	-	1	-	-	-	-
White, both sexes.....	2	1	1	2	4	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	1	1	2	3	-	-	1	-	-	-	-
Black, both sexes.....	-	1	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	39	51	56	35	27	22	18	4	3	-	-	-
Male.....	9	25	21	14	7	7	5	1	1	-	-	-
Female.....	30	26	35	21	20	15	13	3	2	-	-	-
White, both sexes.....	34	45	49	34	26	19	17	4	3	-	-	-
Male.....	8	23	19	14	7	5	4	1	1	-	-	-
Female.....	26	22	30	20	19	14	13	3	2	-	-	-
Black, both sexes.....	4	6	7	1	1	2	1	-	-	-	-	-
Male.....	1	2	2	-	-	2	1	-	-	-	-	-
Female.....	3	4	5	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Multiple sclerosis (G35)												
Maine												
All races, both sexes.....	5	4	2	2	2	1	1	1	-	-	-	-
Male.....	3	-	-	-	1	1	-	-	-	-	-	-
Female.....	2	4	2	2	1	-	1	1	-	-	-	-
White, both sexes.....	5	4	2	2	2	1	1	1	-	-	-	-
Male.....	3	-	-	-	1	1	-	-	-	-	-	-
Female.....	2	4	2	2	1	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	6	7	9	6	6	7	3	2	-	-	-	-
Male.....	3	3	4	2	3	2	1	-	-	-	-	-
Female.....	3	4	5	4	3	5	2	2	-	-	-	-
White, both sexes.....	6	4	6	6	5	7	3	2	-	-	-	-
Male.....	3	3	4	2	3	2	1	-	-	-	-	-
Female.....	3	1	2	4	2	5	2	2	-	-	-	-
Black, both sexes.....	-	3	3	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	3	3	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Epilepsy (G40-G41)												
Arkansas												
All races, both sexes.....	16	1	1	-	1	1	2	-	-	-	-	3
Male.....	7	-	-	-	-	-	1	-	-	-	-	3
Female.....	9	1	1	-	1	1	1	-	-	-	-	-
White, both sexes.....	13	1	1	-	1	1	1	-	-	-	-	3
Male.....	5	-	-	-	-	-	1	-	-	-	-	3
Female.....	8	1	1	-	1	1	-	-	-	-	-	-
Black, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	185	3	4	3	1	5	10	12	22	14	21	20
Male.....	115	3	3	2	-	4	6	6	13	11	15	15
Female.....	70	-	1	1	1	1	4	6	9	3	6	5
White, both sexes.....	140	2	2	3	1	4	6	8	16	11	17	15
Male.....	87	2	2	2	-	3	3	4	9	8	13	13
Female.....	53	-	-	1	1	1	3	4	7	3	4	2
Black, both sexes.....	31	-	1	-	-	1	2	2	3	1	4	4
Male.....	18	-	-	-	-	1	1	1	2	1	2	2
Female.....	13	-	1	-	-	-	1	1	1	-	2	2
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	-	-	-	-	2	2	3	1	-	1
Male.....	8	1	-	-	-	-	2	1	2	1	-	-
Female.....	4	-	-	-	-	-	-	1	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Epilepsy (G40-G41)												
Arkansas												
All races, both sexes.....	2	1	1	-	1	-	2	-	-	-	-	-
Male.....	1	-	-	-	1	-	1	-	-	-	-	-
Female.....	1	1	1	-	-	-	1	-	-	-	-	-
White, both sexes.....	2	1	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	1	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	12	14	6	3	4	11	8	7	5	-	-	-
Male.....	9	8	2	2	3	7	2	2	2	-	-	-
Female.....	3	6	4	1	1	4	6	5	3	-	-	-
White, both sexes.....	9	11	5	2	4	7	7	5	5	-	-	-
Male.....	7	6	2	1	3	4	2	1	2	-	-	-
Female.....	2	5	3	1	1	3	5	4	3	-	-	-
Black, both sexes.....	2	3	1	1	-	4	-	2	-	-	-	-
Male.....	1	2	-	1	-	3	-	1	-	-	-	-
Female.....	1	1	1	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transient cerebral ischemic attacks and related syndromes (G45)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	1	2	2	1	1	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	2	1	1	-
White, both sexes.....	-	-	-	-	-	-	1	2	2	-	1	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	2	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

California

All races, both sexes.....	-	-	-	1	1	2	3	1	2	1	-	-
Male.....	-	-	-	-	1	1	1	1	1	-	-	-
Female.....	-	-	-	1	-	1	2	-	1	1	-	-
White, both sexes.....	-	-	-	1	1	1	2	1	2	1	-	-
Male.....	-	-	-	-	1	1	1	1	1	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transient cerebral ischemic attacks and related syndromes (G45)

Oregon

All races, both sexes.....	-	-	-	-	-	-	3	1	2	3	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	3	-	1	3	-	-
White, both sexes.....	-	-	-	-	-	-	3	1	2	3	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	3	-	1	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	-	-	-	-	-	1	1	4	3	1	1	-
Male.....	-	-	-	-	-	1	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	3	2	1	1	-
White, both sexes.....	-	-	-	-	-	1	1	3	3	1	1	-
Male.....	-	-	-	-	-	1	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	2	2	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Infantile cerebral palsy (G80)

Arkansas

All races, both sexes.....	21	-	1	1	1	6	1	2	-	-	2	1
Male.....	15	-	1	-	1	5	-	1	-	-	2	1
Female.....	6	-	-	1	-	1	1	1	-	-	-	-
White, both sexes.....	14	-	1	-	-	5	1	1	-	-	1	1
Male.....	9	-	1	-	-	4	-	-	-	-	1	1
Female.....	5	-	-	-	-	1	1	1	-	-	-	-
Black, both sexes.....	7	-	-	1	1	1	-	1	-	-	1	-
Male.....	6	-	-	-	1	1	-	1	-	-	1	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	164	3	14	12	20	22	16	11	6	11	7	8
Male.....	98	1	9	7	11	17	11	6	5	4	5	2
Female.....	66	2	5	5	9	5	5	5	1	7	2	6
White, both sexes.....	126	3	8	12	12	17	11	9	4	7	5	7
Male.....	75	1	5	7	8	13	7	5	3	3	4	1
Female.....	51	2	3	5	4	4	4	4	1	4	1	6
Black, both sexes.....	26	-	4	-	5	3	4	2	1	3	-	1
Male.....	15	-	2	-	2	3	3	1	1	-	-	1
Female.....	11	-	2	-	3	-	1	1	-	3	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	-	3	2	1	-	1	1	2	-
Male.....	7	-	1	-	1	1	1	-	1	1	1	-
Female.....	4	-	-	-	2	1	-	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Infantile cerebral palsy (G80)												
New Mexico												
All races, both sexes.....	7	1	-	-	-	-	1	2	-	-	-	-
Male.....	5	1	-	-	-	-	1	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	7	1	-	-	-	-	1	2	-	-	-	-
Male.....	5	1	-	-	-	-	1	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	63	-	-	3	3	4	8	4	5	2	6	4
Male.....	32	-	-	2	2	2	4	1	3	2	1	2
Female.....	31	-	-	1	1	2	4	3	2	-	5	2
White, both sexes.....	53	-	-	2	3	1	5	3	4	2	6	4
Male.....	26	-	-	1	2	-	3	1	2	2	1	2
Female.....	27	-	-	1	1	1	2	2	2	-	5	2
Black, both sexes.....	9	-	-	1	-	2	3	1	1	-	-	-
Male.....	6	-	-	1	-	2	1	-	1	-	-	-
Female.....	3	-	-	-	-	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)												
Kentucky												
All races, both sexes.....	277	4	4	1	2	1	3	3	5	3	5	20
Male.....	154	4	3	1	2	-	1	2	3	3	3	13
Female.....	123	-	1	-	-	1	2	1	2	-	2	7
White, both sexes.....	260	4	3	1	1	1	3	3	5	3	5	17
Male.....	145	4	2	1	1	-	1	2	3	3	3	11
Female.....	115	-	1	-	-	1	2	1	2	-	2	6
Black, both sexes.....	16	-	1	-	1	-	-	-	-	-	-	3
Male.....	8	-	1	-	1	-	-	-	-	-	-	2
Female.....	8	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	348	4	5	4	6	3	1	5	7	8	15	17
Male.....	181	3	1	4	3	3	1	3	4	4	11	11
Female.....	167	1	4	-	3	-	-	2	3	4	4	6
White, both sexes.....	241	2	3	2	4	2	-	4	5	2	6	12
Male.....	129	1	-	2	2	2	-	3	4	1	6	9
Female.....	112	1	3	-	2	-	-	1	1	1	-	3
Black, both sexes.....	104	2	2	2	2	1	1	1	1	6	9	4
Male.....	52	2	1	2	1	1	1	-	-	3	5	2
Female.....	52	-	1	-	1	-	-	1	1	3	4	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)												
Oregon												
All races, both sexes.....	287	2	3	3	-	-	6	1	4	4	8	13
Male.....	137	2	1	1	-	-	4	1	2	-	6	6
Female.....	150	-	2	2	-	-	2	-	2	4	2	7
White, both sexes.....	274	2	3	3	-	-	5	1	4	4	8	13
Male.....	129	2	1	1	-	-	3	1	2	-	6	6
Female.....	145	-	2	2	-	-	2	-	2	4	2	7
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	1	-	-	-	-	-
Male.....	3	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	1,119	20	5	1	4	11	4	4	11	18	38	47
Male.....	558	13	3	-	2	8	3	2	6	8	24	25
Female.....	561	7	2	1	2	3	1	2	5	10	14	22
White, both sexes.....	977	14	3	1	3	9	3	2	8	15	33	36
Male.....	498	10	1	-	2	6	3	2	6	6	22	21
Female.....	479	4	2	1	1	3	-	-	2	9	11	15
Black, both sexes.....	135	6	2	-	1	2	-	2	3	3	5	11
Male.....	59	3	2	-	-	2	-	-	-	2	2	4
Female.....	76	3	-	-	1	-	-	2	3	1	3	7
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Alaska

All races, both sexes.....	5	3	4	6	1	2	1	2	-	-	-	-
Male.....	4	2	1	2	1	1	-	1	-	-	-	-
Female.....	1	1	3	4	-	1	1	1	-	-	-	-
White, both sexes.....	4	3	4	6	1	1	1	2	-	-	-	-
Male.....	3	2	1	2	1	1	-	1	-	-	-	-
Female.....	1	1	3	4	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	23	21	45	30	41	53	41	21	12	3	-	-
Male.....	15	13	23	18	24	32	19	11	4	-	-	-
Female.....	8	8	22	12	17	21	22	10	8	3	-	-
White, both sexes.....	19	19	44	28	40	49	40	19	11	3	-	-
Male.....	13	13	22	17	24	29	19	10	4	-	-	-
Female.....	6	6	22	11	16	20	21	9	7	3	-	-
Black, both sexes.....	-	1	1	1	1	2	-	1	1	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	1	1	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	3	1	-	1	-	2	-	-	-	-	-	-
Male.....	2	-	-	1	-	2	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Arkansas

All races, both sexes.....	15	15	20	27	33	20	17	14	4	-	1	-
Male.....	10	6	14	17	20	4	8	5	2	-	-	-
Female.....	5	9	6	10	13	16	9	9	2	-	1	-
White, both sexes.....	13	12	17	23	28	19	16	14	4	-	1	-
Male.....	9	5	12	15	17	4	7	5	2	-	-	-
Female.....	4	7	5	8	11	15	9	9	2	-	1	-
Black, both sexes.....	2	3	3	3	5	1	1	-	-	-	-	-
Male.....	1	1	2	2	3	-	1	-	-	-	-	-
Female.....	1	2	1	1	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

California

All races, both sexes.....	89	116	117	140	175	192	210	108	45	15	3	-
Male.....	51	64	63	81	100	99	102	47	17	4	-	-
Female.....	38	52	54	59	75	93	108	61	28	11	3	-
White, both sexes.....	74	102	108	119	155	173	194	96	42	13	1	-
Male.....	43	55	61	70	94	89	97	41	16	4	-	-
Female.....	31	47	47	49	61	84	97	55	26	9	1	-
Black, both sexes.....	11	5	7	9	9	7	5	7	2	1	1	-
Male.....	8	4	1	4	6	3	1	2	1	-	-	-
Female.....	3	1	6	5	3	4	4	5	1	1	1	-
American Indian 1/, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	8	2	11	11	12	11	5	1	1	1	-
Male.....	-	4	1	7	-	7	4	4	-	-	-	-
Female.....	2	4	1	4	11	5	7	1	1	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Florida

All races, both sexes.....	70	100	94	128	144	186	220	209	138	48	16	-
Male.....	44	59	58	65	86	101	104	98	41	10	3	-
Female.....	26	41	36	63	58	85	116	111	97	38	13	-
White, both sexes.....	61	79	78	113	127	169	195	187	133	46	13	-
Male.....	39	51	51	59	78	91	94	88	39	10	2	-
Female.....	22	28	27	54	49	78	101	99	94	36	11	-
Black, both sexes.....	9	20	16	15	13	17	22	22	5	2	3	-
Male.....	5	8	7	6	5	10	9	10	2	-	1	-
Female.....	4	12	9	9	8	7	13	12	3	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	4	-	2	-	-	-	-	-
Male.....	-	-	-	-	3	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	1	-	-	-	-	-

Georgia

All races, both sexes.....	46	48	70	77	55	60	51	28	14	3	-	-
Male.....	25	29	36	36	31	37	19	10	6	1	-	-
Female.....	21	19	34	41	24	23	32	18	8	2	-	-
White, both sexes.....	30	33	44	60	41	51	37	23	12	2	-	-
Male.....	15	17	22	30	21	32	16	9	5	1	-	-
Female.....	15	16	22	30	20	19	21	14	7	1	-	-
Black, both sexes.....	15	15	26	17	14	9	12	5	1	1	-	-
Male.....	10	12	14	6	10	5	3	1	1	-	-	-
Female.....	5	3	12	11	4	4	9	4	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Hawaii

All races, both sexes.....	5	11	4	5	10	10	12	6	1	3	-	-
Male.....	3	5	3	3	7	9	8	4	-	-	-	-
Female.....	2	6	1	2	3	1	4	2	1	3	-	-
White, both sexes.....	2	3	-	-	3	2	5	2	-	-	-	-
Male.....	-	2	-	-	3	2	3	2	-	-	-	-
Female.....	2	1	-	-	-	-	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	8	4	5	7	8	7	4	1	3	-	-
Male.....	3	3	3	3	4	7	5	2	-	-	-	-
Female.....	-	5	1	2	3	1	2	2	1	3	-	-

Idaho

All races, both sexes.....	6	5	10	13	14	17	14	8	4	-	-	-
Male.....	4	1	5	6	5	9	5	4	1	-	-	-
Female.....	2	4	5	7	9	8	9	4	3	-	-	-
White, both sexes.....	6	4	10	13	14	17	13	8	4	-	-	-
Male.....	4	1	5	6	5	9	5	4	1	-	-	-
Female.....	2	3	5	7	9	8	8	4	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Maine

All races, both sexes.....	9	9	10	11	12	17	8	13	3	1	-	-
Male.....	6	3	8	8	6	6	4	7	3	-	-	-
Female.....	3	6	2	3	6	11	4	6	-	1	-	-
White, both sexes.....	9	9	10	11	12	17	8	13	3	1	-	-
Male.....	6	3	8	8	6	6	4	7	3	-	-	-
Female.....	3	6	2	3	6	11	4	6	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	28	33	46	29	38	57	48	23	10	3	1	-
Male.....	14	17	26	16	16	26	22	8	1	2	-	-
Female.....	14	16	20	13	22	31	26	15	9	1	1	-
White, both sexes.....	18	22	28	16	25	46	42	19	10	3	1	-
Male.....	9	9	16	8	9	23	19	6	1	2	-	-
Female.....	9	13	12	8	16	23	23	13	9	1	1	-
Black, both sexes.....	10	11	16	11	10	11	6	4	-	-	-	-
Male.....	5	8	8	7	6	3	3	2	-	-	-	-
Female.....	5	3	8	4	4	8	3	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	3	-	-	-	-	-	-	-
Male.....	-	-	2	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

New Hampshire

All races, both sexes.....	6	7	10	4	12	9	11	8	4	-	-	-
Male.....	3	3	5	3	7	4	5	6	1	-	-	-
Female.....	3	4	5	1	5	5	6	2	3	-	-	-
White, both sexes.....	5	7	10	4	12	9	11	8	4	-	-	-
Male.....	3	3	5	3	7	4	5	6	1	-	-	-
Female.....	2	4	5	1	5	5	6	2	3	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	32	40	43	44	70	74	51	42	14	2	-	-
Male.....	16	26	28	22	37	45	24	15	5	1	-	-
Female.....	16	14	15	22	33	29	27	27	9	1	-	-
White, both sexes.....	27	30	36	35	57	64	47	41	13	2	-	-
Male.....	14	21	22	18	30	40	24	15	5	1	-	-
Female.....	13	9	14	17	27	24	23	26	8	1	-	-
Black, both sexes.....	5	9	6	5	12	8	4	1	-	-	-	-
Male.....	2	4	6	1	7	4	-	-	-	-	-	-
Female.....	3	5	-	4	5	4	4	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	4	1	2	-	-	1	-	-	-
Male.....	-	1	-	3	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	1	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

New Mexico

All races, both sexes.....	7	17	13	10	19	24	18	9	4	1	-	-
Male.....	3	10	6	6	10	12	10	4	1	1	-	-
Female.....	4	7	7	4	9	12	8	5	3	-	-	-
White, both sexes.....	6	17	10	10	18	23	18	8	4	1	-	-
Male.....	3	10	4	6	9	12	10	4	1	1	-	-
Female.....	3	7	6	4	9	11	8	4	3	-	-	-
Black, both sexes.....	1	-	1	-	-	1	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	54	80	105	90	108	115	102	55	40	11	1	-
Male.....	32	47	54	50	62	54	38	21	11	2	-	-
Female.....	22	33	51	40	46	61	64	34	29	9	1	-
White, both sexes.....	45	72	88	80	101	101	95	52	37	11	1	-
Male.....	29	42	47	44	59	46	36	20	10	2	-	-
Female.....	16	30	41	36	42	55	59	32	27	9	1	-
Black, both sexes.....	9	8	12	9	6	14	5	2	3	-	-	-
Male.....	3	5	5	6	3	8	-	1	1	-	-	-
Female.....	6	3	7	3	3	6	5	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	4	1	1	-	2	1	-	-	-	-
Male.....	-	-	1	-	-	-	2	-	-	-	-	-
Female.....	-	-	3	1	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Oregon

All races, both sexes.....	20	26	19	27	35	43	41	17	13	2	-	-
Male.....	13	12	7	13	19	20	17	6	6	1	-	-
Female.....	7	14	12	14	16	23	24	11	7	1	-	-
White, both sexes.....	18	24	19	25	34	42	38	16	13	2	-	-
Male.....	13	10	7	12	18	19	16	5	6	1	-	-
Female.....	5	14	12	13	16	23	22	11	7	1	-	-
Black, both sexes.....	-	1	-	1	1	-	-	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	2	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	2	-	-	-	-	-

Pennsylvania

All races, both sexes.....	66	91	86	96	140	166	142	114	45	10	-	-
Male.....	42	54	52	58	68	73	65	39	12	1	-	-
Female.....	24	37	34	38	72	93	77	75	33	9	-	-
White, both sexes.....	56	74	73	87	122	149	129	109	42	9	-	-
Male.....	37	46	43	53	61	68	60	39	11	1	-	-
Female.....	19	28	30	34	61	81	69	70	31	8	-	-
Black, both sexes.....	9	15	12	9	17	16	13	5	3	1	-	-
Male.....	5	8	8	5	7	5	5	-	1	-	-	-
Female.....	4	7	4	4	10	11	8	5	2	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	2	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Vermont

All races, both sexes.....	5	3	4	4	4	6	10	3	2	-	-	-
Male.....	3	1	1	3	1	3	3	1	-	-	-	-
Female.....	2	2	3	1	3	3	7	2	2	-	-	-
White, both sexes.....	5	3	4	4	4	6	10	3	2	-	-	-
Male.....	3	1	1	3	1	3	3	1	-	-	-	-
Female.....	2	2	3	1	3	3	7	2	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	29	39	66	67	64	76	63	27	11	3	-	-
Male.....	16	28	27	42	29	39	33	13	1	-	-	-
Female.....	13	11	39	25	35	37	30	14	10	3	-	-
White, both sexes.....	20	30	51	52	54	63	53	22	11	2	-	-
Male.....	13	21	23	33	26	32	28	12	1	-	-	-
Female.....	7	9	28	19	28	31	25	10	10	2	-	-
Black, both sexes.....	9	9	14	14	9	13	10	4	-	1	-	-
Male.....	3	7	3	8	2	7	5	1	-	-	-	-
Female.....	6	2	11	6	7	6	5	3	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	-	1	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

